

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/
















Year of the BOTANIC GARDEN of the STATE of NEW-YORK.

gentlausier of port

HORTUS ELGINENSIS:

OR

A CATALOGUE

OF

PLANTS, INDIGENOUS AND EXOTIC.

CULTIVATED IN THE

ELGIN BOTANIC GARDEN,

IN THE VICINITY OF THE CITY OF NEW-YORK.

ESTABLISHED IN 1801,

BY DAVID HOSACK, M.D. F.L.S.

Professor of Botany and Materia Medica in Columbia College, Member of the American Philosophical Society, &c.

SECOND EDITION ENLARGED.

NEW-YORK:

Printed by T. & J. Swords, Printers to the Faculty of Physic of Columbia College, No. 160 Pearl-Street.

1811.

Cac H79h

the Control of

B of the first

THE PROPERTY OF PR

William of Wall of the Fig.

*** ***

the first of the second of the second

HIS EXCELLENCY

DANIEL D. TOMPKINS, Esq.

Governor of the State of New-York;

THE HONOURABLE

THE COUNCIL OF REVISION;

AND

THE MEMBERS OF THE

SENATE AND HOUSE OF ASSEMBLY,


THE PRESENT EDITION OF THE

CATALOGUE OF PLANTS

CULTIVATED IN THE

ELGIN BOTANIC GARDEN,

IS RESPECTFULLY INSCRIBED.



PREFACE.

I HE establishment of a Botanic Garden in the United States, as a repository of the native plants of this country. and as subscryient to the purposes of medicine, agriculture. and the arts, is doubtless an object of great importance. Impressed with the advantages to be derived from an institution of this nature. I have anxiously endeavoured ever since my appointment to the professorship of Botany and Materia Medica in Columbia College, to accomplish its establishment. Disappointed, however, in my first applications to the Legislature of this State, soliciting their assistance in so expensive and arduous an undertaking. I resolved to devote my own private funds to the presecution of this object; trusting, that when the mature of the institution should be better, and more generally known, and its utility fully ascertained, it would receive the petronage and support of the public.

Accordingly, in the year 1801, I purchased of the Corporation of the city of New-York, twenty acres of ground, situated on the middle road between Bloomingdale and Kingsbridge, and distant from the city about three miles and an half. The view from the most elevated part, is variegated and extensive, and the soil itself of that diversified nature, as to be particularly well adapted to the cultivation of a great variety of vegetable productions. The greater

part of the ground is at present in a state of promising cultivation, arranged in a manner the best adapted to the different kinds of vegetables, and planted agreeably to the most approved style of ornamental gardening. Since that time, an extensive conservatory, for the more hardy green house plants, and two spacious hot houses, for the preservation of those which require a greater degree of heat, the whole exhibiting a front of one hundred and eighty feet, have been erected, and which, experience has shown, are well calculated for the purpose for which they were designed. The whole establishment is surrounded by a belt of forest trees and shrubs, both native and exotic, and these again are enclosed by a stone wall, two and an half feet in thickness, and seven feet in height.

As it has always been a primary object of attention to colless and cultivate in this establishment, the native plants of this country, especially such as are possessed of medicinal properties, or are otherwise useful, such gardeners as were practically acquainted with our indigenous productions, have been amployed to procure them: how far this end has been antancial, will be best seen by an examination of the Catalogue.

Although much has been done by the governments of Great-Britain, Knance, Spain, Sweden, and Germany, in the investigation of the vegetable productions of America: although mach has been accomplished by the labours of Cottonby, Kalm, Wangimheim, Schoepf, Walter, and the Michiaux; and hy our countrymen Clayton, the Bartrams, Colden, Muhlenberg, Marshall, Cutler, and the learned Professor Barton of Pennsylvania, much yet remains to be done in this vestera part of the globe. The numerous larticles of medicine which this country has already fur-crimbod; the variety of soils and climates which it comprehends, encourage the belief, that many more remain to be discovered, and that the Materia Medica may still be wariched by the addition of many indigenous plants, whose wirtues yet remain undiscovered.

Another object of importance is, to afford to students of medicine, the means of acquiring a knowledge of the natural history of plants, and the principles of botamic arrangement; a science intimately connected with their profession; as it not only enables them to distinguish one plant from another, but frequently leads to an acquaintance with their medicinal virtues. For this purpose the grounds are divided into different compartments, calculated to exhibit the various plants according to their several properties: and these again are so arranged as to afford a practical illustration of the systems of botany at present most esteemed, viz. the sexual system of Linnaus, and the natural orders of Jussicu.

Hitherto the botanical gardens of Editaburgh, Oxford, Cambridge, London, Paris, Copenhagen, Leyden, Upsal, Goettengen, &c. have instructed the American youth in this department of medical education; and it is in some degree owing to those establishments that the universities and colleges of those places have become so celebrated, and have been resorted to by students of medicine from all parts of the world.

Since the publication of the first edition of this catalogue. in 1806, this institution has been greatly improved, and by an act of the Legislature, passed on the 12th day of March, 1810, has been purchased by the State for the benefit of the Medical Schools of New-York. For information upon this subject the reader is referred to a production entitled, " A Statement of Facts relative to the Establishment and Progress of the Elgin Botanic Garden, and the subsequent disposal of the same to the State of New-York." just published; in which the liberal and enlightened views of the Legislature, in making so large and honourable an appropriation for the promotion of science are more fully exhibited than would be proper upon this oceasion. It will also be perceived by a comparison of the present with the former edition, that very considerable additions have been made to the collection both of the foreign and indirenous

plants contained in that establishment. Gratitude demands of me, on this occasion, an acknowledgment of the obligations I am under to many distinguished botanists, both abroad and at home, who have contributed to this institution. In this number are to be enumerated my much esteemed and respected friend and instructor. Dr. James Edward Smith, the learned President of the Linnaan Society of Leaden; the late Professor Vahl, and Mr. Hoffman Bang, of Copenhagen; Mons. Desfontaines and Thouis. the celebrated Professors of Botany and Agriculture at the Medical Schools of Paris; Mr. Salisbury, Proprietor of the Botanic Garden at Brompton, near London; the late Dr. Fabroni. Director of the Royal Museum of Florence: Dr. Bostock, the learned President of the Botanic Institution of Liverpool: Dr. Lettson, of London: Dr. Andrew Michaux. Editor of the Flora Borezli Americana, and Author of the very valuable History of the Forest Trees of North-Americe, new publishing at Paris; my much esteemed friend Dr. Alire Raffineau Delile, of the Institute of Egypt: Dr. Alexander Anderson, Superintendant of the Botanic Garden at St. Vincents; and Baron De Schack, of Martinique. From these gentlemen I have received many rare betanical works, and some of the most valuable plants in this collection.

Nor must I be unmindful of the obligations I am under to several gentlemen in this country, distinguished for their taste and talents in this department of science. The Hon. Robert R. Livingston, our former Minister in France; Professor Mitchill, of this city; John Stevens, Esq. of Hoboken; Mr. Bernard M. Mahon, of Philadelphia; Mr. Stephen Elliot, of Beaufort, South-Carolina; Dr. Darlington, and Mr. John Vaughan, of Pennsylvania; John Le Conte, Esq. of Georgia; Mr. William Prince, of Long-Island; and Mr. Andrew Gentle, seedsman, of this city; are also among the contributors to this institution. It is but justice to the merit of my nephew, Dr. Caepar Wistar Eddy, a groung but accurate botanist, to add, that he has largely aug-

mented the collection of American plants, especially of those of the island of New-York; some of which, viz. two new species of Garardia, were first discovered by him in the vicinity of this city. From my other pupils new industriously prosecuting the study of betany and medicine, more especially Mr. John W. Francis, and Mr. Isauc Rosecutt, of this city, and Mr. Robert M. Burolsy, of Orange county, I also anticipate many fruits of their labours in this department of science.

It would be injustice to my late gardener, Mr. Frederick Pursh, who with a knowledge of the science of botany unites a very extensive and accurate acquaintance with the plants of this country, not to notice the very numerous contributions he has made to the collection, of the native plants of the United States, during the period he had charge of this establishment. The institution is also at present, and has been for some months past, in a very flourishing condition, under the direction of Mr. Dennison, who has been very particularly recommended to me by Messrs. Lee and Kennedy, of Hammersmith. The present state of the collection is an evidence of his attention and skill, and from which I expect great improvements in every part of the establishment.

I avail myself of this occasion to observe, that as soon as measures may be taken by the Regents of the University for the permanent preservation of the Botanic Garden, it is my intention immediately to commence the publication of American Botany, or a Flora of the United States. In this work it is my design to give a description of the plant, noticing its essential characters, synonyms, and place of growth, with observations on the uses to which it is applied in medicine, agriculture, or the arts; to be illustrated by a coloured engraving, in the same manner in which the plants of Great-Britain have been published by Dr. J. E. Smith, in his English Botany. Considerable progress has already been made in obtaining materials for this publication: many of the drawings will be executed by Mr. James Inderwick.

a young gentleman of great genius and taste, and others by John Le Conte, Esq. whose acquaintance with botany and natural history in general will enable him to execute this part of the work with great fidelity. In Mr. Pursh, whose name has already been mentioned, I shall have a very industrious and skilful botanist to collect from different parts of the union such plants as have not yet been assembled at the Botanic Garden.

D. H.

New-York, March 12th, 1811.

ABBREVIATIONS.

AUTHORS.

Ait. Aiton. Andw. Andrews. Auct. Auctores. Bartr. Bartram. Brous. Broussonet. Curt. Curtis. Cav. Cavinilles. Decand. Decandolle. Desf. Desfontaines. Ehrhardt. Ehrt. Forat. Forster. Pral. Frœlich. Gert. Gærtner. Haw. Haworth. Hort. Hortulanorum. H.P. Hortus Parisiensis. Hude. Hudson. Humb. Humboldt Jaca. Jacquin. Juss. Jussieu. L. Linnæus. Lmk. Lamarck. l'Her. l'Heritier. Mich. Michaux. Mich. f. Michaux filius. Moench. Moenchausen. Muhl. Muhlenberg. Mur. Murray. Ort. Ortega. Pal. Pallas. Pers. Persoon. Retz. Retzius. Rox. Roxburgh. Sal. Salisbury.

Schousboe.

Schous.

Schreber. Schr. Scon. Scopoli. 8m.Smith. Swz. Swartz. Thunb. Thunberg. Vent. Ventenat. Wald. Waldstein. Walt. Walter. Wang. Wangenheim. Wend. Wendland. Willd. Willdenow.

COUNTRIES.

C. G. H. Cape of Good Hope. Can. Isl. Canary Isles. S. Europe. South of Europe. E. Indies. East-Indies. W. Indies. West-Indies. B. Indies. Both Indies. Phillip. Isl. Phillippine Isles. N. Holl. New-Holland. North-America. N. Amer. S. Amer. South-America. S. Sea Isl. South-Sea Islands.

a. annual.
b. biennial.
p. perennial.
s. shrub.
t. tree.
h. hardy.
g. h. green-house.
h. hot-house.

g. h. green-house.h. h. hot-house.Agr. Agriculture.Med. Medicine.

It is very probable, that owing to the engagements, professional and others, with which I am occupied, that some errors may be found in the following Catalogue; but I trust they are few in number, as it has been printed under the constant inspection of my nephew before mentioned.

D. H.

Scientific Name. ABROMA	English Name. N ABROMA, or false cacea	at.country.	use. Çul	t. dur	at.
augusta L. ABRUS	maple leaved WILD LIQUORICE	E. Judies		h.h	8
precatorius L.	Jamaica	B. Indies		h.h	8
ACACIA Willd. MIMOSA Auct.	ACACIA				•
arborea L. filicifolia <i>Lmk</i>	tree	W. Indies		h.h	8
brachyloba Muhl. 3 illinoensis Mich.	short podded	N. Amer.		h	P
discolor Andr. botrybephala Vent.	two coloured	Ň. Holl.		g.h	
falcata Willd. 3 obliqua Vent. 3	sickle leaved	d o.		g.h	8
farnesiana L.	Farnesian. Sponge-tree	W. Indies		h.h	
floribunda Vent.	flowering	N. Holl.		g.h	8
glauca L.	glaucous	S. Amer.		h.h	8
glaucescens Willd. } binervia Wend. }	two nerved	N. Holl.		g.h	
julibrissin Ait.	oriental	Levant		p :	
latronum L. lebbek L.	robbers	E. Indies		h.h h.h	•
pennata L	Egyptian feathered	Egypt E. Indies		n.a h.h	
pulcherrima Willd.	beautiful	S. Amer.		h.h	-
speciosa Jacq.	shewy	E. Indies		h.h	•
susveolens Sm.	sweet scented,	N. Holl.		g.h	-
vera Willd.	•	_		_	_
nilotica L. 5	gum-arabic tree	Egypt	Med.	h.h	
ACALYPHA	ACALYPHA				
caroliniana <i>Mich</i> .	Carolinian	N. Amer.		h	
virginica L.	common	đo.		h	
ACANTHUS	BEAR'S BREECH	_		_	
mollis L.	soft leaved	Europe	Med.	þ	P
spinosus L.	spinous	do.		h	P
ACER	MAPLE TREE				
dasy carpum Ehrt. eriocarpon Mich. tomentosum H. P.	silver leaved, or soft	N. Amer.	Arts	h	t
montanum Willd. spicatum Lmk.	shrubby, or mountain	do.		h	
pensylvanicum L. striatum <i>Lmk</i> . canadense <i>H. P.</i>	striped barked	do.	Arts	h	t
negundo L.	ash leaved	do.		h	8
rabrum L.	common red	do.	Arts	'n	Ē
saccharinum L.	bugar	do.	Arts &		ŧ
			Diet	-	•
ACHANIA	ACHANIA				
malvavious Swz.				4	
Hibiscus malvaviscus L.	mallow leaved	W. Indies	1	h.h	4
Maivavisous arborous	bashful mallow	AL . THURSE	,	-11-05	•
Cav.	•				

ACHILLEA	YARROW, or milfoil				
asplenifolia Vent. rosea H. P.	rose flowering	N. Amer.		h	P
decumbens Lmk.	trailing	Asia.	37.	þ	P
millefolium L. ptarmaca L.	common enecze wert	N. Amer. Europe	Med.	h h	P
v. flore pleno tanacetifolia L.	variety			_	P
tanacetifolia L. tenuifolia Lmk.	tansey leaved	do.		þ	P
santolina Willd.	fine leaved	Levant		g.h	
ACHRAS Sapota L.	SAPOTA common, sour sep	W. Indies	Die L	~ h	_
•	•	44 • \$150169	Med.	R-#	8
ACHYRANTHES	CHAFF FLOWER	C. G. H.		L L	_
argentea <i>Lmk.</i> ACNIDA	silvery WILD HEMP	U. G. II.		h h	*
cannabina L.	common	N. Amer.		h	
ACONITUM napellus L.	WOLF'S BANE	Europe		h	p
ACORUS	SWEET FLAG			-	P
ealamus L. ACTÆA	aromatic calamus HERB, CHRISTOPHE	N.Amer. R	Med.	h	P
racemosa L.	black snake root	N. Amer.	Med.	h	P
spicata L. ADENANTHERA	common, coral and pear PEACOCK FLOWER	·l do.		þ	Þ
pavonina L.	smooth leaved	B. Indies		h.h	
<u>ADIANTUM</u>	maiden hair	3T A			•
pedatum L. ADONIS	American FLOS ADONIS, or phe	N. Amer.	Med.	h	P
æstivalis L.	summer	Europe		h	`.
autumnalis L. ÆGILOPS	autumnal HARD GRASS	do.		h	
triungialis L.	long spiked	Europe		h	
ÆGLE	MARMELADE APPLE	3	D:-4 0	_	_
marmelos Correa. Crateva marmelos L. S	common	E. Indies	Diet & Med.	h.h	
ESCHYNOMENE	ÆSCHYNOMENE, Ba				
aspera L. ÆSCULUS	rough HORSE CHESNUT	E. Indies		P-P	
hippocastanum, L.	common	Asia	Med.	h	t
flava <i>Ait.</i> lutea <i>Wang</i> .	yellow flowered	N. Amer.		h	s
macrostachya Mich.	long spiked	do.		h	
parviflora Walt.	scarlet flowering	do.			8
pavia L. AGAVE	AGAVE	w.	•	h	8
americana L.	American	S. Amer.	Arts	g.h	5
v. variegata tuberosa <i>Aif</i> .	variegated, do tuberous	₫o.		g.h	8
virginica L.	V irginian	N. Amer.		h Bar	8
vivipara L. AGRIMONIA	viviparous AGRIMONY	S. Amer.		g.h	8
eupatoria L.	common	N. Amer.	Med. &	h .	P
-	small flowered		Arts		P
parviflora Ait.	ROSE CAMPION	dø.		h	P
coronaria L.	common	Europe		h	Ъ
githago L. Githago segetum Desf.	} corn cockle	do.		h	
Githago segetum Desf. AGROSTIS	BENT GRASS	•			
alba L.	marsh or white Herd grass. Penn.	°e do.	Agr.	h	P
canina L.	brown	de.	Agr.	h	P
***			•	_	-

compressa Willd.	small	Europe		h	1 0
dubia Leers.	•	•			P
miliacea L.	millet	do.		þ	P
littoralis Sm.	sea	do.		þ	P
mexicana L.	Mexican	S. Amer.		þ	P
rupestris Willd.	rock	Europe	۸.	þ	
setacea Sm.	bristly	do.	Agr.	h	P
spica venti L.	silky	do.	Agr.	þ	•
stricta Willd.	upright	N. Amer.		h	P
virginica L.	barren	do.		h	P
vulgaris Sm.		Farme	A	L	_
hispida Willd.	common	Europe	Agr.	h	P
capillaris Leers.)	HAIR GRASS				
aquatica L.	water	Europe		h	
canescens L.		do.		ĥ	P
cæspitosa L.	grey turiy	do.		ĥ	Þ
cary ophyllea L.	silvery	go.		Ď.	Þ
flexaosa L.	heath, or zigzag	do.		Ā	P
melicoides Mich.	melic like	N. Amer.		ī	P P
obtuseta Mich.	blant	do.		Ā	P
praecox L.	spring	Europe		Ā	P
ALCHEMILLA	LADIES MANTLE			_	•
hybeida L. ?		13			_
pubescens Lmk.	hair y	Europe		h	P
ALETRIS	ALETRIS				
farinosa L. ?	mealy; Devil's bit, star-	NT A	M-3	1	
alba Mich. 5	grass	N. Amer.	med.	h	P
ALISMA	WATER PLANTAIN				
plantago L.	common	N. Amer.		h	P
v. minor	lesser, do				_
ALLAMANDA	ALLAMANDA				
cathartica L.	purging; willow leaved	S. Amer.	•	h.h	
Orelia grandiflora Aubl.	,	D. ILIIC.		AD- 11	
VITTOW _	UNION GARLICK	_		_	
ascalonicum L.	eschallots	Levant	Diet	h	P
canadense L.	wild, or American	N. Amer.	Diet	h	·P
sepa L.	common onion		Diet &	h	P
Catalanan T	337-1-3-3-	O'Lt.	Med.	-	_
fistulosum L.	Welch do	Siberia	Dict	þ	P
moly L.	yellow do	Europe	Diet	þ	P
oleraceum L.	purple striped do common leek	do. do.	Diet	h	P
porrum L.	common leek	uu.	Diet & Med.	h	ь
sativum L.	common garlick	do.	Diet &		
SHUVUILI LA	common Switch	uu.	Med.	h	
schnænoprasum L.	chives	Siberia	Diet	ĥ	P
senescens L.	narcissus leaved	do.	Diet	ĥ	-
ALNUS	ALDER	40.			P
serrulata Willd.				_	
Betula rugosa Ehrt.	common American	N. Amer.		h	8
ALOE	ALOE				
fruticosa Pers. ?	4	C. G. H.			
arborescens Mill.	tree	U. G. n.		g.h	8
lingua L.	tongue	do.		g.h	8
margaritifera L. Z				_	
margaritifera L. pumila Thunb.	<u> </u>	do		or h	
mortolista (.)	pearl	do.		g.h	8
Portonnia	pearl		Med	-	8
succotrina Lmk 5	<u> </u>	do. Africa	Med.	-	8
succotring Imk 5 picta Thunb.	pearl great soap, succeterine	Africa	Med.	g h	5
succotrina I.mk 5 picta Thunb. maculosa I.mk.	pearl		Med.	-	
succotrina I.mk 5 picta Thunb. maculosa Lmk. umbellata Decand.	pearl great soap, successorine spotted soap	Africa C. G. H.	Med.	g.h	
succotrina I.mk 5 picta Thunb. maculosa I.mk.	pearl great soap, succeterine	Africa	Med.	g h	\$ \$ \$

spiralis L. variegata L.	spiral · · · partridge breast	C. G. H. do.		g.h g.h	.
verrucosa Ait. ALOPECURUS	warted tongue FOX TAIL GRASS	do.		g.h	5
bulbosus L.	bulbous	Europe	_	h	P
geniculatus L.	floating meadew	do.	Agr.	þ	P
pratensis L. ALSINE	CHICKWEED	do.	Agr.	h	P
media L. ALSTRŒMERIA	common ASTRŒMERIÁ	N. Amer.	Diet	h	4 ,
ligtu L. ALTHÆA	striped flowered MARSH MALLOW	Peru		g.h	P
ficifolia <i>Willd</i> . 7 Alcea ficifolia L. 5	fig leaved holly hock	Levant		ĥ	Ъ
officinalis L.	common .	Europe	Med.	h	P
Alcea rosea L.	common holly hock	China	Med.	h	Ъ
ALYSSUM	MADWORT	***			
clypeatum L. incanum L.	shield seeded	Europe do.		h h	a
ncanum L. saxatile L.	hoary rock	Levant		n g.h	P P
utriculatum L.	bladder	do		g.h	P
AMARANTHUS	AMARANTH or Cock			9	F
albus L.	white	N. Amer.		h	
blitum L	strawberry	Europe		h	8
cruentus L.	various leaved	China		h	8
hybridus L. retroflexus <i>Lmk</i> .	clustered	N. Amer.	•	h	2
hypochondriacus L.	Prince's feather	do.		h	
lividus L.	lead coloured	_ do		Þ	8
melancholicus L.	Love lies bleeding	E. Indies		þ	
oleracens L.	cultivated	do. N. Amer.	Diet	h	
paniculatus L. sanguineus L.	panicled	W. Indies		h h	2
scandens L.	bloody elimbing	S. Amer.		h	a 8
spinosus L.	thorny	B. Indies		ĥ	ā
tricolor L.	three coloured	E. Indies		ĥ.	2
tristis L.	mourning	do.		h '	
AMARYLLIS	AMARYLLIS				
atamasco L.	Atamasco lily	Carolina		g.h h.h	P
aurea l'Her.	golden Belladonna lily	Peru		h.h	P
belladona L.	Belladonna lily	S. Amer.		g.h h.h	P
equestris Ait.	Barbadoes lily	W. Indies			P
formosissima L. Iongifolia L.	Jacobaea lily long leaved	S. Amer. C. G. H.		g.h	P
lutea L.	vellow	S. Europe		g.h	P ·
ornata Ait.	Cape coast lily	Guinea		g.h h.h	P
regine L.	Mexican lily	Mexico		g.h	p.
sarniensis L.	Guernsey lily	Japan		g.h	p
undulata L.	waved leaved	C. G. H.		g.h	P
vittata Ait.	ribbon	do.		g.h	P
AMBROSIA	HOGWEED	N. Amer.		1.	_
artemisiæfolia L. elatior L.	rough smooth	do.		h h	2 2
trifida L.	hemp	do.		ĥ	2
AMOMUM	GINGER	40.		**	-
zingiben L.	true, narrow leaved	E. Indies	Med. & Diet	h.h	P
AMORPHA	BASTARD INDIGO				
fruticosa L.	shrubby	N. Amer.	Arts	h	
AMPELOPSIS cordata Mich.	FALSE GRAPE	,			
Cissus ampelopsis	red berried	đo.		h	
Pers.				_	-

mutuantalella Mal				
quinquefolia Mich. Hedera quinquefolia L.	Wild ivy	N. Amer.	h	
Cissus bederacea Pers.		44.18IIICE.		
bipinnata Mich.	•			
Vitis arbores L.	upright	do.	h	
Cissus stans Pers.	- •			
AMYGDALU8	ALMOND		_	
eommunis L	common	Barbary	þ	t
nana L. flore plene	dwarf double flowering	1 artary	h	ŧ
persica L.	common peach	-	h h	t
v. nuci persica v. flore pleno	nectarine do. double flowering do.		ĥ	t
ANACARDIUM	CASHEW NUT		u	٠
occidentale L.	common	B. Indies	Diet& h.h	
			Med.	_
ANAGALLIS	PIMPERNEL, Chick-we	ed	•	
arvensis L.	common			
v. flore coerules	blue flowered	N. Amer.	Med. h	2
v. flore phæniceo ANCHUSA	red flowered			
	BUGLOSS	7		_
augustifolia L. officinalis L.	narrow leaved common or officinal	Europe do.	Med. h	Þ
sempervirens L.	eactleed of outdittel	do.	Med. h	p
ANDROMEDA	ANDROMEDA	400		Þ
axillaris <i>Lmk</i> .		W A		
catesbaei Walt. S	saw leaved	N. Amer.	p	8
calyculata L.	box leaved	do.	h	
ferruginea Ait.	ferrugineous	do.	h	
mariana L.	oval leaved	do.	h	
nitida Bartr.		•.	•	_
lucida Lmk.	ahining leaved	do.	h	
coriacea Ait.)		_	_	
paniculata Ait. 3	panieled	do.	h	
pelifolia L.		_		
v. subuluta Pers. \$	rosemary leaved	do.	h	
racemosa L.	sweet scented	do.	h	
paniculata Walt. 3	sweet scented	w.		-
enemines Mich 3	cassine leaved	do.	h	8
cassinefolia Vent.			_	•
v. pulverulenta Bartr. ANDROPOGON	powdered BEARD GRASS			
schoenanthus L	Lemon grass	E Indian	Med. h.h	•
scoparium Mich.	broom grass	N. Amer.	h	P
virginicum L.	yellow broom grass	do.	ĥ	P
ANDRYALA	ANDRYALA	_		•
cheiranthifolia <i>l' Her</i> . 🕽				
glandulosa <i>Lmk</i> .	stock leaved	Madeira	g.h	·P
tomentosa Scop.				
ANEMONE	ANEMONE—Wind flow	er		
aconitifolia Mich.	wolf's bane leaved	N. Amer.	h	_
pensylvanica L.	WOLL B DRILE JERVEG	M. Miller.		P
eoronaria L.	common	Levant	g.h	D
hepatica L.	hepatica—liver work	N. Amer.	Med. h	P
v. flore plene	double flowering			. •
hortensis L.	garden	Europe	h	P
nemorosa L.	wood	N. Amer.	Med. h	P
thalictroides L.			•	
Thalietrum anemo-	rue leaved	do.	þ	P
noides Mich. J v. flare plene	double flowered do.			
virginiana I	crow foot leaved	đo.∙	h .	Þ
D	3	40.		r
	-			

MORTUS BLGINENSIS.

ANETHUM	FENNEL				
færdeulum L.	sweet	Europe	Med.	h	
graveolens L. ANGELICA	dill	ďo.	do.	h	
ANGELICA	ANGELICA				_
archangelica L.	garden or efficinal	Europe	do.	þ	þ
triquinata <i>Mich</i> . ANONA	American or wild CUSTARD APPLE	N. Amer.	do.	þ	P
muricata L.	rough fruited	S. Amer.		h.h	
tripėtala <i>Ait.</i> 🧳	broad leaved	Peru	TN:-4		_
eherimolia <i>Lmk.</i> §		reru	Diet	p.n	
ANTHEMIS	CHAMOMILE				
artemisiæfolia Willd.)				
grandiflors <i>H. P.</i> stipulaces <i>Moench</i> .	artemisia leaved Chry-	China		b	_
· Chrysanthemum indi-	eanthemum			-	P
cum Curt.	}				
cotula L.	stinking— <i>May weed</i>	N. Amer.	Med.	h	P
nobilis L.	common	Europe	Med.	y	Þ
tinetoria L.	dyers	do.	Arts	þ	P
trilobata <i>Ort.</i> Zaluzania trilobata	three lobed	Mexico			
Pers.	tmee lobed	MICKIOU		g.h	Ъ
ANTHERICUM	SPIDER WORT				
frutescens L.	shrubby	C. G. H.		g.h	þ
ramosum L.		_		•	•
Phalangium ramosun	branching	Europe		h	P
ANTHOLYZA	ÆTHIOPIAN CORN F	LAC			•
ethiopica L	orange coloured	C. G. H.			_
cuponia L.	scarlet	do.		g.h g.h	P
ringens L.		do.		g.b	P
ANTHOXANTHUM	gaping VERNAL GRASS				. •
odoratum L.	sweet scented	N. Amer.	Agr.	h	P
ANTHYLLIS	KIDNEY VETCH	7			
barba jovis L. cretica <i>Lmk</i> .	Jupiter's beard	Europe	•	g h	. •
Ebenus cretica L.	black ebony	Crete	Arts	g.h	t
hermanniæ Vahl.	111	TD 1			
. Aspelathus cretica L. }	lavender leaved	Palest.		g.h	8
vulneraria L.	common yellow	Europe		h	P
ANTIRRHINUM	SNAP DRAGON	3T 4			
canadense I cymbalaria L.	Canadian wall	N. Amer.		h	*
junceum L.	rush	Europe Spain		h h	P
lin ari a L.	toad flax	N. Amer.	Med.	h	
majus L.	great	Europe		ĥ	B
purpureum L.	purple	do.		h	P
triphyllum L.	three leaved	Barbary		þ	2
APIUM graveolens L.	CELERY garden	Funena	Diet	1.	
petroselinum L.	common parsley	Europe do.	Med.&	h ·	þ
· Ped ocument 2	· Particy	40.	Diet	20	•
APOCYNUM	DOG'S BANE	•			
androsemifolium L.	tutsan leaved	N. Amer.		þ,	P
cannabinum L.	Indian hemp	do.		h	P
AQUILEGIA canadensis L.	COLUMBINE scarlet or wild	N A			_
vulgaris L.	common	N. Amer, Europe		h h	P
m. variegata	variegated do.	met ohe		-	P
v. fl. pleno ARABIS	double flowered				
ARABIS _	WALL CRESS				
canadensis L.	Canadian	N. Amer.		þ	P
lyrata L.	small tall	Europe		h	
pendula L.	tall	do,		h	p.
*					

HONTUS ELGINENSIA

			_		
ARACHIS	GROUND or PEA NUT	327 F. K.s.	Think		_
hypogasa L.	American	W. Indies	Me	h	2
ARALIA	ARALIA	N. Amer.	•	h	ŧ
hispida <i>Mich</i> .	bristly wild sarsaparilla	do.	Med.	ĥ	Þ
nudicaulis L.	berry-bearing spikenard		do.	j,	ď
racemosa L.	angelica tree Prickly ash	do.	do.	Б	Έ.
▲RCTIUM	BURDOCK				
lappa L.	common	N. Amer.	do.	h	Ь
▲RDISIA	ARDISIA			_	
solonacea Roxb.	The printer man arena	E. Indies	1	h.h	3
ARENARIA	SAND WORT				
canadensis Pers. 2	marsh	N. Amer.		h	
· rubra v. marina L. S		_		h	
rubra L.	field or red	Eurepe do.		h	
trinervia L.	three nerved	N. Amer.		ĥ	
serpilifolia L.	thyme leaved	14.1211141.			•
ARETHUSA	ARETHUSA	N. Amer.		h	P
ophioglossoides L.	adder's tongue leaved HORNED POPPY	241.12111021		-	F
ARGEMONE mexicana L.	Mexican	Mexico		h	2
ARISTIDA	ARISTIDA				_
dichotoma Mich.	small	N. Amer.		h	P
ARISTOLOCHIA	BIRTH WORT-Snake	-root			-
odoratissima L.	sweet scented	W. Indies		h.h	
serpentaria L.	Virginian	N. Amer.	Med.	h	P
ARTEMISIA	WORMWOOD			_	_
abrotanum L.	southernwood	Europe	Med.	h	8
absynthium L.	common	_do.	do.	Й	P
dracunculus L.	Tarragon	Siberia	Diet	h	D
ARTOCARPUS	BREAD FRUIT TREE	0 0 T.	Diet		
incisa L.	South Sea	S. Sea Isl	Diet	h.h	t
ARUM	INDIAN TURNEP	N. Amer.	Med.	h	_
dracontium L.	many leaved	do.	do.	h	Ĭ.
triphyllum L. ARUNDO	three leaved REED GRASS	uu.	400		P
	sand	N. Amer.		h	p
arenaria L. epigejos L.	smail	do.		ĥ	P
phreemitis L.	common	do.		h	P
phragmitis L. ASARUM	ASARABACCA-Wild			_	-
arifolium Mich.	heart snake root	N. Amer.	Med.	h	P
canadense L.	white snake root	do.	do.	h	P
ASCLEPIAS	SWALLOW WORT—S	ilk weed, J	Bilk we	ed	-
amœna L.	oval leaved	N. Amer.		h	P
curassavica L.	curassao	W. Indies		g.h	
fruticosa L.	willow leaved	C. G. H.		g.h	8
hybrida <i>Mich</i> . ?	variegated	N. Amer.		h	D
variegata Walt. S	_				_
incarnata L.	flesh coloured	do. do.		h h	Þ
longifolia Mich.	long leaved	QU.		щ	P
nigra L.	- black	Europe	Med.	h	-
Cynanchum nigrum Pers.	DIRCK	marche	Macu.		P
	obtuse leaved	N. Amer.		h	P
obtusifolia Mich.	linear leaved	do.	•	h	Þ
paupercula Mich. pulchra Ehrt.	river	do.		ĥ	P
purparascens L.	purple	do.		ĥ	p
syrisca L.	common	do.	Arts	h	Þ
tuberosa L.	Pleurisy root. Butter-fi	y do.	Med.	. h	-
decumbens Walt 5	weed	- 401	TATEM		P
verticillata L.	whorl'd leaved	do.		h	P
vincetoxicum L.			35 -		
Cynanchum vincetoxi-	> officinal	Europe	Med.	. ь	P
cum Pers.	,				

ASPARAGUS officinalis L.	ASPARAGUS common	Europe	Med. & Diet	h	P
ASPHODELUS	ASPHODEL-King's	rpear			
fistukosus L.	fistulous	Europe		g.h	P
luteus L	common	do.		h	P
ramosus L.	branching SPLEEN WORT	do.	Med.	h	P
ASPLENIUM		-			
rhizophyllum L.	walking leaf	N. Amer.		'n	P
trichomanes L.	fine leaved	do.	Med	h	P
ASTER amplexicaulis Muhl.	STAR WORT	N. Amer.		h	_
annuus L.	stem clasping annual	do.		Ь	2
chinensis L.	China Aster	China		ĥ	2
concolor L.	axillary	N. Amer.		ñ	P
787271.7	_				_
Conyza asteroides L. S	flea bane	do.		h	P
cordifolius L.	heart leaved	do.		h	p
corymbosus Ait.	clustered	do.		h	P
diffusus <i>Ait</i> .	spreading .	do.		h	P
divaricatus L.	straggling	do.		h	P
damosus L.	bushy	do.		h	P
ericoides L.	heath leaved	do.		h	P
foliolosus Ait.	leafy	do.		h	P
humilis Willd.	dwarf	do.		Ъ	P
hyssopifolius L.	hyssop leaved	do.		h	P
linariifolius L.	toad flax leaved	do.		P	P
macrophyllus Ait.	large leaved	do.		h	P
multiflorus Willd.	many flowered	do.		h	P
nemoralis Ait.	wood	do.		þ	P
novæ angliæ L.	New-England	do.		þ	P
novi belgii L.	small flowered	do.		þ	Þ
paniculatus Ait.	panieled	do.		ĺρ	P
patens Ait.	open flowered	₫o.		'n	P
pendulus Ait.	nodding	do.		h	P
phlogifolius Muhl.	phlox leaved	do		þ	P
puniceus L.	purple stalked	do.		h	Þ
rigidus L.	stiff leaved	do.		h	Þ
solidaginoides Mich.	golden rod	do. do.		h	Þ
subulatus <i>Mich.</i> tenuifolius L.	sea side narrow leaved	do.		h h	P
tradescantii L.	smooth stemmed	do.	•	ĥ	P
umbellatus Ait.	smooth stemmed	uo.			P
amygdalinus Mich.	peach leaved	do.		Ъ	P
undulatus L.	waved leaved	do.		h	P
ASTRAGALUS	MILK VETCH	4.51			P
alopecuroides L.	fox tail	Siberia		h	P
depressus L.	trailing	Europe		ĥ	P
glaux L.	common	Spain		ĥ	a
uliginosus L.	violet coloured	Siberia		ĥ	P
ATRIPLEX	ORACHE				r
hortensis L.	garden	Europe	Diet	h	8
patula L.	spreading DEADLY NIGHT SH	N. Amer.		h	
patula L. ATROPA	DEADLY NIGHT SH	ADE			
frutescens L.	shrubby	Spain	Med.	g.h	
physaloides L.		=		_	
Nicandra physaloides	blue flowered	Peru	Med.	h	8
Pers.	ATTOTTO				
AUCUBA	AUCUBA—Gold tree	_			
japonica L.	Japan Olducular	Japan		h.h	8
AVENA	japan OAT GRASS, OATS	10			
previs non.	SHUFT	Europe		h	2
elatior L. Holcus avenaceus Sm.	tall	do.	Agr.	h	P
aluicus avenaceus im. J			_		-

fatus L. flavescens L.	wild yellow	Europe do.		h h	a P
nuda L.	naked .			h	
pensylvanica L.	Pennsylvanian	N. Amer.	`	h	
pratensis L.	meadow downy	Europe		h h	P
pubescens L. sativa L.	cultivated	do.	Diet &	h	P
			Agr.	••	-
sesquitertia L.	hairy	Europe		h	
sibirica L.	Siberian	Siberia		h	P
spicata L.	rock	N. Amer.		h	P
glumosa Mich. 5		_		_	
sterilis L.	barren slender	Europe do.		h h	a a
strigosa <i>Schr.</i> AZALEA	UPRIGHT HONEY SU			31	-
nudiflora L.	common	N. Amer.		h	•
v. alba	white flowered				
v. bicolor	two coloured				
v. carnea	flesh coloured				
v. coccinea	scarlet				
v. rutilans	deep red				_
pontica L.	yellow flowcred	do.		þ	•
v. calendulacea Mich.	marygold leaved	do.		h	_
viacosa L.	viscous glaucous leaved	uo.		7	•
v. glauca v. odorata	aweet scented				
v. vittata	spotted flowered				
BALLOTA	STINKING HOREHOU	ND			
. lanute				L	_
Leonurus lanata Pers.	woolly	Siberia		h	P
nigra	Mack	Europe	_	h	P
BALSAMITA	COSTMARY "'		•		
· vulgaris Willd.	l				
major Deef.	· _	Europe	Med.	h	•
major <i>Desf.</i> Tanacetum balsamita	garden	Europe	Med.	h	P
major <i>Deaf</i> . Tanacetum balsamita	garden	-	Med.	h	
major Desf. Tanacetum balsamita L. BASELLA	garden MALABAR NIGHT SH	ADE			P
major Deaf. Tanacetum balsamita L. BASELLA rubra L.	garden MALABAR NIGHT SH red, or Chinese Spinach	ADE E. Indies	Med.	h h-h	•
major Desf. Tanacetum balsamita L. BASELLA	garden MALABAR NIGHT SH	ADE E. Indies			•
major Deef. Tanacetum balsamita L. BASELLA rubra L. BAUHINIA	malabar Night Sh red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved	ADE E. Indies in Ebeny E. Indies do.		h.h h.h	Ъ
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L.	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountain sharp pointed white leaved spreading	ADE E. Indies in Ebony E. Indies do. S. Amer.		h.h h.h h.h) b
major Deef. Tanacetum balsamita L BASELLA rubra L. BAUHINIA seuminata L. eantiida Ais. divaricata L. porrecta Ais.	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountain sharp pointed white leaved spreading Jamaica	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies		h.h h.h h.h h.h	8 8
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ast. divaricata L. porrecta Ast. tomentosa L.	malabar Night Sh red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies E. Indies		h.h h.h h.h h.h	
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Aii. divaricata L. porrecta Ait. tomentosa L. variegata L.	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountain sharp pointed white leaved spreading Jamaica downy variegated	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies		h.h h.h h.h h.h	8 8
major Deef. Tanacetum balsamita L. BASELLA rubra L. BAUHINIA acuminata L. candida Ais. divaricata L. porrecta Ais. tomentosa L. variegata L. BELLIS	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountain sharp pointed white leaved spreading Jamsica downy variegated DAISY	ADE E. Indies in Ebeny E. Indies do. S. Amer. W. Indies E. Indies do,		h.h h.h h.h h.h h.h	b 8 8 8 8
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ast. divaricata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L.	malabar Night Sh red, or Chinese Spinach BAUHINIA, or Mountar sharp pointed white leaved spreading Jamaica downy variegated DAJSY garden	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies E. Indies		h.h h.h h.h h.h	
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ait. divaricata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies E. Indies do.	Diet	h.h h.h h.h h.h h.h	b 8 8 8 8
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ait. divarteata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L.	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY common American	ADE E. Indies E. Iudies do. S. Amer. W. Indies do. E. Indies N. Amer.	Diet	h.h h.h h.h h.h h.h	b
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ast. divaricata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaria, L. v. canadensis BETA	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY common American BEET	ADE E. Indies in Ebeny E. Iudies do. S. Amer. W. Indies E. Indies Co. Europe N. Amer.	Diet Med. & Diet	h.h h.h h.h h.h h.h h.h	bsssss
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. eandida Ait. divaricata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L.	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAJSY garden BARBERRY common American BEET white	ADE E. Indies in Ebeny E. Indies do. S. Amer. W. Indies E. Indies do. Europe N. Amer.	Diet Med. &	h.h h.h h.h h.h h.h	b
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ait. divarteata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L. v.	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamsica downy variegated DAISY garden BARBERRY common American BEET white scarcity root or mangel	ADE E. Indies in Ebony E. Iudies do. S. Amer. W. Indies E. Indies do. Europe N. Amer.	Med. & Diet	h.h h.h h.h h.h h.h h.h	b s s s s s s s s s s s s s s s s s s s
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ast. divaricata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaria, L. v. canadensis BETA cicla L. v. — vulgaris L.	malabar Night Sh red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY common American BEET white scarcity root or mangel common	ADE E. Indies in Ebeny E. Indies do. S. Amer. W. Indies E. Indies do. Europe N. Amer.	Diet Med. & Diet	h.h h.h h.h h.h h.h h.h	bsssss
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. eandida Ait. divaricata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L. v. vulgaris L. BETONICA	malabar Night Sh red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY common American BEET white scarcity root or mangel common BETONY	ADE E. Indies in Ebeny E. Indies do. S. Amer. W. Indies E. Indies Co. Europe N. Amer. Europe wurzel do.	Med. & Diet Diet	h.h h.h h.h h.h h.h h.h	b
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ait. divarteata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L. v. vulgaris L. BETONICA officinalis	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY common American BEET white scarcity root or mangel common BETONY common or wood	ADE E. Indies in Ebony E. Iudies do. S. Amer. W. Indies E. Indies do. Europe N. Amer.	Med. & Diet	h.h h.h h.h h.h h.h h.h	b s s s s s s s s s s s s s s s s s s s
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ait. divarteata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L. v. vulgaris L. BETONICA officinalis BETULA	malabar Night Sh red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY common American BEET white scarcity root or mangel common BETONY common or wood BIRCH	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies do. Europe N. Amer. Europe do. Europe	Med. & Diet Diet Diet Med. Med.	h.h h.h h.h h.h h.h h.h	b s s s s s s b b b
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ait. divarteata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L. v. vulgaris L. BETONICA officinalis BETULA	malabar Night Sh red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY common American BEET white scarcity root or mangel common BETONY common or wood BIRCH white	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies do. Europe N. Amer. Europe do. Europe Europe	Med. & Diet Diet Diet Med. Arts	h.h	b s s s s s b b b p t
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ais. divaricata L. porrecta Ais. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L. v. vulgaris L. BETONICA officinalis BETULA alba L. lanulosa Mich. ?	malabar Night Sh red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY common American BEET white scarcity root or mangel common BETONY common or wood BIRCH	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies do. Europe N. Amer. Europe do. Europe Europe	Med. & Diet Diet Diet Med. Arts	h.h	b s s s s s s b b b
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA seuminata L. candida Air. divaricata L. porrecta Air. tomentosa L. varicata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L. v. vulgaris L. BETONICA officinalis BETULA alba L. lanulosa Mich. nigra L. lenta L.	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAJSY garden BARBERRY common American BEET white scarcity root or mangel common BETONY common or wood BIRCH white sweet-scented, or black	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies E. Indies do. Europe N. Amer. Europe wurzel do. Europe Europe Europe	Med. & Diet Diet Diet Med. Arts Arts	h.h h.h h.h h.h h.h h.h h.h h.h h.h h h.h h h h h h	b s s s s b b p t t
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ais. divaricata L. porrecta Ais. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L. v. vulgaris L. BETONICA officinalis BETULA alba L. lanulosa Mich. nigra L. lenta L. carpinifolia Mich. }	malabar Night Sh red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAISY garden BARBERRY common American BEET white scarcity root or mangel common BETONY common or wood BIRCH white	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies do. Europe N. Amer. Europe do. Europe Europe	Med. & Diet Diet Diet Med. Arts	h.h	b s s s s s b b b p t
major Deef. Tanacetum balsamita BASELLA rubra L. BAUHINIA acuminata L. candida Ait. divaricata L. porrecta Ait. tomentosa L. variegata L. BELLIS perennis, L. BERBERIS vulgaris, L. v. canadensis BETA cicla L. v. vulgaris L. BETONICA officinalis BETULA alba L. lanulosa Mich. nigra L.	malabar Night SH red, or Chinese Spinach BAUHINIA, or Mountai sharp pointed white leaved spreading Jamaica downy variegated DAJSY garden BARBERRY common American BEET white scarcity root or mangel common BETONY common or wood BIRCH white sweet-scented, or black	ADE E. Indies in Ebony E. Indies do. S. Amer. W. Indies E. Indies do. Europe N. Amer. Europe wurzel do. Europe Europe Europe	Med. & Diet Diet Diet Med. Arts Arts	h.h h.h h.h h.h h.h h.h h.h h.h h.h h h.h h h h h h	b s s s s b b p t t

4

•					
pumila L. Midens	dwarf BURR-MARYGOLD	N. Amer.	Arts	,	ŧ
bipinnata L.	hemioek leaved	N. Amer.		h	
chrysanthemoides Mich.		do.		þ	
connata Mich.	marsh	do.		þ	
frondosa L.	branching .	do.		þ	
Melananthera deltoide	leltoid leaved	W. Indies		g.h	D
Mich.)			P –	
BIGNONIA	TRUMPET PLOWER	NT A			
capreolata L.	two leaved	N. Amer.		g.h	
catalpa L. Catalpa bignonioides	Catalpa tree	do.		h	ŧ
Walt.				_	•
radicans L.	common	do.		þ	ŧ
sempervirens L. Gelseminum nitidum	yellow Carolina jasmine	do.		g.h	_
Mich.	A CHOA CALORER Januario			ģ.11	•
stans L.	tree	S. Amer.		h.h	t
	ARNOTTO				
orellana L. BLITUM	STRAWBERRY BLITE	B. Indies	Arts	h.h	
capitatum L.	common	Europe		h	
virgatum L.	slender stalked	do.		ĥ	-
BOERHAAVIA	HOGWOOD	_		_	_
diffusa L.	spreading	Peru		h.h	P
BORAGO	BORAGE African	Africa			_
africana L. officinalis L.	COMMON	Europe	Med	h	-
	HEMLOCK FERN	tim obc	3400	23	-
minutatura 10al		N. Amer.			_
Osmunda virginica L.)	snake root fern			þ	*
Midalitorges Japans.	kidney leaved	do.		h	P
BRASSICA napus L.	CABBAGE rape, or Cole seed	Europe	Med.	h	_
oleracea L.	common or esculent	do.	Diet.	h	8
orientalis L.	perfoliate	do.	Diet	ī.	ī
rapa L.	common Turnep	do.	Diet	h	Ď
BRIZA	QUAKING GRASS	17			
media L. BROMELIA	middle PINE APPLE	Europe		h	Ь
ananas L.	common	W. Indies	Diet	h.h	
BROMUS	BROME GRASS	***************************************		*****	•
asper L. ?	rough	Europe		ь	_
hirautus Curt.		- · · · · ·		_	P
canadensis <i>Mich.</i> erectus <i>Sm.</i>	Canadian upright	N. Amer. Europe		h h	P
inermis L.	smooth	qo.		'n	P
littoreus Retz.	sea	Siberia		h	P P
madritensis Vahl.	wall	Europe		h	1
mollis L.	soft.	N. Amer.		h	
pinnstus L. racemosus L.	feathered	Europe do.		h	P
secalinus L.	variegated rye	N. Amer.		h h	2
sterilis L.	barren	Europe		ĥ	:
tectorum L.	nodding	do.		ĥ	a
BRYONIA	BRIONY	70 Y . 1' .			
palmata L. BROUSSONETIA	palmated BROUSSONETIA	E. Indies		h.h	P
papyrifera Vent.) Procesourin				
Mopus papyrifera L	paper mulberry	Japan	Arts	h	t
Papyrius japonica Lmk.)	A		_	•
BROWALLIA	BROWALLIA	TD			
elata L.	upright	Pert		Þ	*

•	mortus elcinismen	ι ,		. 11
BUBON	BUBON			
laevigatum Ait.	smooth	C. G. H.	g.b	
BUDDLEJA	BUDDLEJA	<i>a</i> .	- •	
globosa L. BUPHTHALMUM	round headed OX EYE	China	g.h	
	large flowered	Europe	h.	P
grandiflorum L. helianthoides l'Her.			_	
Melianthus laevis L.	smooth	N. Amer.	h	P
Heliopsis laevis Pers. J	willow leaved	Europe	h	_
BUPLEURUM	HARE'S EAR-Theroug		44	P
rotundisolium L.	round leaved	Europe	Med. h	
Buxus	BOX TREE	3.51	-	
balearica <i>Lmk</i> . sempervirens L.	minorea	Minorca Europe	Mod. B	•
v. suffruticosa	evergreen dwarf do.	Parobe	TATOM. W	•
v, variegata	variegated do.			
CACALIA	CACALIA			
articulata L. runcinatus Lmk.	jointed	C. G. H.	- 1	_
laciniata Jacq.	Jointed	C. G. II.	g.h	•
atriplicifolia L.	orache leaved	M. Amer.	h	P
sonchifolia L.	scarlet	E. Indies	P	ā
CACTUS	CACTUS	G A		_
coccinellifer L, ficus indica L.	Cochinesi Indian fig White spined Indian fig	S. Amer. do.	h.h g.h	*
flagelliformis L.	creeping ocreus	do.		
glomeratus <i>Lmk</i> .	smallest Indian fig	do	g.h h.h	P
grandiflorus L.	night flowering Cereus amail Melon thistle	W. Indies	h.h	•
mammillaris L. melocactus L.	great Melon thistle	do. do.	h.h h.h	P
opustia L,	common Indian fig	N. Amer.	b	P
pentagonus L. pereskia L.	five sided torch thistle	S. Amer.	h.h	
pereskia L.	Barbadoes gooseberry triangular Cereus	W. Indies	h.h	
triangularis L. · tuna L.	black spined Indian fig	S. Amer. W. Indies	g.h h.h	
CÆSALPINIA	CÆSALPINIA	44. Triance	***	•
pulcherrima Swz.				
Poinciana pulcherri-	Barbadoes flower fence	B. Indies	h.h	
CALADIUM ma L.)	CALADIUM			
esculentum Fent.		Africa	TN-4 LL	_
Arum esculentum L. 5	Esculent—Tannier	Airica	Diet h.h	
CALENDULA	POT MARYGOLD	v	D: 48- 1	
officinalis L.	common	Europe	Diet & h Med.	
v. flore pleno	double flowering			
CALLA .	CALLA		_	
æthiopica L.	Æthiopian	C. G. H. N. Amer.	ş.h	P
palustris L. CALLICARPA	marsh CALLICARPA	TA. WHIEL.	h	P
americana L.	sage leaved	N. Amer.	h	8
v. fructu albo	white fruited			
CALTHA palustris L.	MARSH MARYGOLD	N. Amer.	h	_
CALYCANTHUS	CAROLINA ALLSPICE			P
floridus L.	rough leaved CALYMENIA	Carolina	h	
CALYMENIA		D		
prostrata <i>Cav</i> . CAMELLIA	jointed CAMELLIA	Peru	h.h	
japonica L.	Japan rose	Japan	g.b	
v. flore pleno albo	double flowered white		9.4	_
v. flore pleno rubra	do. do. red			
p. flore plene variegate	variegated double flower	ed.	•	

12	HORIUS ELGINERSIS	' *.			
CAMPANULA	BELL FLOWER				
grandiflora L. ?	large	Siberia		h	p
gentianoides Lmk.5 lanuginosa Lmk.	woolly	Tartary		g.h	ъ
medium L.	Canterbury	Europe		h	Ь
perfoliata L.	perfoliate	N. Amer		h	
amplexicaulis Mich. S pyramidalis L.	pyramidal	Carniola		g.h	Ъ
rotundifolia L.	round leaved	N. Amer.		Р	P
speculum L.	Venus's looking-glass	Europe		h	a
CANNA	INDIAN REED or SHO			٠.	_
glauca L. v. flaccida indica L.	glaucous common	Carolina B. Indies		g.h g.h	P
v. coccinea	scarlet flowered	25, 21,0100		9	
CANNABIS	HEMP				
sativa L.	common CAPRARIA	E. Indies	Arts	h	
CAPRARIA biflora L.		W . Indies	ı	h.h	
CAPSICUM	CAPSICUM or Guinea 1	Pepper			_
annuum L.	common	8. Amer.	Diet	h	2
v. lengum	long podded	B. Indies	Med.	~ h	
baccatum L.	Bird pepper Bell pepper	do.	Diet		•
grossum L. CARDAMINE	CARDAMINE	4.5.		9	_
impatiens L.	naked flowering	Europe		h	
CARDIOSPERMUM halicacabum L.	HEART PEA	N. Amer.		h	
CARDUUS	THISTLE	M. Amer.	•	Щ	
arvensis Sm.	Canada thistle	N. Amer.		h	1
Serratula arvensis L.	Cumata mene	M. AIMCI.	•		•
Cnicus arvensis Pers.) defloratus L. >		_			
eirsioides Vill.	long leaved	Europe		h	ь
horridulus Pers.					
Cirsium horridulum	thorny	N. Amer.		h	Ъ
Mich.) lanceolatus Sm.)					
Cnicus lanceolatus	lanceolate-Spear thistle	do.		h	•
Willd. 🕽		•			-
marianus L.	*11	P	37.3		
Carthamus maculatus Lmk	milk	Europe	Med.	h	ь
personata Willd.	•				
Arctium personata L. 5	dressed	do.		h	b
CARICA	PAPAW TREE	E. Indies	Diet		
papaya L. CARLINA	common CARLINA	E. Illuica	Diet	h.h	t
corymbosa L.	cluster flowering	Italy		g.h	P
CARPINUS	HORN BEAM			•	_
Americana Willd. CARTHAMUS	American	N. Amer.	Arts	h	t
eæruleus L.	CARTHAMUS or Safflor blue	Europe		h	D
mitissimus_L.	smooth	do.		h	P
tinctorius L.	bastard Saffron	Egypt	Med.&	h	
CARUM	CARAWAY		Arts		
carui L.	common	Europe	Med.	h	ъ
CASSIA	CASSIA	-E -			-
alata L.	winged-Ring worm tree	S. Amer.	Med.	h.h	t
herpetica Jacq. S arborescens Vahl.	tree	E. Indies		h.h	ŧ
chamæcrista L.	dwarf. Magothy bay bean			h	à
corymbosa Lmk.	clustered	S. Amer.		h.h	8
fusciculata Mich.	fasciculated	N.Amer.		h	a

	CORTUS RIGINAVED	k .			14
marilandica L	faine Aceria	N. Amer.	Med.	Þ	•
nictitans L.	shining or sensitive	do.	36.3	þ	ā
senna L. sophera L.	Egyptian senna white	Egypt E. Indies	Meg.	h Lh	
tora L. 2					3
limensis Imk. 5	oval leaved	S. Amer.		•	•
CASTANEA	CHESNUT	N. Amer	Disco		
vesca <i>Gart</i> . Fagus castanea L.	common	M. Amer	Arts		. t
Sumila Wiel S	dwarf or chinquapin	do.	Diet		ŧ
Fagus pumila L. S CATANANCHE		40.	20161	-	٠
lutes L.	CATANANCHE yellow	Europe		ь	
CATEBBÆA	LILY THORN	-		-	-
spinosa L.	Bahama	W. Indies		3.h	•
CAUCALIS mauritanica L.	BASE PARSLEY	Africa		h	•
CEANOTHUS	NEW-JERSEY TEA-TI			-	•
americanus L.	common	N. Amer.	Med.	þ	P
CELASTRUS seandens L.	STAFF-TREE	N. Amer.	Mad	ь	
CELOSIA	climbing—Bitter-rweet CELOSIA—Cock's comb	14 . Wanter.	Mrcu-	4	•
argentes L.	silvery spiked	China		h	
coccinea L.	scarlet spiked	do. E. Indias		ħ	
cristata L. CELSIA	eommon CELSIA	E. Inque			-
cretica L.	large flowered	Africa		g.h	Ъ
OELTIS	NETTLE TREE			_	
eramifolia Lmk.	dwarf	N. Amer.		h	t
occidentalis L.	common American	do.		h	t
CENCHRUS	CENCHRUS				-
tribuloides L. CENTAUREA	hedge hog CENTAURY	N. Amer.		P	3
africana Desf.	African .	Africa		g.h	1
atropurpurea Willd.	dark purple	Europe ·		D.	P
benedicta L.	Blessed thirtle	d o. ¯ do.	Med.	þ	
centaureum L. crocodylium L.	great blush flowered	Syria		h	P
erupina L.	black seeded	Levant		Ď.	
cyanus I.	Blue Bettle	Europe	Med.	þ	
glauca Willd. moschata L.	glaucous Sweet Sultan	N. Amer. Peru	Med.	Î	. b
phrygia L.	Austrian	Europe		7	P
acabiosa L.	scabious -	do.	Med.	ķ	è
solstitialis L. spinosa L.	St. Barnaby's thistle?	do. Crete		a ga	
suaveolens Willd	· · · · · ·				-
am berboi <i>Lmk</i> .	yellow sweet Sukan	Europe		h	2
CEPHALANTHUS occidentalis L.	BUTTON WOOD American	N. Amer.	`Mad	h	
CERASTIUM	MOUSE BAR CHICKW		178-039-		•
semidecandrum L.	small .	N. Amer.		b	·a
viscosum L.	elammy common	ਂ ∉e. do.		'n	•
vulgatum'L. CERĂTONIA	ST. JOHN'S BREAD	QO.		h	
siliqua L.	common	Levant	Med.	g.h	´s
CERBERA	CERBERA or Rattle tree	**************************************		-	٠,
theretia L. CERCIS	willow leaved JUDAS TREE or Red b	W. Indies		P -P	t
enundensis L.	American	N. Amer.	Diet	h	t
siliquastrum L.	European HOMES WORK	Europe		h	b
CERINTHE major L	HONEY WORT	Siberia	•	ħ.	
mailor m.	parpie 5	wither M		41	έŧ
	•				

<u>;</u>

mortus biginensis.

-		•			
CESTRUM	CESTRUM—Baitard Ja		•	· · ·	4
diurnum L.	day smelling	W. Indies		h-h	8
vespertinum L.	feetid	do.		h.h	
CHÆROPHYLLUM	WILD CHERVIL		•		•
daytoni Pers. Myrrhis elaytoni Mich.	{ sweet scented	N. Amer.		Ъ	Ъ
CHEIRANTHUS	STOCK JULY FLOWER	2			
annuus L.	ten week	Europe		h	
cheiri L.	common wall flower	do.	Med.	h	Ъ
, fenestraļis L.	waved	do.		h	Ъ
incenus L.	Brompton—Queens	do.		h	P
linifolius Pers.	} flax leaved	Spain		g.h	P
Hesperis linifolius H. P.	Administra	Africa		h	
tricuspidatus L. CHELIDONIUM	tricuspid CELANDINE	Aires		R	•
		_		_	
glaucium L. Glaucium luteum Sm.	yellow horned poppy	Europe	•	h	2
majus L.	common—greater	N. Amer.	Med.	h	Þ
v. Nore pleno	double flowered		•		-
CHELONE	HUMMING BIRD TRE	B			
barbata Cav.		36		- •	
formosa Wend.	scarlet	Mexico		g.h	P
melicoides Andr.)	white	N. Amer.		h	_
glabra CHENOPODIUM	GOOSE FOOT	TA. Trimet.			P
album L.	common lamb's quarters	N. Amer.	Diet	h	
ambrosioides L.	Mexican	do.	Med.	ĥ	
anthelminticum L.	wormseed, Jerusalem sak	do.	Med.	h	, D
atriplicis L.	purple	China		þ	
bonus henrious L.	English mercury	Europe	Med.	þ	P
botrys L.	out leaved	N. Amer.	Med.	þ	P
glaucum L.	glaucous fœtid	do. do.	. Med.	h h	•
· hybridum L.	C Relucident Summer Cu.	QU.	· mreer		
. scoperie L.	Selvedere-Summer Cy-	& China		h	
villosum Lmk.	hairv	Siberia		h	
viride L.	green lamb's quarters FRINGE TREE	N. Amer.	Diet	h	
CHIONANTHUS	FRINGE TREE		-	•	
virginica L.	broad leaved	N. Amer.		h	8
CHIRONIA	CHIRONIA	NT A	M-3		
angularis L. chloroides Mich.	angular stemmed	N. Amer.	MICG.	h	Ъ
Chlora dodecandra L.	many poteľ d	do.	•	h	P
lingides L.	flax leaved	C. G. H.		g.h	
CHLORIS	WIRE GRASS			6	_
mucronata Mich.	common .	N. Amer.		h	
CHRYSANTHEMUM	CHRYSANTHEMUM				
carinatum Schous.	three coloured	Barbary		h	
CLICOLOL STAGE.				h	
coronarium L. leucanthemum L.	garden	Europe N. Amer.	Mad	h	-
CHRYSOCOMA	ox eye daisy GOLDY LOCKS	14. 1xmc1.	HACU.		P
cernua L.	nodding	C. G. H.		g.h	
CHRYSOPHYLLUM	STAR APPLE			6	-
eainito L.	broad leaved	W. Indies		h.h	8
CICER	CHICK PEA	_		_	
arietinum L.	common	Europe	Med.	h	2
CICHORIUM	SUCCORY	E. Indies	Dies &		
endivia L.	garden Endive	E. Indies	Med.	R	Ъ
intybus L.	wild	Europe	Med.	h	D
CICUTA	WATER HEMLOCK	Po			ď
maculata L.	American	N. Amer.	Med.	h	p
					-

				_
EINCHONA	CINCHONA			
pubahs	hairy—Georgia bark	Carolina	g.h	
CINERARIA	ASH WORT		•	•
emienta PHer 3				
eruenta <i>l'Her</i> } aurita <i>And</i> r. 5	parple	Can. Isl.	8 .p	
lanata l'Her.	woolly	do.	g.b	
populifolia l'Her.	poplar leaved	do.	g.h	
CINNA	CINNA		•	
arundinacea L.	reed y	N. Amer.	h	•
CIRCÆ A	ENCHANTERS NIGHT			-
alpina L.	mountain	N. Amer.	h	P
lutetiana L.	eommon noor	_ d o.	h	Ē
CISTUS	CISTUS OF ROCK ROSE		-	
albidus L.	white leaved	8. Europe	. g .p	
eanadensis L. earoliniana <i>Mich</i> .	Canada Carolinian	N. Amer. Carolina	h	Ъ
halimitolius L.	sea pursiain leaved	S. Europe	8.6	
helianthemum L.	new horteness season	S. Darope	g.h	
Helianthemum vulgare	dwarf	Europe	h	
Pers.	(""	Tier of	-	•
heterophyllus Deef.	different leaved	Barbary .	g.h	
incanus L.	hairy leaved	S. Europe	g.h	
ladaniferus L.	gum—Labdanum	do.	Med. g.b	
monspeliensis L.	Montpelier	do.	g.b	
mutabilis Jacq.	ebangeable	do.	2.1	
selicifolius 🚣 ื	willow leaved	do.	g.h	
salvifolius L.	sage leaved	do.	g.h	
thymifolius L.	thyme leaved	do.	g.h	
vaginatus Jacq.	sheathed	Teneriffe	g.b	_
symphitifolius Lmk.			•	-
Alterna Tv	bairy	S. Europe	g.h	
umbellatus L.	um belled	do.	g.h	
CITRUS	CITRON TREE	B F- H- 1		_
aurantium L.	common Orunge	B. ladies 1	mearine S.V	t
m almamala	China		Diet Diet g.h	
v. sinensis decumana L.	Chaddook			
medica L.	Lemon tree	Levant h		t
Intends Ix	Deliver Geo	The same T	Diet	t
v. limon	lime tree	•	DICE	
japonica Thurb.	Japan	Japan	Diet g.h	. 4
CLAYTONIA	CLAYTONIA		B.=	•
	Virginian	N. Amer.		P
virginica L. CLEMATIS	VIRGIN'S BOWER		_	
flammula L.	sweet scented	Europe	. h	
ochroleuca Ait.	yellow flowered	N. Amer.	h	P
viorna L.	leather flowered	do.	h	
virginiana L.	V irginian	_ do.	. ь	8
viticella L.	purple	Europe	h	8
v. flore plene CLEOME	double flowered	•		
	BASE MUSTARD	377 F 1	5	
pentaphylla L. CLETHRA	five leaved	W. Indies	Diet h	
alnifolis L.	CLETHRA	NT A	٠.	•
v. pubescens	amooth alder leaved hairy do.	N. Amer. do.	þ	
CLINOPODIUM	FIELD THYME	w.	p	
vulgare L	common	N. Amer.	Med. h	_
CLITORIA	CLITORIA	*1. TEIMEL.	wren. U	P
oplactic I.		***		
Galactia pendula Pers.	nodding	W. Indies	h.h	P
ternatea L.	winged	E. Indies	b.h	P
virginion L.	small flowered	N. Amer.	1	•
•			_	~

	A STROKE	o. marebe		2 ·H	
CNICUS	CNICUS—Thiesle	~		_	_
casabonse Willd.	fish	S. Europe		g-p	Ъ
discolor Muhl.	two coloured	N. Amer.		h	Ъ
oleracrus L.	yellow	Europe		h	P
COCCOLOBA	SEA SIDE GRAP E				_
exocriata L.	small fruited	S. Amer.		h.h	t
COCHLEARIA	SCURVY GRASS				
armeracia L.	horse radish	Europe	Diet &	h	Þ
		•	Med.		
officipalis L.	common	do.	Diet &	ь	1
	***************************************		Med	-	•
COFFEA	COFFEE TREE				
arabien L.	common	Arabia	Diet &	h h	٠.
er under st	common		Med.		•
COIX	JOB'S TEARS		MI CU.		
		To Indian	_	_ 1.	_
lacryma L.	- COMMENT	E. Indies	€	ş. b .	P
COLCHICUM	MEADOW SAFFRON		30.1		_
autumnale L.	common	Europe	Med.	h	P
v. flore pleno	double flowered do.				
COLLINSONIA	COLLINSONIA—Horse			_	
canadensis L.	common	N. Amer.	Med.	h	P
COLUTEA	Blad der senna				
arborescens L.	com mon	Europe		h	
cruents Ait. 7		-			_
orientalis Lmk.	variegated	do.		h	
frutescens L.	scarlet	C. G. H.		g.h	
poceskii Ait.	_		•		-
halepica Lmk.	pocock's	Levant		g.h	8
COMMELINA	COMMELINA				
communis L.	common	S. Amer.		g.b	P
COMPTONIA	COMPTONIA	o. Amo.		5·4	P
	COMI I CIVIA				
asplenifolia l'Her.	sweet ferm	N. Amer.	Mad	h	
Liquidamber asplesi-		M. Amer.	Arr date.	41	. •
folium L. J					
CONVALLARIA	SOLOMON'S SEAL	NT 4		1	_
bifolia L.	two leaved or small	N. Amer.		ý.	Ρ.
			Med.		
majalja L.	common lily of the valley			h .	P
majalis L. multiflora L.	common lily of the valley many flowered	N. Amer.	Med.	h	P
majalis L. multiflora L. polygonatum L.	common lily of the valley many flowered common	N. Amer. do.	Med. Med.	h h	
majalis L. multiflora L. polygonatum L. racemosa L.	common lily of the valley many flowered common clustered	N. Amer.	Med.	h	P
majalis L. multiflora L. polygonatum L.	common lily of the valley many flowered common clustered BIND WEED	N. Amer. do. do.	Med. Med. Med.	h h	P
majalis L. multiflora L. polygonatum L. racemosa L.	common lily of the valley many flowered common clustered BIND WEED	N. Amer. do. do.	Med. Med. Med.	h h	P P
majalis L. multiflors L. polygonatum L. racemosa L. ÇONVOLVULUS	common lily of the valley many flowered common clustered	N. Amer. do. do.	Med. Med. Med. Diet	h h h	P
majalis L. multiflors L. polygonatum L. racemosa L. CONVOLVULUS batatas L. farinosus L.	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet potatoo mealy	N. Amer. do. do. B. Indies Madeira	Med. Med. Med. Diet	h h h	PPPP
majalis L. mnitiflors L. polygonatum L. raceuces L. CONVOLVULUS batatas L. farinesus L. panduratus L.	common lily of the valley many flowered common clustered BIND WEED tuberons—sweet potator mealy fiddle leaved wild potato	N. Amer. do. do. B. Indies Madeira N. Amer.	Med. Med. Med. Diet	h h h h h	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP
majalis L. multiflors L. polygonatum L. raceuces L. CONVOLVULUS hatatas L. farinesus L. panduratus L. sagitáfolius Mick.	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet petatoo mealy fiddle leaved wild petatoo arrow leaved	N. Amer. do. do. B. Indies Madeira N. Amer. do.	Med. Med. Med. Diet	h h h h h	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP
majalis L. mnitiflora L. polygonatum L. racemesa L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitafolius Mick. sepiam L.	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet potator mealy fiddle leaved wild parator arrow leaved hedge	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do.	Med. Med. Diet Med. Med.	hah hah hah	
majalis L. mnitiflors L. polygonatum L. racemosa L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitáfolius Mick. sepium L. soldanella L.	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet potatoo mealy fiddle leaved wild potatoo arrow leaved hedge kidney leaved	N. Amer. do. do. B. Indies Madeira N. Amer. do. do. Europe	Med. Med. Med. Diet	h h h h h	PPP PaPPa
majalis L. mnitiflors L. polygonatum L. racencea L. CONVOLVULUS hatatas L. farinosus L. panduratus L. sagitafolius Mick. sepium L. soldanella L. tricolor L.	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet potato mesly fiddle leaved wild potato arrow leaved hedge kidney leaved three coloured	N. Amer. do. do. B. Indies Madeira e N. Amer. do. do. Europe do.	Med. Med. Didt Med. Med. Med.	hah hahahah	PPPP
majalis L. mnitiflora L. polygonatum L. racemeca L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitaffolius Mick. sepium L. soldanella L. tricolor L. umbeliatus L.	common lily of the valley many flowered common elustered BIND WEED tuberous—sweet petator mealy fiddle leaved wild petator arrow leaved hedge kidney leaved three coloured umbelied	N. Amer. do. do. B. Indies Madeira N. Amer. do. do. Europe	Med. Med. Didt Med. Med. Med.	h h h h h	PPP PaPPa
majalis L. mnitiflors L. polygonatum L. racemosa L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagiusfolius Mick. sepism L. soldanella L. tricolor L. umbellatus L. CONYZA	common lily of the valley many flowered common clustered BIND WEED tuberons—sweet petator mealy fiddle leaved wild parator arrow leaved hedge kidney leaved three coloured umbelled FLEA BANE	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies	Med. Med. Didt Med. Med. Med.	hah hahahah	PPPP
majalis L. mnitiflors L. polygonatum L. raceucca L. CONVOLVULUS hatatas L. farinosus L. panduratus L. sagitafolius Mick. sepium L. soldanella L. tricolor L. umbellatus L. CONYZA fettida Wilks.	common lily of the valley many flowered common elustered BIND WEED tuberous—sweet petator mealy fiddle leaved wild petator arrow leaved hedge kidney leaved three coloured umbelied	N. Amer. do. do. B. Indies Madeira e N. Amer. do. do. Europe do.	Med. Med. Diet Med. Med. Med.	hah hahahah	PPPP
majalis L. mnitiflora L. polygonatum L. racemeca L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitaffolius Mick. sepium L. soldanella L. tricolor L. umbellatus L. CONYZA foetida Willd. Erigeron foetidum L.	common lily of the valley many flowered common clustered BIND WEED tuberons—sweet petator mealy fiddle leaved wild parator arrow leaved hedge kidney leaved three coloured umbelled FLEA BANE	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies	Med. Med. Diet Med. Med. Med.		PPPP
majalis L. mnitiflors L. polygonatum L. racemosa L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitáfolius Mick. sepium L. soldanella L. tricolor L. umbellatus L. CONYZA fœtida Willd. Erigeron fætidum L. mardandies Mich.	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet potatos mealy fiddle leaved wild petatos arrow leaved hedge kidney leaved three coloured umbelled FLEA BANE fætid	N. Amer. do. do. B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies	Med. Med. Diet Med. Med. Med.	h h h h h h h h h h	PPPP
majalis L. mnitiflors L. polygonatum L. racemosa L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitafolius Mick. sepium L. soldanella L. tricolor L. umbellatus L. CONYZA fœtida Willd. Erigeron fœtidum L. marifandies Mich. Exigeron camphora-	common lily of the valley many flowered common clustered BIND WEED tuberons—sweet petator mealy fiddle leaved wild parator arrow leaved hedge kidney leaved three coloured umbelled FLEA BANE	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies	Med. Med. Diet Med. Med. Med.		PPPP
majalis L. mnitiflors L. polygonatum L. racemoca L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitafolius Mick. aepium L. soldanella L. tricolor L. umbellatus L. CONVZA fotida Wild. Erigeron fotidum L. mardandies Mich. Exigeron camphora- tum L.	common lily of the valley many flowered common clustered BIND WEED tuberons—sweet potator mealy fiddle leaved wild potator arrow leaved hedge kidney leaved three coloured umbelled FLEA BANE fætid marsh	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies Africa N. Amer.	Med. Med. Dist Med. Med.	h h h h h h h h h	PPPP
majalis L. mnitiflora L. polygonatum L. racemeca L. CONVOLVULUS batatas L. farinceus L. panduratus L. sagitaffolius Mick. sepiam L. soldanella L. tricolor L. umbellatus L. CONYZA fotida Willd. Erigeron fætidum L. mardandies Mich. Erigeron camphoratum L. saxatlis L.	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet potatoo mealy fiddle leaved wild potatoo arrow leaved hedge kidney leaved three coloured umbelled FLEA BANE feetid marsh	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies Africa N. Amer. S. Europe	Med. Med. Dist Med. Med.	h h h h h h h h h h	PPPP
majalis L. mnitiflors L. polygonatum L. racemoca L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitafolius Mick. sepiam L. soldanella L. tricolor L. umbellatus L. CONYZA foetida Willd. Erigeron foetidum L. mardandies Mick. Erigeron camphoratum L. saxatilis L. COPAIFERA	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet potatoo mealy fiddle leaved wild potatoo arrow leaved three coloured umbelled FLEA BANE fætid marsh hyssop leaved COPAIBA BALSAM T	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies Africa N. Amer. S. Europe REE	Med. Med. Med. Dist Med. Med.		PPP Pappaar R a.P.
majalis L. mnitiflors L. polygonatum L. racemosa L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitáfolius Mick. sepium L. soldanella L. tricolor L. umbellatus L. CONYZA fœtida Willd. Erigeron fœtidum L. Erigeron fætidum L. Saxatilis L. COPAIFERA officinalis L.	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet potatoo mealy fiddle leaved wild patatoo arrow leaved hedge kidney leaved three coloured umbelled FLEA BANE feetid marsh hyssop leaved COPAIBA BALSAM Tofficinal	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies Africa N. Amer. S. Europe	Med. Med. Med. Dist Med. Med.		PPPP
majalis L. mnitiflora L. polygonatum L. racemeca L. CONVOLVULUS batatas L. farinceus L. panduratus L. sagitaffolius Mick. sepium L. soldanella L. tricolor L. umbellatus L. CONYZA fotida Willd. Erigeron feetidum L. marsandies Msch. Exigeron eamphoratum L. saxatllis L. COPAIFERA officinalis L. CORCHORUS	common lily of the valley many flowered common olustered BIND WEED tuberous—sweet potatos mealy fiddle leaved wild potatos arrow leaved hedge kidney leaved three coloured umbelled FLEA BANE feetid marsh hyssop leaved COPAIBA BALSAM Tofficinal CORCHORUS	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies Africa N. Amer. S. Europe REE S. Amer.	Med. Med. Med. Med. Med. Med. Med. Med.	hah hah hah hah hah	PPP Pappaar R a.P.
majalis L. mnitiflors L. polygonatum L. racemosa L. CONVOLVULUS batatas L. farinosus L. panduratus L. sagitáfolius Mick. sepium L. soldanella L. tricolor L. umbellatus L. CONYZA fœtida Willd. Erigeron fœtidum L. Erigeron fætidum L. Saxatilis L. COPAIFERA officinalis L.	common lily of the valley many flowered common clustered BIND WEED tuberous—sweet potatoo mealy fiddle leaved wild patatoo arrow leaved hedge kidney leaved three coloured umbelled FLEA BANE feetid marsh hyssop leaved COPAIBA BALSAM Tofficinal	N. Amer. do. do. e B. Indies Madeira e N. Amer. do. do. Europe do. W. Indies Africa N. Amer. S. Europe REE	Med. Med. Diet Med. Med. Med. Med. Med. Med. Med. Med.		PPP Pappaar R a.P.

HORTUS ELGINENSIS.

CORDIA	CORDIA			
flavescens L.	yellow fruited	S, Amer.	P.P	
COREOPSIS	TICK-SEED SUN-FLOY	VER		
angustifolia Ait.	narrow leaved . car leaved	N. Amer. do.	h h	Þ
auriculata L. tripteris L.	three leaved	do.	, h	P
verticilista L.	whorl leaved	do.	ĥ	P
CORIANDRUM	CORIANDER	40.	-	P
sativum	COM IN ON	Europe Me	a h	
CORNUS	DOGWOOD	•		
alba L.	white berried	N. Amer.	h	
alteraifolia L.	alternate leaved	do.	ħ	
eanadensis L.	Canadian	do.	P	P
circinata l'Her.	hairy	do.	b	
tomentulosa <i>Mich.</i> 3 Sorida L.	com mon	do. Me	4 . k	ŧ
mascula L.	Cernelian Cherry	Europe	- h	i
paniculate L.	panioulated	N. Amer.	ī.	
sanguinea L.	bloody	do.	Ē	8
serices l'Her.	blue berried	io.	h	
eccruica <i>Lmk</i> . 5				
stolonitera <i>Mich</i> .	creeping	∮ a.	Þ	
stricts l'Her.	upright	do.	Þ	. •
CORONILLA	CORONILLA			
aculesta Willd. Sesbania aculesta Pers.	prickly	B. Indies	h	
argentes L. ?	••	_	_	
stipularis Lmk.	silvery	Crete	g.h	
cennatina Willd.				
Scebania cannabina	hemp	R. Indies	h	
Pers.)				
eoccinea Willd.	1			
Eschynomene ecci-	> scarlet flowered	đo.	h.h	
nea L. Sesharia coccinea Pers				
emerus L.	scorpion senna	Europe	h	
glanta L.	seven leaved	S. France	g.h	
grandiflora Willd.	Seven louvou		9	•
Æschynomene gran-	large flowered	E. Indies	h.h	
diflora L.)				
varia L	various coloured	Europe	h	P
CORYLUS	HAZEL-NUT or Fubert			
americana Mich.	American common	N. Amer. Die		ŧ
avellana L.	European common	Europe Diet Ar	& h	t
rostrata <i>Ait</i> .	cuckold or beaked	N. Amer. Di		ť
rostrata <i>Ais.</i> tubulosa <i>Willd.</i> maxima <i>Lmk.</i> \$,	
maxima Lmk.	large Spanish	Europe Die	t h	t
COSTUS	COSTUS			
speciosus Sm.	1			
arabicus Jacq.	large flowering	E. Indies	h.h	D
Amomum hirsutum		23. 22		*
Look. J COTŸELDON	NAVEL WORT			
hemispherica L.	thick leaved	C. G. H.	g.h	
CRAMBE	KALE or COLE WORT	Ç. G. H.	2 ·11	•
maritima L.	sea .	Europe Die	t h	P
CRATEGUS	HAW-THORN			•
cocoines L.	scarlet fruited	N. Amer. Ar	is h	
cordata Ait.)	٠ -	<u>.</u> .	
corallina H. P.	maple leaved	do.	li.	
Mespilus acerifolia Poir.		3		
erus galli L.	cock spur common white	do. Europe Art	h sh	
exyacantha L.	ACMITITAL A MICE	narobe VL	5 SA	ŧ

••	11010100 11201111111	••		
v. flore pleno	double flowered do.			
marifolio Ait		NT A	. 1	_
leucophleos Moench.	pear leaved	N. Amer.	h	4
CREPÍS	HAWK'S BEARD			
coronopifolia Desf.				
succulenta Ait.	fine leaved	Can. Isles	g.h	ь
Chondrilla hieracioi-	LIBE ICHVCU	Can. Inco	8.11	•
des Roth.	•	_	_	
parviflora Desf.	small flowered	Levant	h	
pungens H. P.	pungent		h	
rubra L.	red	Europe	h	8
CRINUM	CRINUM			
asiaticum L. Amaryllis vivipara <i>Lmk</i> CROCUS	} viviparous	B. Indies	g.h	P
Amary lis vivipara Lmk	ODOGUG - GARRON		•	-
CINCOL	CROCUS or SAFFRON	T	A 2. 1.	_
sativus L.	autumnal	Levant	Arts& h Med.	P
officinalis Sm. 5	•	F	Med. h	_
vernus Willd.	spring CROTALARIA	Europe	Meu. II	P
CROTALARIA	CROTALARIA			
incanescens L	downw on about him	C. G. H.	a h	
capensis Thunb.	downy or shrubby	C. G. II.	g.h	-
arborescens <i>Lmk.</i>) junces L.	rush leaved	E. Indies	h	
laburnifolia L.	laburnum leaved	do.	'n.	-
parviflora Roth.	small flowered	N. Amer.	h	-
retusa L.	blunt leaved	E. Indies	h.h	2
sagittalis L.	arrow leaved	N. Amer.	h	-
verrucosa Willd.	Ellow lowloa	74. 72. WET.	••	_
ocerulea Jacq.	blue flowered	E. Indies	h	а
angulosa Lmk.			-	_
CUCUBALUS	CAMPION			
behen L.		73		
Silene inflata Sm.	bisdder	Europe	h	p
fabarius L.	thick leaved	Sicily	g.h	р
stellatus L.	four leaved	N. Amer.	h	Þ
CUCUMIS	CUCUMBER			•
anguinis L.	snake	E. Indies	h	
anguria L.	prickly fruited	W . Indies	h	8
chate L.	hairy bitter apple—Coloquintic	Egypt	h	8
coly cynthis L.	bitter apple-Coloquintic	la C. G. H.	Med. h	2
dudaim L.	apple shaped	Levant	· h	2
melo L.	Musk Melon	Tartary	Diet h	À
sativus L.	common	. do. '	Diet& h	2
	~~~~		Med.	
CUCURBITA	GOURD		_	
aurantia Willd.	orange	C P	, h	
eitrullus L.	Water Melon	S. Europe		8
7271717		.	Med.	
idolatrica <i>Willd</i> .	pear	Guinea	, h	
lagenaria L.	bottle	S. Amer.	Med. h	2
melopepo L.	Squash	Asia	Diet h	a
ovifera L.	egg Bamphin on Dompion	_ =====================================	Dia h	a
pepo L.	Pumpkin or Pompion	Levant	Diet h	æ
v. potiro Pers.	large round warted		Diet Diet h	
verrucosa L.	CUNILA		Diet h	ä
CUNILA mariana L.	mint leaved	N. Amer.	Med. h	_
	mail icaaca	Ti. VIIIGL.	Med. h	P
pulegioides L.	nennymovel leaved	do.	Med. h	_
Hedeoma pulegioides	pennyroyal leaved	uo.	TCO. H	2
CUPRESSUS Terr.	CYPRESS TREE	•		
disticha L.	deciduous—Cypress	N. Amer.	Arts h	t
sempervirens L.	common European	Crete	Med g.h	t
thuyoides L.	white cedar	N. Amer.		
filial ourses wis	is miso occur	Ti. Trinel.	erifo H	ŧ

GURCUMA	TUMERIC				
longa L.	long rooted	E. Indies	Artsk	h.h	D
. 0	9	-	Med.		•
CUSCUTA '	DODDER				
americana L.	American	N. Amer.		h	
CYCAS	CYCAS or Sago Palm			_	_
revoluta L.	narrow leaved	E. Indies	Med	h.h	
CYCLAMEN	CYCLAMEN or Sow br				•
persicum Ait.		Cyprus		z.h	D
CYMBIDIUM	spring CYMBIDIUM	-71		D	¥
hyemale Muhl.	O I BI BI BI C B				
Arethusa racemos:	winter	N. Amer.		h	
Walt.	*111001	***********			P
pulchellum Willd.					
Limodorum tubero-		_			
sum L.	beautiful	do.		h	Ð
pulchellum Sal					_
CYNANCHUM	CYNANCHUM				
obliquum L.	oblique flowered	N. Amer.		h	_
CYNARA	ARTICHOKE	A. Truich.			₽
cardunculus L.	enndoon	Crete	Diet	h	_
					P
scolymus L.	garden ,	Europe	Diet&	n	P
OWNOCH OCCUR	HOUSTN'S MONGLER		Med.		
CYNOGLOSSUM	HOUND'S TONGUE	3T A			
amplexicaule Mich.	American	N. Amer.		ļ.	Þ
linifolium L,	flax leaved	Europe		h	
officinale L.	common	do:	Med.	h	b
pictum <i>Ait.</i>		. .		_	
creticum Vill.	painted	Crete		h	
cherifolium Jacq.					
CYNOSURUS	DOG'S TAIL GRASS	_			
cristatus L.	orested	Europe	Agr.	h	P
echinatus L.	rough	do.	Ağr.	h	ā
erucæformis <i>Ait</i> .	linear spiked	N. Amer.	Agr.	h	_
Phalaris erace formisL.	2 unear shired	M. Minet.	war.	м	P
indiens L.)	do.		h	_
Eleusine indica Mich.	opposite leaved	uq.		24	
CYPERUS	CYPERUS or Sedge				
compressus L.	flat stemmed	N. Amer.	Agr.	h	P
odoratus L.	sweet scented	do.	Agr.	h	ė
strigosus L.	rough	do.	Agr.	h	p
ANTENIA PROPERTY OF	LADÝ'S SLIPPER		•		
humile Willd.		N. Amer.		2	
acaule Ait.	large purple flowered	M. Amer.		Ъ	P
parviflorum Sal.	small flowered	do.		h	р
pubescens Willd.					r
flavescens Red.	American yellow	do.		h	P
calceolus Mich.	•	-			•
spectabile Sal.					
canadense Mich.	tall white flowered	do.		h	p
album Ait.				_	1
CYRILLA	CYRILLA				
caroliniana Mich.					
racemiflora L.	Carolinian	Carolina		h	
Itea cyrilla l'Her.	Cut of the co			**	•
CYTISUS	CYTISUS				
austriácus L.	Austrian	Austria		h	_
cajan L.	pigeon pea	E. Indies			b
	pigeon pea headed	Austria		₹.h	ū
capitatus <i>Jacq.</i> divaricatus <i>l'Her.</i>	NewAcr	Austria	•	Þ	5
	envooding	Human -		L	_
Spartium complica-	spreading	Burope		Ь	8
himmtus I	haine	ےد ہ		L	
hirautus L.	hairy	₫ Q .		þ	4

HORTUS ELGINENSIS.

4 4 4 4 4 4	1.1	A4*-	*	4
leburaum L.	lebarnum	Austria	'n	ŧ
nigricane L	blackish	Europe	þ	
sessilifolius L.	elammy podded	_Italy	þ	
supinus L.	trailing COCK'S FOOT GRASS	Europe	, p	
DACTYLIS	COCK'S FOOT GRASS			
alamanata T	(round beadedOr-2	W A A	. h	_
glomerata L.	chard grass	M. Amer. Agr		7
DALEA	DALEA			
alopecuroides Willd.		4		
linnei Mich.	fox tail or silky spikéd	N. Amer.	h	8
DAPHNE	DAPHNE			
	common Mezercon	Europe Med	. h	_
mezereum L.				•
odera Ait.	sweet scented	China	g.h	8
tartonraira L.	silvery	S. Europe	g.h	
DATURA	THORN APPLE		_	
ferax L.	long spined	China	þ	
leevis L.	smooth	Africa	Ъ	. 8
metel L.	downy	do.	h	
stramonium L.	common-Jameston weed	N. Amer. Med	. h	
tatula L.	blue	do. Med	. h	
DAUCUS	CARROT			_
carota	garden	Europe Diet	k h	Ъ
Carota ,	San den	Med Med		
	11.3			1
v. eylvestrie	wild	N. Amer. Med	. h	•
DELPHINIUM	LARK SPUR	_		
ajacis L.	rocket	Europe	, h	
eonsolida L.	field	do. Me	l. h	
eonsolids L. hybridum <i>Willd</i> . ? hirsutum <i>Pers.</i> \$	hairy	Siberia	h	_
hirsutum Pers. 5	mary	Otheria	Д	P
staphisagria L.	stavesacre	Europe Med	. h	ь
DESMANTHUS WILL.) mm dan a a andresidado		_	•
staphisagria L. DESMANTHUS Willd. MIMOSA Auct.	DESMANTHUS			
oinegane Wills	OTTOR	E. Indies	h h	-
	grey	E. Indies	h.h	•
virgatus Willd.	slender twigged	E. Indies , do.	h.h h.h	8
virgatus Willd. DIANTHUS	slender twigged PINK	, do.	h.h	_
virgatus Willd. DIANTHUS strowbens Jacq.	slender twigged PINK purplish	, do. Europe	h.h h	_
virgatus Willd. DIANTHUS atrovubens Jacq. barbatus L.	slender twigged PINK purplish Sweet William	, do. Europe do.	h.h h	_
virgatus Willd. DIANTHUS atrorubens Jacq. barbatus L. carthusianorum L.	slender twigged PINK purplish Sweet William Carthusian	do. Europe do. do.	h.h h h	•
virgatus Willd. DIANTHUS atrovubens Jacq. barbatus L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden	Europe do. do. Europe Med	h.h h h	PPP
virgatus Willd. DIANTHUS atrorubens Jacq. barbatus L. carthusianorum L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden	do. Europe do. do.	h.h h h	P
virgatus Willd. DIANTHUS strorubens Jacq. barbatus L. carthusanorum L. caryophy Rus L. chinensis L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese	Europe do. do. Europe Med China	h.h h h h	-
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophylus L. ehinensis L. eollinus Wald.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian	Europe do. do. Europe China Hungary	h.h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophy Hus L. ehinensis L. eolitms Wald. dekoides L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden	Europe do. do. Europe China Hungary Europe	hh h h h	-
virgatus Willd. DIANTHUS strorubens Jacq. barbatus L. earthusianorum L. earyophyllus L. ehinensis L. eolinus Wald. dekoides L. plumarius L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden, feathered	Europe do. do. Europe China Hungary Europe do.	hh h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophy Rus L. ehinensis L. eollinus Wald. dettoides L. plumarius L. superbus L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed	Europe do. do. Europe China Hungary Europe	hh h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophyllus L. ehinensis L. eolinus Wald. dekoides L. plumarius I. superbus L. DICHONDRA	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA	Europe do. do. Europe China Hungary Europe do. do.	hh h h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophyllus L. ehinensis L. eolinus Wald. dektoides L. plumarius L. superlus L. DICHONDRA serieca Swz.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery	Europe do. do. Europe China Hungary Europe do.	hh h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. barbatus L. earthusianorum L. earyophy Rus L. ehinensis L. eollinus Wald. dektoides L. plumarius L. superkus L. DICHONDRA sericea Swz. DICTAMNUS	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA	Europe do. do. Europe China Hungary Europe do. do. W. Indies	hh h h h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophyllus L. ehinensis L. eoltinus Wald. dekoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L.	slender twigged PINK purplish Sweet William Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common	Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med	hh h h h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophy Hus L. ehinensis L. eolitinus Wald. dekoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove	Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med	hh h h h h h h h h h h h h h h h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophyllus L. ehinensis L. eoltinus Wald. dekoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L.	slender twigged PINK purplish Sweet William Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common	Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med	hh h h h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophy Hus L. ehinensis L. eolitinus Wald. dekoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove	Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med	hh h h h h h h h h h h h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophyllus L. eblinensis L. eoliinus Wald. dektoides L. plumarius L. superlus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS lutea L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med	hh h h h h h h h h h h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusisnorum L. earyophyllus L. ehinensis L. eoldinus Wald. dekoides L. plumarius L. superlus L. DICHONDRA seriees Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden, feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med	hh h h h h h h h h h h h h h	
wirgatus Willd. DIANTHUS strorubens Jacq. barbatus L. earthusianorum L. earyophy Rus L. ehinensis L. eolünus Wald. dektoides L. plumarius L. superkus L. DICHONDRA seriees Swz. DICTAMNUS albus L. DIGITALIS latea L. purpurea L. v. alba DIONÆA	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP	Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med Europe Med	hh h h h h h h h h h h h h h h h h h h	
wirgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophy Rus L. ehinensis L. eoldinus Wald. dekoides L. plumarius L. superlus L. DICHONDRA serieea Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea L. v. alba DIONÆA muscipula L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden, feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med	hh h h h h h h h h h h h h h	
virgatus Willd. DIANTHUS strorubens Jacq. berbatus L. earthusianorum L. earyophyllus L. ehinensis L. eolinus Wald. dekoides L. plumarius L. superbus L. DICHONDRA serices Swz. DICTAMNUS albus L. DIGITALIS latea L. purpurea L. v. alba DIONÆA muscipula L. DIOSCOREA	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe do. Med Carolina	hh h h h h h h h h h h h h h h h h h h	PREPARENT
virgatus Willd. DIANTHUS strorubens Jacq. barbetus L. earthusianorum L. earyophy Hus L. ehinensis L. eolinus Wald. dekoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS latea L. purpurea L. v. alba DIONÆA muscipula L. DIOSCOREA alata L.	slender twigged PINK purplish Sweet William Carnation or garden Chinese Hungarian maiden feathered night seemted or fringed DICHONDRA ailvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med Carolina E. Indies Diet	hh h h h h h h h h h h h h h h h h h	PPRPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophy Rus L. ebinensis L. eoltinus Wald. dettoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea L. z. alba INONEA muscipula L. DIOSCOREA alata L. sativa L.	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med Carolina E. Indies Diet do.	hh h h h h h h h h h h h h h h h h h h	PREPARENT
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophy Hus L. ehinensis L. eolitinus Wald. dekoides L. plumarius I. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS latea L. purpurea L. v. alba DIONÆA muscipula L. DIOSCOREA alata L. sativa L.	slender twigged PINK purplish Sweet William Carnation or garden Chinese Hungarian maiden feathered night seemted or fringed DICHONDRA ailvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med Carolina E. Indies Diet	hh h h h h h h h h h h h h h h h h h	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophy Hus L. ehinensis L. eolinus Wald. dekoides L. plumarius I. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS latea L. purpurea L. v. alba DIONÆA muscipula L. DIOSCOREA alata L. sativa L. paniculata Mich.	slender twigged PINK purplish Sweet William Carnation or garden Chinese Hungarian maiden feathered night seemted or fringed DICHONDRA ailvery FRAXINELLA common DIGITALIS or Fex-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd cultivated American	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med Carolina E. Indies Diet do.	hh h h h h h h h h h h h h h h h h h h	PPRPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP
virgatus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophy Rus L. ebinensis L. eoliinus Wald. deltoides L. plumarius L. superlus L. DICHONDRA serieea Swz. DICTAMNUS albus L. DIGITALIS latea L. purpurea L. z. alba DIONÆA muscipula L. DIOSCOREA alata L. sativa L. villoga L. paneulata Mich. DIOSMA	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd caltivated American DIOSMA	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe Med Carolina E. Indies Diet N. Amer.	hh h h h h h h h h h h h h h h h h	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP
sinereus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusisnorum L. earyophylus L. ehinensis L. oldinus Wald. dekoides L. plumarius L. superlus L. DICHONDRA serices Swz. DICTAMNUS albus L. DIGITALIS lutes L. purpures L. v. alba DIONÆA muscipula L. DIOSCOREA alats L. sativa L. villosa L. paneulats Mich. DIOSMA ericoides L.	slender twigged PINK purplish Sweet William Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fex-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd cultivated American DIOSMA heath leaved	Europe do. do. Europe China Hungary Europe do. W. Indies Europe do. Med Carolina E. Indies Diet Diet N. Amer.	hh h h h h h h h h h h h h h h h h h h	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP
sinereus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusianorum L. earyophyllus L. ehinensis L. eolinus Wald. dekoides L. plumarius L. superbus L. DICHONDRA serices Swz. DICTAMNUS albus L. DIGITALIS latea L. purpurea L. v. alba DIONÆA muscipula L. DIOSCOREA alata L. sativa L. villoya L. panleulata Mich. DIOSMA ericoides L. DIOSPYROS	slender twigged PINK purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive VAM winged stem'd caltivated American DIOSMA heath leaved PERSIMON or Date Plus	do. Europe do. do. Europe China Hungary Europe do. do. W. Indies Europe do. Med Carolina E. Indies do. Diet N. Amer.	hh h h h h h h h h h h h h h h h h h h	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP
sinereus Willd. DIANTHUS strorubens Jacq. berbetus L. earthusisnorum L. earyophylus L. ehinensis L. oldinus Wald. dekoides L. plumarius L. superlus L. DICHONDRA serices Swz. DICTAMNUS albus L. DIGITALIS lutes L. purpures L. v. alba DIONÆA muscipula L. DIOSCOREA alats L. sativa L. villosa L. paneulats Mich. DIOSMA ericoides L.	slender twigged PINK purplish Sweet William Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fex-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd cultivated American DIOSMA heath leaved	Europe do. do. Europe China Hungary Europe do. W. Indies Europe do. Med Carolina E. Indies Diet Diet N. Amer.	hh h h h h h h h h h h h h h h h h h h	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP

HORTUS ELGINENSIS.

DIPSACUS	TEASEL			
fullonum L.	fullers	Europe	Arts h	ъ
lacmiatus L.	wild	N. Amer.	h	b
DIPTERIX	TONKA BEAN	•		
odorsta Willd.	} sweet scented	S. Amer.	Mad bb	
Baryosma tonga Gart.	J	o. Amer.	pred mi	
DIRUA	LEAIRER WOOD			
pulastris L.	marsh—Moose Weed	N. Amer.	Med. b	8
DODONÆA	DODONÆA	TO T		
angustifolia L.	narrow leaved	B. Indies	g.]	
triquetra <i>Wend</i> . DOLICHOS	three sided DOLICHOS	N. Holl.	g.l	, 8
	two flowered	E. Indies	h	_
biflorus L. capensis L.	cape	C. G. H.	i i	•
ensiformis L.	sword	W. Indies	h	
lablab L.	purple flowered	Egypt	Ä	- :
	parpic nowarea	-6) be		-
pruriens L. Stizolobium pruriens	Cowhage	B. Indies	Med. h.l	
Pere.				٠.,•
sesquipedalls L.	long podded	S. Amer.	Ъ	
sinensis L.	Chinese	E. Indies	h	
DOMBEYA	DOMBEYA			_
ferruginea Cav.	ferrugineous	E. Indies	h.h	t t
DOROŇICUM	LEOPÄRD'S BANE			
glutinosum Willd.				
Aster glutinosus Cav.	glutinous	Mexico	g.h	ı p
Inula glutinosa Pers.) <u> </u>		_	_
DORSTENIA	DORSTENIA			
contrajerva L.	angular—Contrajerva	S. Amer.	Med. h.	h p
DORYCNIUM	DORYCNIUM			_
monspeliense Willd.				
fruticans Pers.	aprappa	S. Europe	g.l	1 5
Lotus doryenium L.	WHITE OW CDASS			
	WHITLOW GRASS			
DRABĄ		37 · A		
verna L.	spring	N. Amer.	h	a
verna L. DRACOCEPHALUM	spring DRAGON'S HEAD			a
verna L. DRACOCEPHALUM concrience L.	spring DRAGON'S HEAD Balm of Gilead	Can. Isl.	Med. g.h	a
verna L. DRACOCEPHALUM canariense L. moldavica L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm	Can. Isl. Siberia	Med. g.h	,a
verna L. DRACOCEPHALUM canariense L. moldavica L. sibiricum L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian	Can. Isl. Siberia do.	Med. g.h	a a p
verna L. DRACOCEPHALUM eanariense L. modavica L. sibiricum L. DROSERA	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis	Can. Isl. Siberia do.	Med. g.h Med. h	,a
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbiricum L. DROSERA rotundifolia L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved	Can. Isl. Siberia do.	Med. g.h Med. h	,a
verna L. DRACOCEPHALUM canariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS	Can. Isl. Siberia do. N. Amer.	Med. g.h Med. h Med. h	P
verna L. DRACOCEPHALUM esnariense L. moldavica L. sibirieum L. DROSERA rotundifolia L. ECHIUM esndicans L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary	Can. Isl. Siberia do. N. Amer. Madeira	Med. g.h Med. h Med. h	, a D
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbiricum L. DROSERA rotundifolia L. ECHIUM esndicans L. strictum L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe	Med. g.h h Med. h g.h	, p
verna L. DRACOCEPHALUM eanariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM eandicans L. strictum L. vulgare L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary	Can. Isl. Siberia do. N. Amer. Madeira	Med. g.h Med. h Med. h	, a D
verna L. DRACOCEPHALUM canariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM candicaus L. strictum L. vulgare L. ECLIPTA	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe	Med. g.h Med. h Med. h	a s
verna L. DRACOCEPHALUM canariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM candicans L. strictum L. vulgare L. ECLIPTA crecta L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer.	Med. g.h h Med. h g.h	, p
verna L. DRACOCEPHALUM canariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM candicans L. strictum L. vulgare L. ECLIPTA crecta L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies	Med. g.h Med. h g.h g.h Arts h	a s s b
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbiricum L. DROSERA rotundifolia L. ECHIUM esnalicans L. strictum L. vulgare L. ECLIPTA erecta L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer.	Med. g.h Med. h g.h g.h Arts h	a s
verna L. DRACOCEPHALUM canariense L. moldavica L. stbiricum L. DROSERA rotundifolia L. ECHIUM candicans L. strictum L. vulgare L. ECLIPTA crecta L. EBEPHANTOPUS carolinianus Willd. 2	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies	Med. g.h Med. h g.h g.h Arts h	a s s b
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbiricum L. DROSERA rotundifolia L. ECHIUM esndicans L. strictum L. vulgare L. ECLIPTA erecta L. ELEPHANTOPUS carolinianus Willd. seaber Mich. BLSHOLTZIA eristata Willd.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies	Med. g.h Med. h g.h g.h Arts h	a s s b
verna L. DRACOCEPHALUM canariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM candicans L. strictum L. vulgare L. ECLIPTA crecta L. ELEPHANTOPUS carolinianus Willd. scaber Mich. BLSHOLTZIA cristata Willd. Hyssopus ocymifolia	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer.	Med. g.h Med. h Med. h g.h g.h h Arts h Med. h	a s s b
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbiricum L. DROSERA rotundifolia L. ECHIUM esnalicans L. strictum L. vulgare L. ECLIPTA erecta l. ELEPHANTOPUS carolinianus Willd. scaber Mich. BLSHOLTZIA eristata Willd. Hyssopus ocymifolia Lmk.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies	Med. g.h Med. h g.h g.h Arts h	a s s b
verna L. DRACOCEPHALUM esnariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM esndicans L. strictum L. vulgare L. ECLIPTA erecta L. EMEPHANTOPUS carolinianus Willd. scaber Mich. BLSHOLTZIA eristata Willd. Hyssopus ocymifolia Lmk. Mentha ovata Cav.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright CLEPHANT'S FOOT Carolinian ELSHOLTZIA	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer.	Med. g.h Med. h Med. h g.h g.h h Arts h Med. h	a s s b
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbiricum L. DROSERA rotundifolia L. ECHIUM esndicans L. strictum L. vulgare L. ECLIPTA erecta L. ELEPHANTOPUS carolinianus Willd. scaber Mich. BLSHOLTZIA eristata Willd. Hyssopus ocymifolia Lmik. Mentha ovata Cav.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA crested LYME GRASS	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer.	Med. g.h Med. h g.h g.h h Arts h Med. h	a s s b
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbirieum L. DROSERA rotundifolia L. ECHIUM esnalicans L. strictum L. vulgare L. ECLIPTA erecta L. EBEPHANTOPUS carolinianus Willd. scaber Mich. BLSHOLTZIA eristata Wild. Hyssopus ocymifolia Lmic. Mentha ovata Cav. BLYMUS arenarius L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA crested LYME GRASS sand	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer. Siberia	Med. g.h Med. h Med. h g.h g.h h Med. h	a s s b a P
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbiricum L. DROSERA rotundifolia L. ECHIUM esnadicans L. strictum L. vulgare L. ECLIPTA creeta L. ELEPHANTOPUS carolinianus Willd. scaber Mich. BLSHOLTZIA cristata Willd. Hyssopus ocymifolia Lmic. Mentha ovata Cav. BLYMUS arenarius L. canadensis L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA crested LYME GRASS sand Canadian	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer. Siberia Europe N. Amer.	Med. g.h Med. h Med. h g.h g.h h Arts h Med. h	a s s b s c p p
verna L. DRACOCEPHALUM esnariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM esndicans L. strictum L. vulgare L. ECLIPTA erecta L. EMEPHANTOPUS carolinisnus Willd. scaber Mich. BLSHOLTZIA eristata Willd. Hyssopus ocymifolia Lmk. Mentha ovata Cav. BLYMUS arenarius L. canadensis L. striatus L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA crested LYME GRASS sand Canadian stristed	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer. Siberia Europe N. Amer. do.	Med. g.h Med. h g.h g.h h Arts h Med. h	a s s b s P P P
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbirieum L. DROSERA rotundifolia L. ECHUM esndicans L. strictum L. vulgare L. ECLIPTA erecta L. EBEPHANTOPUS carolinianus Willd. scaber Mich. BLSHOLTZIA eristata Wild. Hyssopus ocymifolia Lmic. Mentha ovata Cav. BLYMUS arenarius L. canadensis L. striatus L. virginicus L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA crested LYME GRASS sand Canadian striated Virginian	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer. Siberia Europe N. Amer.	Med. g.h Med. h Med. h g.h g.h h Arts h Med. h	a s s b s c p p
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbiricum L. DROSERA rotundifolia L. ECHIUM esnadicans L. strictum L. vulgare L. ECLIPTA creeta L. ELEPHANTOPUS carolinisnus Willd. Seaber Mich. Hyssopus ocymifolia Lmic. Mentha ovata Cav. SLYMUS arenarius L. canadensis L. striatus L. virginicus L. EPIGÆA	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA crested LYME GRASS sand Canadian striated Virginian EPIGÆA	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer. Siberia Europe N. Amer. do.	Med. g.h Med. h g.h g.h h Arts h Med. h	B B B B B B B B B B B B B B B B B B B
verna L. DRACOCEPHALUM esnariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM esndicans L. strictum L. vulgare L. ECLIPTA erecta L. EMEPHANTOPUS carolinisnus Willd. scaber Mich. BLSHOLTZIA eristata Willd. Hyssopus ocymifolia Lmic. Mentha ovata Cav. BLYMUS arenarius L. canadensis L. striatus L. virginicus L. EPIGEAA repens L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA crested LYME GRASS sand Canadian striated Virginian EPIGÆA	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer. Siberia Europe N. Amer. do.	Med. g.h Med. h g.h g.h h Arts h Med. h	a s s b s P P P
verna L. DRACOCEPHALUM esnariense L. moldavica L. stbiricum L. DROSERA rotundifolia L. ECHUM esndicans L. strictum L. vulgare L. ECLIPTA erecta L. EBEPHANTOPUS carolinianus Willd. seaber Mich. BLSHOLTZIA eristata Willd. Hyssopus ocymifolia Lmik. Mentha ovata Cav. BLYMUS arenarius L. canadensis L. striatus L. virginicus L. EPIGÆA repens L. EPILOBIUM	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA crested LYME GRASS sand Canadian striated Virginian EPIGÆA creeping—Pigeon berry WILLOW HERB	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer. Siberia Europe N. Amer. do. N. Amer.	Med. g.h Med. h g.h g.h h Arts h Med. h	a s b a P P P P P P P P P P P P P P P P P P
verna L. DRACOCEPHALUM esnariense L. moldavica L. sibiricum L. DROSERA rotundifolia L. ECHIUM esndicans L. strictum L. vulgare L. ECLIPTA erecta L. EMEPHANTOPUS carolinisnus Willd. scaber Mich. BLSHOLTZIA eristata Willd. Hyssopus ocymifolia Lmic. Mentha ovata Cav. BLYMUS arenarius L. canadensis L. striatus L. virginicus L. EPIGEAA repens L.	spring DRAGON'S HEAD Balm of Gilead Moldavian balm Sibirian SUN DEW or Rosa solis round leaved VIPER'S BUGLOSS hoary upright common ECLIPTA upright ELEPHANT'S FOOT Carolinian ELSHOLTZIA crested LYME GRASS sand Canadian striated Virginian EPIGÆA	Can. Isl. Siberia do. N. Amer. Madeira Teneriffe N. Amer. B. Indies N. Amer. Siberia Europe N. Amer. do.	Med. g.h Med. h g.h g.h h Arts h Med. h	B B B B B B B B B B B B B B B B B B B

spicatum Lauk.	narrow leaved.	N. Amer.	ъ	P
pubescens Roth. vilksum Ait.	soft leaved	Europe	h	P
molle Lmk.	square stalked	N. Amer.	h	_
tetragonum L. ERICA	HEATH		_	P
arborea L. australib L	tree Seanish	Madeira S. Europe	%g.h g.h	8
herbacea L.	early dwarf	do.	r.h	8
mditerranea L.	Mediterranean	do.	g.h	8
sceparia L. tetralix L.	small flowering cross leaved	do. Europe	§.h	
. stricta Donn.	u pr igh t	Corsica	g.h	8
triflora L. tubiflora L.	three flowered tubular	C. G. H. do.	R.p.	8
vagans L.	Corni sh	Europe	g.h g.h	8
vulgaris L.	common	do.	g.h	8
r v. jiere pieko ERIGERON	ERIGERON or Flea Bo	res à		
canadense L.	common field	N. Amer.	Med. h	
heterophyllum Muhl.	different leaved	do.	jr.	
philadelphicum L. strigósum <i>Muhl.</i>	spreading harsh	do. do.	h h	
ERIOPHORUM	COTTON GRASS-We		_	-
cyperinum L.		•		
Scirpus eriophorum Mich.	tall	N. Amer.	h	P
Trichophorum cype- rindm Pert.				r
polystachyon I.	common	do.	h	•
ERODIUM Ait. GERANIUM Auct.	HERON'S BILL GERA	.NIUM		
ciconium Willd.	hairy	S. Europe	h	
cicutarium Sm.	hemlook leaved	Europe	þ	*
moschatum <i>Ait.</i> ERVUM	musk smelling TARE	do.	h	
lent L.	common	Europe	Med.h	
tetraspermum lia	four se eded	do.	h	
ERYNGIUM squaticum L.	ERYNGO water	N. Amer.	Med. h	P
dilaCutum Lmk.	broad leaved	Europe	h	P
planum L. • ouaveolens Brows.	flat leaved sweet scented	do. S. Europe	h	P
yuccifolium Mich.	yucca leaved	N. Amer.	g.h	P
ERYSIMUM	HEDGE MUSTARD	-		
barbarea L. officinale L.	winter cress common		Med. h Med. h	P
ERYTHRINA	CORAL TREE			-
corallodendron L.	common	S. Amer.	h.b	t
crista galli L. } laurifolia <i>Jacq.</i> }	cockscom b	đo.	b.h	
herbacea L. ERYTHRONIUM	herbaceous DOG'S TOOTH VIOL	Carolina I ET	Mod. g.h	P
deris canis L. EUCALYPTUS	common EUCALYPTUS	N. Amer.	h	P
robusta Sm. EUCOMIS	oval leaved CROWN ASPHODEL	N. Holl.	g.h	'ŧ
punctata l'Her. EUGENIA	spotted EUGENIA	C. G. H.	g.h	P
jambos L.	Malabar plumb-Pome		ded & g.h	8
uniflora	Indian cherry tree	S. Amer.	Diet Diet g.h	t
EUONYMUS americanus L	SPINDLE TREE American	N. Amer.	h	
				•

MONTUS ELGINENSES.

europseus L. EUPATORIUM ageratodes Willd. aromaticum L. coronopifolium Willd. Chrysocoma coronopifolia Milld. Chrysocoma capillacen Willd. Chrysocoma capillacen Milld. Chrysocoma capillacen Milld. Chrysocoma capillacen Milld. pagereum L. ceasilifolium L. tenerifolium Willd. trifofiatum L. tenerifolium Willd. trifofiatum L. characias L. syperississ L. hypericifolia L. polygonifolia L. polygonif		_				
ageratoldes Willd. aromaticum L. coronopifolium Willd. Chrysocoma coronopifolia Milch Chrysocoma capillaceu Milch Chrysocoma coronopis folia Milch Spotted stalked do. Med. h purple stalked do. Med. h	EUPATORIUM		Europe	Arts	h	*
aromaticum L. corrosopifolium Willd. Chrysocoma coronopis folia Mitch. Chrysocoma capiliscen Chrysocoma capiliscen Mitch. Chrysocoma capiliscen Mitch. Chrysocoma capiliscen Mitch. Chrysocoma capiliscen Mitch. Chrysocoma capiliscen Chrysocoma capiliscen Mitch. Chrysocoma capiliscen Chrysocoma c	epotetokies Willd. 3	nettle leaved	N. Amer.		h	P
Chrysocoma coronopic folia Mich. femiculaceum Willd. Chrysocoma capillacea Mich. maculatum L. perfoliatum L. perfoliatum L. perfoliatum L. teuerifolium Willd. trifofiatum L. EUPHORBIA chamzeyee L. ehanzeias L. syperisios L. hypericifolia L. lathyris L. maculata L. polygonifolia L. polygonifolia L. spinosa L. verrucosa L. FAGUS ferrugines Mit. sylvestris Pere. FERRARIA maculata L. puntota Jacq. spinosa L. verrucosa L. FAGUS ferrugines Mit. sylvestris Pere. FERRARIA maculata L. puntota stalked bone-sett-Thorough-wer? do. Micd. h bone-sett-Thorough-wer? do. Med. h bone-sett-Thorough-wer? do. Med. h Europe do. N. Amer. h W. Indies B. Europe do. N. Amer. h W. Indies B. Europe do. N. Amer. h C. G. H. FERRARIA spotted C. G. H. gh FESTUCA bromotachya Deef. myurus L. oona spiked do. Agr. h long spiked do. Agr. h	aromaticum L.	aromatic	do.		h	•
folia Mich. femiculaceum Willd. Chrysocoma capillacea Mich. maculatum L. perfoliatum L. pupureum L. sessilifolium L. teverifolium Willd. trifofiatum L. verticiliatum Muhl. EUPHORBIA chamseyse L. syperississ L. hypericifolia L. pohygonifolia L. poplus L. polygonifolia L. polygonifolia L. polygonifolia L. polygonifolia L. potestris Pers. FERRARIA maculata L. punctata Pers. FERRARIA maculata L. punctata Pers. FERRARIA ferruginea Aii. sylvestris Pers. FERRARIA maculata L. punctata Pers. FERRARIA ferruginea Aii. sylvestris Pers. FERRARIA maculata L. punctata Pers. FERRARIA ferruginea Aii. sylvestris Pers. FERRARIA maculata L. punctata Pers. FERRARIA frome tall meadow floating do. h Med. h do. h Europe do. h Med. h S. Europe do. h Med.	coronopifolium Willd.	enunname leaved	do			_
Chrysocoma capillaces Mich. maculatum L. perfoliatum L. perfoliatum L. perfoliatum L. cessilifolium L. teuerifolium Mild. trifofiatum L. EUPHORBIA chamzeyee L. characias L. syperississ L. hypericifolia L. lathyris L. polygonifolia L. polygonif	folia Mich		Qu.		-	P
maculatum L. perfoliatum L. pupareum L. easilifolium Milld. triffiatum Mulld. EUPHORBIA chamzeyce L. syperississ L. hypericifolia L. lathyris L. maculata L. pohygonifolia L. po		deals formal	_			
perfoliatum L. pagareum L. sessilifolium L. teverifolium Willd. trifofiatum L. ecasilifolium L. ecasilifolum L. ecasilifolium d. ecasilifolium L. ecasilifolium d. ecasilifolium leaved d. ec			GO .			P
pagareum L. sessilic folium Mild. trifofiatum L. verticiliatum Muld. EUPHORBIA chamzeyse L. characias L. syperississ L. hypericifolia L. lathyris L. maculata L. polygonifolia L				301		Þ
Semilifolium L. Semile leaved Co. h h trisffiatum L. trisffi		nurnle stelked	rs 00. do.	DE GG.		7
trifofiatum L. verticiliatum Muhl. EUPHORBIA chamesyee L. characias L. syperississ L. hypericifolia L. lathyris L. maculata L. peptly do. lathyris L. polygonifolia L. polygonif	ecssilifolium L.	sessile leaved	de.			P
verticillatum Muhl. EUPHORBIA chamsesyse L. characias L. syperississ L. hypericifolia L. lathyris L. maculata L. polygonifolia L. polygonifolia L. polygonifolia L. polygonifolia L. punicea Jacq. spinosa L. vertucosa L. FAGUS ferruginea Ait. sylvestris Pers. FERRARIA maculata L. punetata Pers. FERRARIA frescue GRASS brome clatior L. fluitans L. fluitans L. fluitans L. fluitans L. fluitans L. floiiseea Sm. clongata Ehrt. monostachya Deef. myurus L. ovina L. poeformis Pers. rabra L. small sylvestred st. John's wort leaved st.						Þ
EUPHORBIA characters L. chyrericifolia L. hypericifolia L. polygonifolia L. polygonifolia L. punticea Jacq. spinosa L. FAGUS ferruginea Ait. sylvestris Pere. FERARIA maculata L. punctata Pers. FERARIA ferruginea Ait. chyrenicia Beach bromoides clatior L. fluitans L. floiseea Sm. clongata Ehrt. monostachya Deef. myurus L. ovina L. poeformis Pere. spinosa fluitans L. fluitans L. floiseea Sm. clongata Ehrt. monostachya Deef. myurus L. ovina L. poeformis Pere. spreading small coppress do. Med. h S. Europe do. N. Amer. h do. h N. Amer. h do. h N. Amer. Arts S. Europe g.h W. Indies S. Europe g.h W. Indies S. Europe G. C. G. H. g.h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome tall meadow do. Agr. h do. Agr. h europe do. Agr. h do. Agr. h europe do. Agr. h do. Agr. h europe do. Agr. h elongata Ehrt. spotted Deef. myurus L. ovina L. poeformis Pere. spreading do. Agr. h elongata Ehrt. spreading do. Agr. h elongata Ehrt. spreading do. Agr. h europe do. Agr. h elongata Ehrt. spotted do. Agr. h elongata Ehrt. spreading do. Agr. h elongata Ehrt. elongata Ehrt. spreading do. Agr. h elongata elo						P
eharacias L. syperissis L. hypericifolia L. lathyris L. maculats L. polygonifolia L. punicea Jacq. apinosa L. verrucosa L. FAGUS ferruginea Ait. sylvestris Pers. FERRARIA maculats L. punicets Jacq. bromoides clatior L. fluitans L. lotiacea Sm. clongata Ehrt. movina L. poeformis Pers. sylved GRASS monostachya Deef. myurus L. ovina L. poeformis Pers. sylved GRASS meadow scarlet thorny potygonum leaved caper spotted potygonum leaved scarlet thorny thorny do. Agr. h			,		==	P
syperississ L. hypericifolia L. lathyris L. maeulata L. peplus L. polygonifolia L. punitea Jacq. spinosa L. verrucosa L. FAGUS ferruginea Ait. sylvestris Pere. FERRARIA maculata L. punetata Pere. FERRARIA fersonoides clattor L. fluitans L. fluitans L. fluitans L. loliseea Sm. clongata Ehrt. monostachya Deef. myurus L. ovina L. poeformis Pere. sylvestris Pere. spinosa L. spotted scarlet spotted potygonum leaved scarlet spotted scarlet spotted scarlet spotted scarlet warted scarlet spotted scarlet warted scarlet sc						
hypericiona L. lathyris L. maculata L. pelty polygonifolia L. polygonifolia L. polygonifolia L. punicea Jacq. spinosa L. verrucosa L. FAGUS ferruginea Ait. spivestris Pers. FERARIA maculata L. punetata Pers. FESCUE GRASS bromoides elatior L. fluitans L. loliacea Sm. elongata Ehrt. monostachya Deef. myurus L. ovina L. poeformis Pers. spicading do. Agr. h poeformis Pers. spreading do. Agr. h meadow do. Agr. h				Med.		Þ
lathyris L. maculata L. peptly polygonifolia L. punicea Jacq. spinosa L. verrucosa L. FAGUS ferruginea Aii. sylvestris Pers. FERRARIA maculata L. punctata Pers. FERRARIA ferruginea Aii. sylvestris Pers. FERRARIA ferruginea Aii. sylvestris Pers. FERRARIA maculata L. punctata Pers. FESTUCA bromoides clatior L. fluitana L. lotiacea Sm. clongata Ehrt. monostachya Deef. myurus L. ovina L. poeformis Pers. rubra L. poeformis Pers. spected common American potted common American N. Amer. Arts h FERRARIA Spotted C. G. H. g.h C. G. H. G. G. Agr. h C. G. H. G. G. Agr. h C. G. H. G. G. Agr. h C. G. H. C. G. H. G. G. Agr. h C. G. H. C. G. H	hyperisiss L.				₹.¤	•
maculata L. peplus L. polygonifolia L. polygonifolia L. punicea Jacq. spinosa L. verrucosa L. FAGUS ferruginea Aii. sylvestris Pers. FERRARIA maculata L. punetata Pers. FESCUE GRASS brome clatior L. fluitans L. fluitans L. fluitans L. fluitans L. fluitans L. fluitans L. floiseea Sm. clongata Ehrt. monostachya Deef. myurus L. ovina L. poeformis Pers. rabra L. spotted prometadow fluitans L. long spiked fluitans L. floor spiked fluitans L. fluitans L. fluitans L. fluitans L. floor spiked fluitans L. fluitans L. floor spiked fluitans L. fluitans L. floor spiked fluitans L. floor spiked fluitans L. fluitans L. floor spiked fluitans L. fluitans L. floor spiked fluitans L. fluitans L. fluitans L. floor spiked fluitans L.				Med.		Ş
polygonifolia L. punices Jacq. spinosa L. verrucosa L. FAGUS ferrugines Ait. sylvestris Pers. FERRARIA maculata L. punutata Pers. bromoides elatior L. fluitans L. lolisces Sm. elongata Ehrt. movina L. poeformis Pers. poeformis Pers. polygonims leaved searlet wwith W. Indies gh W. Amer. Arts h FERRARIA spotted C. G. H. gh Europe Agr. h do. Agr. h long spiked do. Agr. h Europe Agr. h ovina L. ovina L. sheeps do. Agr. h Europe Agr. h Europe Agr. h one spiked Barbary wall sheeps do. Agr. h europe Agr. h one spiked do. Agr. h europe do. Agr. h	maculata L.					
punices Jacq. spinoss L. thorny spinoss L. FAGUS ferrugines Ait. sylvestris Pers. FERRARIA maculata L. punutats Pers. FESTUCA bromoides clatior L. fluitans L. lolisoes Sm. clongata Ehrt. myurus L. ovina L. poeformis Pers. sealed thorny warted BEACH sommon American N. Amer. Arts h FERRARIA spotted C. G. H. gh Europe Agr. h Gosting do. Agr. h Gosting vall cone spiked do. Agr. h Europe Agr. h Gosting vall cone spiked do. Agr. h Europe Agr. h Go. Agr. h	peplus L.					
spinoss L. thorny warted do. g.h FAGUS ferrugines Ait. sylvestris Pers. common American sylvestris Pers. FERRARIA maculata L. punctata Pers. spotted bromoides clatior L. fluitans L. lolisacea Sm. clongsta Eart. monostachya Desf. myurus L. ovina L. poeformis Pers. rabra L. meadow spinoss L. thorny warted do. g.h EEACH FERRARIA spotted C. G. H. g.h FESTUCA FESCUE GRASS brome tall meadow do. Agr. h Cone spiked brome do. Agr. h Cone spiked Barbary wall sheeps do. Agr. h Cone spiked do. Agr. h	punicea Jaca.	scarlet				
FAGUS ferruginea Ait. } sylvestris Pers. } FERRARIA maculata L. } punctats Pers. } FESTUCA bromoides elatior L. fluitans L. loliacea Sm. elongata Ehrt. } monostachya Deef. myurus L. ovina L. poeformis Pers. rabra L. } sedanta EACH common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome tall meadow do. Agr. h do. Agr. h Europe vall sheepe vall sheepe do. Agr. h Europe Agr. h Common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome do. Agr. h Common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome do. Agr. h Common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome do. Agr. h Common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome do. Agr. h Common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome do. Agr. h Common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome do. Agr. h Common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome do. Agr. h Common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome do. Agr. h Common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h	spinosa L.	thorny	S. Europe			
ferrugines Ait. sylvestris Pers. FERRARIA maculata L. punetata Pers. FESTUCA bromoides clattor L. fluitans L. loliacea Sm. clongsta Ehrt. monostachya Desf. myurus L. ovina L. poeformis Pers. rabra L. common American N. Amer. Arts h FERRARIA spotted C. G. H. g.h FESCUE GRASS brome tall meadow do. Agr. h do. Agr. h Europe Agr. h One spiked Sheeps do. Agr. h One spiked Sheeps do. Agr. h			qo.		g.h	Ъ
FERRARIA maculata L. punctata Pera. FESTUCA bromoides elatior L. fluitana L. loliacea Sm. elongata Ehrt. monostachya Desf. myurus L. ovina L. poeformis Pera. rabra L. spotted spotted C. G. H. g.h FESCUE GRASS brome Lurope do. Agr. h do. Agr. h Europe Agr. h do. Agr. h Europe do. Agr. h Europe Agr. h	ferrusines Ait.		A			
maculata L. punctata Pers. } PESTUCA FESCUE GRASS bromoides clatior L. fluitans L. lolisaces Sm. clongsta Ehrt. } monostachys Desf. myurus L. ovina L. poeformis Pers. rubra L. meadow do. Agr. h sheeps do. Agr. h sheeps do. Agr. h clongstiked Barbary h Europe Agr. h clongstiked Barbary h Europe Agr. h do. Agr. h clongstiked do. Agr. h	sylvestris Pers. S		N. Amer.	Arts	Þ	ŧ
punctata Pers. 5 FESTUCA FESCUE GRASS brome clattor L. fluitans L. loliacea Sm. clongsta Ehrt. 5 monostachya Desf. myurus L. ovina L. poeformis Pers. rabra L. specture FESCUE GRASS brome tall meadow do. Agr. h do. Agr. h Barbary wall sheeps do. Agr. h Europe Agr. h C. G. H. g.n g.n g.n g.n g.n g.n g.n g		FERRARIA				
FESTUCA bromoides clatior L. fluitans L. loliacea Sm. clongsta Ehrt. monostachya Desf. myurus L. ovina L. poeformis Pers. rabra L. bromoe Brome tall meadow do. Agr. h do. Agr. h do. Agr. h Europe wall cone spiked sheeps do. Agr. h Europe do. Agr. h con spiked sheeps do. Agr. h		spotted	C. G. H.		g.h	P
elatior L. tall meadow do. Agr. h fluitans L. floating do. Agr. h lolisees Sm. elongsta Ehrt. monostachys Derf. one spiked Barbary h myurus L. ovina L. sheeps do. Agr. h poseformis Pers. spreading do. Agr. h rubra L. meadow do. Agr. h	FESTUCA			• • • •		
fluitans L. floating do. Agr. h loliacea Sm. long spiked do. Agr. h elongsta Ehrt. long spiked do. Agr. h monostachya Desf. one spiked Barbary myurus L. ovina L. sheeps do. Agr. h poseformis Pers. spreading do. Agr. h rubra L. meadow do. Agr. h						P
lofiacea Sm. elongata Ehrt. long spiked do. Agr. helongata Ehrt. one spiked Barbary helongata L. wall Europe Agr. helongata L. sheepe do. Agr. helongata L. spreading do. Agr. helongata L. meadow do. Agr. helongata L. me					_	P
myurus L. wall Europe Agr. h ovina L. sheeps do. Agr. h poseformis Pers. spreading do. Agr. h rubra L. meadow do. Agr. h	Indiana Com 3	<u> </u>			_	P
myurus L. wall Europe Agr. h ovina L. sheeps do. Agr. h poseformis Pers. spreading do. Agr. h rubra L. meadow do. Agr. h	monostachya Desf.	one spiked	Barbery	_	h	Þ
poseformis <i>Pers.</i> spreading do. Agr. h rubra L		wall	Europe	Agr.		p
rubra Lmeadow do. Agr. h	ovina L.				_	P
						Þ
spadicea L. sheathed do. Agr. h				Agr.		P
tenuifolia Leers. fine leaved do. Agr. h			do.		Ъ	
FICUS FIG TREE caries L. common S. Europe Med. & g.h	carica L.		S. Europe	Med. 8	g.h	t
stipulata Thunb. seandens Link. Screeping \$1. Indies Diet h.h	stipulata Thunb.	creeping	B. Indies		h.h	8
		FOTHERGILLA				
	alnifolia L.	alder leaved	N. Amer.		h	ŧ
POTHERGILLA alnifolia L alder leaved N. Amer. h	FRAGARIA	STRAWBERRY	Q 4	Th 4		•
FOTHERGALA FOTHERGILLA alnifolia L. alder leaved N. Amer. h FRAGARIA STRAWBERRY						1
FOTHERGILLA alnifolia L. alder leaved N. Amer. h FRAGARIA STRAWBERRY chiloensis Ehrt. Chili S. Amer. Diet h	grandiflora Ehrt.		do.	Diet	h	P
POTHERGILLA alnifolia L. PRAGARIA alhiloensis Ehrt. clatior Ehrt. bantboy Alloensis Ehrt. bantb	veson L.	common garden	Europe	Diet	ĥ	P
FOTHERGILLA alnifolia L. FRAGARIA chiloensis Ehrt. clatior Ehrt. grandiflora Ehrt. vesca L. FOTHERGILLA alder leaved STRAWBERRY Chili bautboy common garden N. Amer. h N. Amer. h SAmer. Diet h do. Diet h bet by common garden Europe Diet h	v. alþina virginiana Ehrt.	monthly wild	N A	D44	L	_
FOTHERGILLA alnifolia L. FRAGARIA chiloensis Ehrt. clatior Ehrt. grandiflora Ehrt. v. alpinet FOTHERGILLA alder leaved Alder leaved STRAWBERRY Chili S. Amer. Chili S. Amer. Diet h do. Diet h common garden moathy	7177 MISTO #1177.	WIIU	A. Amer.	Inct	h	P

~					
PRAXINUS	ASH				
excelsior L.	European	Europe	Arts	h	t
platysarpa Mich.	Carolinian	N. Amer.	Arts	h	t
sambucifolia Muhl.	black or water	do.	Arts	h '	t
PRITILLARIA	PRITILLARY				•
imperialis L.	Crown Imperial	Persia		h	P
meleagris L.	common	do.		h	P
persion L.	Persian	Europe		h	P
FUCHSIA	FUCHSIA or Ear drop	•			-
coccines Ait.		Okiii		~1	÷
magellanica Lmk. S	șcariet	Chili		g.h	•
FUMARIA	FUMITORY				
glauca Curt.	`				
sempervirens L.	1.	37 A			_
Cory dalis sempervirens	} glaucous	N. Amer.		h	
. Mich.					
officinalis L.	cem mon	Europe	Med.	h	
	GALACTIA	-Liopo			_
GALACTIA	GALACTAL			_	
glabella Mich. Ervam volubile Walt.	smooth	N. Amer.		h	P
Elvain volunte was.	SNOW DROP				
GALANTHUS		Burope		h	-
nivalis L.	common	marobe		31	P
v. flore p ieno GALAX	double flowered				
	GALAX				
aphylla L.	1				
Erythroriza rotundifo-	İ				
lia Mich.	heart leaved	NT A			
Solenandra cordifolia	Carpenter's leaf	N. Amer.		h	P .
Pers.	CE POLICE C IONE				
Blandfordia cordata	1				
Donn.)				
GALINBOGEA	GALINSOGEA			_	
trilohata <i>Cav</i> .	three lobed	Peru		h	A
GALIUM	LADIES' BED STRAY	N			
aspreilum Mich.	rough	N. Amer.		h	P
cireczans Mich.	branching	do.		h	P
claytoni Mich.	Claytons	do.		h	P
puncticulosum Mich.	dotted	do.		h	P
tincterium L.	dyers	do.	Arts	h	P
trifidum L.	three eleft	do.		h	P
GARDENIA	CAPE JASMINE				-
florida L.	white	C. G. H.		g.h	
thubergia Ait.	starry	do.		g.h	•
GAULTHERIA	MACHINATINA TRA TELEM			8	_
	procumbent—Patridge	e)			
procambens L.	} herry	N. Amer.	Med.	h	
GAURA	GAURA	_			
biennis	biennial	N. Amer.		h	1
GENISTA	GENISTA	241 2 22.462.		••	-
canariensis L.	Canary	Can. Isl.		g.h	
candicans L.	evergreen Cytisus	S. Europe			
	evergreen Oytisus	o. natobe		g.h	•
decumbens Willd.	danna bank	3.		_ L	_
Spartium decumbens	decumbent	do.		g.b	. В
Ait. J	_	W	A	1	_
tinetoria L.	dyers OPATTI A M	Europe	Arts	h	
GENTIANA	GENTIAN	NT 4			1-
erinita Freek	fringed	N. Amer.		þ	ь
saponaria L.	soap wort leaved	do.		h	P
GERANIUM	CRANE'S BILL GERA				
carolinianum L.	Carolina	N. Amer.		Ņ	2
columbinum L.	long stalked	Europe		þ	
maculatum L.	spotted—Crow foot	N. Amer.	Med.	h	P
robertianum L.	Herb Robert	do.	Med.	þ	

	HORTUS MUSINERSE	B.			**
sanguineum L.	bloody	Europe		h	7
v. prostratum	creeping			•	•
sylvaticum L. GERARDIA	wood GERARDIA	à.		•	· P
crinita	fringed	N. Amer.		h .	•
fiava L.	yellow	do.		h	P
glauen	glaucous	₫ o		j.	P
pedicularia L. purpurea L.	louse wort leaved purple	do. do.		h h	3
tenuifolia Vahl 2	fine leaved	do.		ь	-
erecta <i>Walt.</i> 5 GEUM	AVENS or Herb Bennet			_	_
rivale L.	Water	N. Amer.	Med.	h	ø
strictem Ait. 1	upright	do.	Med.	h	-
aleppieum Jacq. 5		do.	MA CU.	_	P
virginianum L. GLADIOLUS	virginianum CORN FLAG	ac.		P	P
carneus Jacq.	Sesh coloured	C. G. H.		g.b	P
communis L.	common	S. Europe		h	P
securiger Ait.	cobber coloures	C. G. H.		g.h	P
tristis L. GLECHOMA	square stalked GROUND IVY	do.		g.h	P
hederacea L.	COMMON	N. Amer.	Med.	h	7
GLEDITSIA	GLEDITSIA			_	
sinensis <i>Lmk</i> .	Chinese	China	Arts	F.p.	¢
triscanthos L.	three thorned Acacia smooth do.	N. Amer.	Arts		ŧ
v. inermie GL ORIOSA	SUPERB LILY				
	_	B. Indies		h.h	_
Methonica superba H. F	2 camong.	is. Indies		D-11	P
OLYCINE angulosa Muhl.	GLICINE	X. Amer.		ь	_
apios L.	angular tuberous	do.		<u>.</u>	P
bimeculata Curt.				_	-
Kennedia monophylla Pere.	simple leaved ,	N. Holl		g.b	
earibma Jacq.	hairy podded	W. Indies		h .h	
soccinea Curt. Kennedia soccinea	searlet flowered	N. Holl			_
Pers.	SOULNET WOM CLEAR			g.h	•
eomora L.	hairy	N. Amer.		ř	
frutescens L. moneica L.	shrubby monœcious	do. do.		þ	
rubicunda Curt.	Montecooup	- Gu		-	
Kennedia rubicunda Pers.	red flowered	N. Holl.		g.b	
GLYCYRRHIZA	LIQUORICE				
glabra L.	common	Europe	Med.	h	P
GNAPHALIUM	CUDWEED-Life Even		,	h .	`
margaritaceum L. obtusifolium L.	pearly	N. Amer.		В	P
polycephalum Mich.	obtuse leaved	do.		b	P
concideum Lmk.				_	-
plantaginifolium L.	plantain leaved	do.	Med.	þ	P
purpureum L. stochas L.	purple narrow leaved	do. S. Europe		h r.k	Ę
uliginosum L. GOMPHRENA	marsh	N. Amer.		Ş. h	i
GOMPHRENA	GLOBE AMARANTH				
globosa L. GOODENIA	garden GOODENIA	E. Indies		ď,	
Invients Cont		N. Holl.		- L	_
Screvola levigata Pers.	S suroum	TA . EIOIF		g.b	. •

MORTUS ELGINENSIS.

GORDONIA	GORDONIA			
franklini l'Her.			_	
Franklinia eletamaha	Franklin's	N. Amer.	h	\$
Bartr.)	lablatta bass	, ·	h	
lesianthus L. GOSSYPIUM	loblolly bay COTTON	do.	112	•
herbaceum L.	common	B. Indies Arts	h	
	Nankin	E. Indies Arts		-
religiosum L. GRATIOLA	HEDGE HYSSOP	M. Indica Into	40-40	•
anagallidea Mich.	chickweed leaved	N. Amer.	h	
officinalis I.			h	_
v. caroliniensis Pers. S	common	do.	ц	
GREWĮA	GREWIA		_	
occidentalis L.	· elm leaved	C. G. H.	g.h	t
orientalis L.	eastern	E. Indies	h.h	t
GUETTARDA	GUETTARDA			
speciosa L.	shewy	E. Indies	h.h	t
GUILANDINA	BONDUC or Nicker tree		LL	ŧ
bonduc L	yellow seeded	E. Indies Diet	h.h	·
GYMNOCLADUS oanadensis Mich.	GYMNOCLADUS			
Guilandina dioica L.	Kentucky coffee tree	N. Amer. Diet	h	t
GYPSOPHYLLA	GYPSOPHYLLA			
perfoliata L.	perfoliate	Europe .	h	P
viscosa L.	clammy	do.	h	è
HALESIA	SNOW DROP TREE or	Silver Bell		
tetraptera L.	four winged	Carolina	h	8
HALORAGIS	HALORAĞIS			
cercodia Ait.				
tetragonia l'Her.	whorl leaved	S. Sea Isl.	g.h	
alata Jacq.	wing seeded		9	_
Tetragonia ivæfolia L. J	MITCH HARRY			
HAMAMELIS	WITCH HAZEL	N. Amer.	· h	_
virginica L. HAMILTONIA	HAMILTONIA	M. Amer.	, D	8
			_	
oleifera <i>Muhl.</i> Pyrularia pubera <i>Mich</i>	American oil nut	N. Amer.	h	8
HEDERA	IVY			
helix L.	common	Europe Med.	h	8
HEDYCHIUM	HEDYCHIUM	•		
coronarium <i>Retz.</i>	crowned	E. Indies	h.h	P
HEBYSARUM	HEDYSARUM		_	_
canadense L.	Canadian	N. Amer.	þ	P
canescens L.	hoary	_ do.	ķ	P
caput galli L.	cock's head	Europe	h	8
coronasium L.	French Honeysuckle	do. Arts E. Indies		
gyrans L. marilandioum L.	moving plant Maryland	N. Amer.	h.h h	Ъ
nudiflorum L.	naked flowering	do.	'n	P
onobrychis L.	Saint Foin	Europe Agr.		P
mallosii Willd.			_	P
buxbaumianum Pal.	Siberian	do.	h	P
paniculatum L.	panicled	N. Amer.	h	p
saxatile L.	rock	Europe	h	P
viridiflorum L.	green flowered	N. Amer.	h	p
HELENIUM	HELENIUM	4		-
antumnale L.	smooth	N. Amer.	h	P
HELIANTHUS	SUNFLOWER	N T A	1.	
altissimus L.	tali	N. Amer.	h L	Þ
annuus L.	common ten petal'd	S. Amer. Agr. N. Amer.	h h	
decapetalus L. divaricatus L.	branching	do.	h h	P
giganteus L.		do.	h	p
tuberosus L.	giant Jerusalem artichoke	S. Amer. Diet.	ĥ	P P
				1.

HORTUS ELGINENSIS.

MRLICHKYSUM chrysanthum Pers.	GOLDEN SUNFLOWE	il.			
Xeranthemum brac- teatum Fent.	Botany Bay	N. Holl.		gà	Ъ
HELIOTROPIUM	TURN SOLE				
indicam L	common or wild	N. Amer.		L	
peruvianum L.	sweet	Peru	Arts	g.h	-
parviforum L.	small flowered	E. Indies		L	-
HÉLLÉBORUS	HOLLBBORE			_	-
trifolias L.	three leaved- Gold thread	N. Amer.	Med.	h	P
viridis L.	green	Europe	Med.	À	p
HELLENIA	HELLENIA	_			•
allughas Willd.					
Heritiera allughas	broad leaved	B. Indies		b.h	P
Retz.)	T. A. W. T. DT. W.				_
HEMEROCALLIS	DAY LILY	-		_	
ecerules Vent.	blue	Japan		8-p	P
flava L.	yellow	Europe		þ	P
fulva L. HEMIMERIS	orange HEMIMERIS	China		P	P
urticifolia Willd.	nemibleris				
Celsia urticifolia Curt.	scarlet or nettle leaved	S. Amer.		g.h	
TERMANNIA	HERMANNIA			•	_
alpifolia L.	alder leaved	C. G. H.		z.b	_
altherfolia L.	marsh mallow leaved	do.		2.6	8
denudata L.	smooth	do.		g.h	
hirmta Wend.	hairy	go.		2.h	•
hyssopifolia L.	hyssop leaved	do.	•	g.b	•
salvifolia L.	sage leaved	do.		g.h	
scabra Cav. 2	•			-	•
aspera Wend.	rough	do.		g.h	
Hesperis	ROCKET		•		
matronalis L.	garden .	Europe	Med.	h	-
tristie L.					
UTSUB LA	yellow	do.		h	₹.
HEUCHERA	HEUCHERA	do.		þ	Ъ
HEUCHERA	HEUCHERA			_	_
HEUCHERA americana L. 3 cortusa Mich. 5	HEUCHERA purple flowered	N. Amer.		h	Ъ Р
HEUCHERA americana L. cortusa Mich. HIBISCUS	HEUCHERA purple flowered HIBISCUS	N. Amer.	3.5	ħ	_
HEUCHERA americans L. cortusa Mich. 5 RIBISCUS abelmosebus L.	HEUCHERA purple flowered HIBISCUS musk	N. Amer. B. Indies	Med.	h h.h	P
HEUCHERA americana L. 3 cortuss MEch. 3 HIBISCUS abelmosebus L. csculentus L.	HEUCHERA purple flowered HIBISCUS musk Okra	N. Amer. B. Indies do.	Med. Diet	h h.h h	P
HEUCHERA americana L. cortusa Mich. 5 HIBISCUS abelmoschus L. esculentus L. grandiflorus Mich.	PUCHERA purple flowered HIBISCUS musk Okra large flowered	N. Amer. B. Indies do. Florida		h.h h	P
HEUCHERA americana L. 7 cortusa Mich. 5 HIBISCUS abelmosebus L. csculentus L. grandiflorus Mich. heterophyllus Vent.	purple flowered HIBISCUS musk Okra large flowered prickly	N. Amer. B. Indies do. Florida N. Holl.	Diet	h.h.h.	P s a p
HEUCHERA americana L. ? cortusa Mich. 5 HIBISCUS abelmoschus L. csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L.	PUCHERA purple flowered HIBISCUS musk Okra large flowered	N. Amer. B. Indies do. Florida	Diet	h.h h	P
HEUCHERA americana L. ? cortusa Mich. 5 HIBISCUS abelmoschus L. csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L.	purple flowered HIBISCUS musk Okra large flowered prickly	N. Amer. B. Indies do. Florida N. Holl.	Diet	h.h.h.	P a p
HEUCHERA americana L. cortuss Mich. S HIBISCUS abelmoschus L. csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. lævis Scop.	purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated	N. Amer. B. Indies do. Florida / N. Holl., B. Indies Louisiana	Diet	h.h.h.h.g.h.g.h.g.h	P * a P * a P
HEUCHERA americana L. cortusa Mich. S HIBISCUS abelmosebus L. esculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. levis Scop. moscheutos	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common—March Mallow	N. Amer. B. Indies do. Florida N. Holl., B. Indies Louisiana N. Amer.	Diet	h.h.h.h.g.h.g.h.g.h.	P * a P * a P P
HEUCHERA americana L. cortusa Mich. HIBISCUS abelmosebus L. csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. lævis Scop. moscheutos mutabilis L.	purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated	N. Amer. B. Indies do. Florida N. Holl., B. Indies Louisiana N. Amer. China	Diet	h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.	P * a P * a P
HEUCHERA americana L cortusa Mich. \$ HIBISCUS abelmoschus L. csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. levis Scop. moscheutos mutabilis L. palestris L.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh	N. Amer. B. Indies do. Florida N. Holl., B. Indies Louisiana N. Amer. China N. Amer.	Diet	h.h.h.h.s.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	P sapas p psp
HEUCHERA americana L. cortusa Mich. HIBISCUS abelmosebus L. csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. lævis Scop. moscheutos mutabilis L.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-March-Mallow changeable march small flowering China rose	N. Amer. B. Indies do. Florida N. Holl., B. Indies Louisiana N. Amer. China	Diet	h h.h h s.h s.h h h.h	P * a P * a
HEUCHERA americana L. cortusa Mich. S HIBISCUS abelmosebus L. esculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. levis Scop. moscheutos mutabilis L. palestris L. phœniceus L. rosa sinensis L.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh small flowering China rose double flesh coloured	N. Amer. B. Indies do. do. do. N. Holl. B. Indies Louisiana N. Amer. China N Amer. E. Indies	Diet	h.h.h.h.s.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	P sapas p psp
HEUCHERA americana L. cortuss Mich. S HBISCUS abelmosebus L. csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. levis Scop. moscheutos mutabilis L. palustris L. phaeniceus L.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-March-Mallow changeable march small flowering China rose	N. Amer. B. Indies do. do. do. N. Holl. B. Indies Louisiana N. Amer. China N Amer. E. Indies	Diet	h h.h h s.h s.h h h.h	P * a P * a
HEUCHERA americana L. cortusa Mich. S HBISCUS abelmosebus L. csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. levus Scop. moscheutos mutabilis L. palustris L. phæniceus L. rosa sinensis L. v. fl. pleno carneo v. fl. pleno carneo v. fl. pleno carneo riparius Pers.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common—Marsh Mallow changeable marsh small flowering China rose double flesh coloured double soarlet	N. Amer. B. Indies do. Florida N. Holl., B. Indies Louisiana N. Amer. China N. Amer. E. Indies do.	Diet	h h.h h s.h s.h h h.h	P * a P * a
HEUCHERA americana L cortuss Mich. S HIBISCUS abelmoschus L csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. levis Scop. moscheutos mutabilis L. palustris L. phæniceus L. rosa sinensis L. v. f. pleno coccineo riparius Pers. hastatus Mich.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh small flowering China rose double flesh coloured	N. Amer. B. Indies do. do. do. N. Holl. B. Indies Louisiana N. Amer. China N Amer. E. Indies	Diet	h h.h h s.h s.h h h.h	P saps P P s P s s
HEUCHERA americana L. cortuss Mich. HIBISCUS abelmoschus L. csculentus L. grandiflorus Mich. heterophyllus Vent. maihot L. militaris Cav. levis Scop. moschentos mutabilis L. phæniceus L. rosa sinensis L. v. fl. pleno carneo v. fl. pleno carneo v. fl. pleno carneo riparius Pers. hastatus Mich. virginicus Walt.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh small flowering China rose double flesh coloured double scarlet river	N. Amer. B. Indies do. Florida N. Holl. B. Indies Louisiana N. Amer. China N. Amer. E. Indies do.	Diet	h.h.h.h.h.h.h.h.h.	P * a P * a
HEUCHERA americana L. cortuss Mich. HIBISCUS abelmosebus L. esculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. levis Scop. moscheutos mutabilis L. palestris L. phæniceus L. rosa sinensis L. v. fl. pleno carneo v. fl. pleno carneo riparius Pers. hastatus Mich. virginieus Walt. sabdariffa L.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh small flowering China rose double flesh coloured double scarlet river various leaved	N. Amer. B. Indies do. Plorida N. Holl. B. Indies Louisiana N. Amer. China N. Amer. E. Indies China Louisiana Louisiana Louisiana N. Amer. E. Indies	Diet	h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.	P saps P P s P s s
HEUCHERA americana L cortuss Mich. S HIBISCUS abelmoschus L. csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaria Cav. \ levis Scop. moscheutos mutabilis L. palustris L. phæniceus L. rosa sinensis L. v. fl. pleno carneo vigarius Pere. hastatus Mich. virginicus Walt. sabdariffa L. scaber Mich.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh small flowering China rose double flesh coloured double scarlet river	N. Amer. B. Indies do. Florida N. Holl. B. Indies Louisiana N. Amer. China N. Amer. E. Indies do.	Diet	h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.	P saps P P s P s s
HEUCHERA americana L. cortuss Mich. HIBISCUS abelmosebus L. csculentus L. grandiflorus Mich. heterophyllus Vent. maintot L. militaris Cav. levis Scop. moscheutos mutabilis L. palestris L. phæniceus L. rosa sinensis L. v. f. pleno carneo v. ft. pleno carneo riparius Pers. hastatus Mich. yriginicus Walt. sabdariffa L. scaber Mich. speciosus Ait.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh small flowering China rose double flesh coloured double scarlet river various leaved	N. Amer. B. Indies do. Plorida N. Holl. B. Indies Louisiana N. Amer. China N. Amer. E. Indies China Louisiana Louisiana Louisiana N. Amer. E. Indies	Diet	h hhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhh	P sapes P P s P P P P P P P P P P P P P P P P
HEUCHERA americana L. cortuss Mich. HIBISCUS abelmosebus L. csculentus L. grandiflorus Mich. heterophyllus Vent. maintot L. militaris Cav. levis Scop. moscheutos mutabilis L. palestris L. phæniceus L. rosa sinensis L. v. f. pleno carneo v. ft. pleno carneo riparius Pers. hastatus Mich. speciosus Mich. speciosus Mich. speciosus Mit. coecineus Walt.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common—Marsh Mallow changeable marsh small flowering China rose double flesh coloured double scarlet river various leaved rough scarlet	N. Amer. B. Indies do. Florida N. Holl. B. Indies Louisiana N. Amer. China N. Amer. E. Indies do. N. Amer. E. Indies Georgia N. Amer.	Diet	h h.h.h.s.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.	P sapsapsapsapsapsapsapsapsapsapsapsapsaps
HEUCHERA americana L cortuss Mich. HIBISCUS abelmoschus L csculentus L. grandiflorus Mich. heterophyllus Vent. manihot L. militaris Cav. levis Scop. moscheutos mutabilis L. palastris L. phæniceus L. rosa sinensis L. v. fl. pleno carneo vigarius Pere. hastatus Mich. virginicus Walt. sabdariffa L. scaber Mich. speciosus Ait. coesineus Walt. spiralis Cav.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common—Marsh Mallow changeable marsh small flowering China rose double flesh coloured double scarlet river various leaved rough scarlet spiral	N. Amer. B. Indies do. Plorida N. Holl., B. Indies Louisiana N. Amer. China N. Amer. E. Indies do. N. Amer. E. Indies M. Amer. M. Amer.	Diet	h h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	P sapas P P sps s
HEUCHERA americana L cortuss Mich. HIBISCUS abelmoschus L. cesculentus L. grandiflorus Mich. heterophyllus Vent. maiihot L. militaris Cav. levis Scop. moscheutos mutabilis L. plaestris L. phoenicous L. rosa sinensis L. v. f. pleno carneo v. f. pleno carneo v. f. pleno carneo riparius Pers. hastatus Mich virginicus Walt. seber Mich. speciosus Ait. coesineus Walt. spiralis Cav. syriacus L.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh small flowering China rose double flesh coloured double soarlet river various leaved rough scarlet spiral garden or Althea frutex	N. Amer. B. Indies do. Florida N. Holl. B. Indies Louisiana N. Amer. China N. Amer. E. Indies do. N. Amer. E. Indies Georgia N. Amer.	Diet	h h.h.h.s.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.	P sapes P P s P P P P P P P P P P P P P P P P
HEUCHERA americana L. cortuss Mich. HIBISCUS abelmoschus L. csculentus L. grandiflorus Mich. heterophyllus Vent. maintot L. militaris Cav. levis Scop. moschentos mutabilis L. palestris L. phæniceus L. rosa sinensis L. v. f. pleno carneo v. f. pleno carneo riparius Pers. hastatus Mich. virginicus Walt. speicosus Ait. coccineus Walt. speicosus Ait. coccineus Walt. spiralis Cav. syriacus L. v. flore pleno	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh small flowering China rose double flesh coloured double scarlet river various leaved rough scarlet spiral garden or Althea frutex double flowered	N. Amer. B. Indies do. Plorida N. Holl., B. Indies Louisiana N. Amer. China N. Amer. E. Indies do. N. Amer. E. Indies M. Amer. M. Amer.	Diet	h h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	P sapas P P sps s
HEUCHERA americana L cortuss Mich. HIBISCUS abelmoschus L. cesculentus L. grandiflorus Mich. heterophyllus Vent. maiihot L. militaris Cav. levis Scop. moscheutos mutabilis L. plaestris L. phoenicous L. rosa sinensis L. v. f. pleno carneo v. f. pleno carneo v. f. pleno carneo riparius Pers. hastatus Mich virginicus Walt. seber Mich. speciosus Ait. coesineus Walt. spiralis Cav. syriacus L.	HEUCHERA purple flowered HIBISCUS musk Okra large flowered prickly palmated hastated common-Marsh Mallow changeable marsh small flowering China rose double flesh coloured double soarlet river various leaved rough scarlet spiral garden or Althea frutex	N. Amer. B. Indies do. Plorida N. Holl., B. Indies Louisiana N. Amer. China N. Amer. E. Indies do. N. Amer. E. Indies M. Amer. M. Amer.	Diet	h h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h.h	P sapas P P sps s

virginicus L.	Virginian HAWK WEED	N. Amer.	ħ	•
HIERACIUM	HAWK WEED	_		-
aurentiacum L.	orange coloured	Kurope	<u>}</u>	P
gronovii L.	Gronovius's	N. Amer.	h	. p
Kalmii L.	Kalm's	go.	<u> </u>	P
marianum Willd.	Maryla ad	qo.	Þ	P
scabrum <i>Milah</i> .	rough_	do.	ķ	P
venoma L.	veined	do.	h	P
HOLCUS	SOFT GRASS			
fragrams Willd.	seneca grass	N. Amer. Agr.	h	Þ
odorstus Mech. 5	_ -		_	_
lanatus L. mollis L.	meadow	do. Agr.		P
HOLOSTEUM	ereeping HOLOSTEUM	Eutope Agr.	h	P
eordatum L.	heart leaved	W. India	h	_
HOPEA	HOPEA	vv. regies	ш	
tincterla L.	HOI DIE			
Symplocos tinetoria	dyers	Carolina Med.	ġ.h	
l'Her.	u, u.s	Catoline 1/100.	B	•
HORDEUM	BARLEY			
distichen L.	two rowed	Tartary Diet	h	
hexastichon	six rowed—winter	Diet		-
maritimum Vahl.	sea	Europe Agr.		-
vulgare L.	common	do. Diet		ē
zeoerkon L.	spratt or Battledere	Agr.		2
HOUSTONEA	HOUSTONEA	0-		
coodinea Andr.	scarlet	Mexico	b.b	
cœruiga L.	blue	N. Amer.	h	Ъ
HUMULUS	НОР			
_ lupulus L.	common	Europe Med	. h	P
HURA	SAND BOX TREE	-		-
crepitans L	common	S. Amer. Arts	h.b	
HYACINTHUS	HYACINTH		_	
botryeides L.	blue grape	Europe	þ	P
comosus L.	purple grape	do.	þ	P
muscari L	fragrant	Asia	1	P
orientalia L.	garden	do.	h	P
racemosus L.	hare bell	Barope	h	P
junciformis <i>Imit.</i>			_	F
HYDRANGEA	HYDRANGEA			
arborescens L. ? vulgaris <i>Mich.</i> \$	common tree	N. Amer.	h	8
hortessis Sm.	_			-
	1			-
Hortensia rosea H. P.	changeable or Japan	China	g.h	_
speciosa Fere.	/ D	Cinna	g.n	•
Primula mutabilis Lou				
v. flore purpures	· purple flowered do.			
quercifolia Barte.	• •		_	
	oak leaved	Florida	Ь	8
radiata Sm. 3 radiata Willd. nives Mich. 5		~		
nives Mich.	radiated	Carolina	h	
HYDROCOTYLE	PENNY WORT			
americana L.	American	N. Amer.	h	P
repanda Pers 2	anemian leaned		- 1	_
ficarioides Mich.	angular leaved	Carolina	g.h	P
vulgaris L.	common	N. Amer.	h	P
HYMENÆA	LOCUST TREE			-
courbaril L.	two leaved	W. Indies Med.	k.h	t
HYOSCYAMUS	HENBANE		_	_
niger L.	black	N. Amer. Med.	h	b
HYPERICUM	ST. JOHN'S WORT	~~ .	_	
canadense L.	Canadian	N.Amer.	h	8
elatum Ait.	raft .	do.	Þ	P
	•			

HORTUS BLGINENSIS.

hirsutum L.	hairy	Europe		þ	P
maculatum Mich.	spotted	N. Amer.		Ē	2
monogynum L.	Chinese	China		g.h	P
nudifierum Mich.	naked flowered	N. Amer.		3	Þ
parviforum Willd.)				_
quinquenervium Walt.	five nerved	do.		Ъ	
perforatum L.	com mon	do.	Med.	h	P
prolificum L	prolifie	qo.		Ī.	8
quadrangulum L	square stalked	Europe		Ē	
setosum L.	brietly	N. Amer.		Ē.	P
virginicum L.	Virginian	do.		ĥ	
HYPOCHÆRIS	Virginian CAT'S EAR	-			P
radiesta L.		Europe		h	
HYPOXIS	long rooted HYPOXIS	Tree obe		**	P
erecta L.	upright	N. Amer.		h	-
HYSSOPUS	HYSSOP	24. Trimat.		_	P
officinalis L.	common	Europe	Med.	h	_
JASMINUM	JASMINE	Tarobe	Medu		P
azoricum L.	Azorian	Madeira		- h	
fruticans L.		Europe		Ş.h	
grandiflorum L.	yellow Catalonian	E. Indies			
humile L.	dwarf yellow	Europe		g. h	. :
odoratissimum L.	sweet scented	Madeira		- h	_
efficinale L	white	China	Med.	g.h h	5
sambae Aik.	W MICO	CHIM	m çu.	14	
Ny ctanthes sambac L.					٠
	- Arabian	E. Indies		g.h	
Mongorium sambae H. P.				-	
simplicifolium Foret.					
australe Pers.	simple leaved	N. Holl.		g.h	8
JATROPHA	PHYSIC NUT			•	
		S. Amer.	Med.		_
cures L. multifida L.	angular leaved	do.	Med.		
	cut leaved CANDY TUFT	w.	MEGU.	11. II	
IBERIS		Q Pump		k	_
saxatilis L. umbeliata L.	rock	S. Europe		g.p	
ILEX	HOLLY	Europe		.	
		P	W.J	h	
aquifolium L.	common Capadian	N. Amer.	Med.	h	ť
canadensis L.					t
opaca Ail.	Carolinian	do.		h	t
vomitoria <i>Ait.</i>	South Sea tea	Florida	Med.	g.h	ŧ
Cassine peragua L.	KNOT GRASS			-	-
THEFEDRUM		D			_
capitatum L.	headed	Europe		þ	P
echinatam Deef.	prickly	Barbary		h	
ficoideum L.	trailing ANISEED TREE	S. Amer.		g.h	P
ILLICIUM		Plants.		_ L	_
parviflorum Mich.	yellow flowered BALSAM	Florida		g.h	3
IMPATIENS		T3 T		٠.	_
balsemina L.	common	E. Indies		ħ.	
hiflora Walt.	two flowered	N. Amer.		h	
INDIGOFERA argentea l'Her.	INDIGO				
argentea l'Aer.	silvery	E. Indies		h.h	8
	_ •				
frutescens L.	shrubby	C. G. H.		g.h	•
sericea L.	ailky	do.	A4 -	g.h h.b	8
tinetoria L.	common	E. Indies	Arts	n.o	
INGA Willd.	INGA				
MIMOSA Auct. 5		6 A			_
microphylla Humb.	small leaved	S. Amer.		h.h :	
purpures Willd.	purple	W. Indies		h.b	•
unguis cati Willd.	four leaved or cat's paw	do.		h.h	
INULA	ELECAMPANE	, 10			
crithmifelia L.	samphire leaved	Europe		h	P

		-			
helenium L.	common	N. Amer.	Med.	h	Þ
mariana L.	Maryland	do.	Med.	h	Þ
oculus christi L.	hoary	Europe		h	P
	IPOMÆA.			_	
coccinea L.	scarlet	N. Amer.	•	μ̈́	2
macrorhiza Mich.	large rooted	Georgia	ı	g.h	P
nil Pert.	azure blue	Carolina		h	
trilobus Thunb.	_				_
purpures Pers.	purple	America		h	
quamoclit L.	winged—Cypress vine	B . Indies		h	
IRIS	IRIS or Flower de Luce	.			
fimbriata Vent.	fringed	China		g.h	Ď
florentina L.	Florentine—Orris	Europe	Mèd.	h L	P
germanica L.	German	do.	M e d.	g.h	Þ
martinicensis L	Martinique	W. Indies		h.h	P
ochroleuca L.	pale yellow	Europe		h h	
persica L.	Persian dwarf	Persia	•	P.	P
pumila L.	GWAFI	Europe		112	P
mbirica L. pratensis Pers.	Siberian	do.		h	P
	various coloured	N. Amer.	Med.	h	_
venticolor L.		do.	Bes Cur	ĥ	P
virginica L.	Virginian bulbous			h	P
xiphium L. ISATIS	WOAD	Europe		21	P
tinctoria L.	dyers	Europe	Arts	h	Ъ
ISNARDIA	ISNARDIA	marobe.	26140	92	
				_	
palustris L. Ludwigia nitida <i>Mich.</i>	} swamp	N. Amer.		Ъ	P
ITEA	ITEA				
virginica L.	Virginian	N. Amer.		h	
IVA	IVA or Bastard Jenuit's	Burk			-
frutescens L.	shrubby	N. Amer.		h	
JUGLANS .	WALNUT or HICKOR				-
alha I. 3					
tomentoss Mich.	white heart	N. Amer.	Arts	P	t
cinerea L.)	1-max	do.	Med.	: h	6
cathartica Mich f	butter nut—white		Arts		
compressa Gæri)		4.	Diet&	L	4
alba <i>Mich.</i>	shell bark	do.		щ	. t
squamosa Mich.f.)			Arts		
glabra Muhl. 7	pig or hog nut	ilo.	Arts	ħ	t
porcina Mich.f. 5		JAC .		_	·
nigra L.	black	do.	Arts &	'h	£
			Mod.		
obcerdata Muhl. 3 amera Mich.f. \$	bitter nut	đo.	Arts	h	t
	Detter nut	uo.	IAI C	**	•
olivæformis Mich.					
angustifolia Ait.	T111 1	_		_	
pecan Walt.	pecan or <i>Illinaia nut</i>	do.	Diet	h.	æ
cylindrica <i>Lmle.</i>					
rubra Gert J	34 255.1.	.	-		
regia L.	common—Madeira aut	Persia	Diet	, W	t
sulcata Willd.	furrowed	N. Amèr.	Arts	ħ	£
mucronata Mich. 5					-
JUNCUS	RUSH GRASS	3T 4	•		_
bufonius L.	toad	N. Amer.	•	h	
effesus L.	, soft	do.		h	P
nodosus L.	knotty	do.		h	E
pilosus L.	hairy moss or <i>Gases som</i>	do. da	•	b	P
aquarrosus L.	. wood	go.		h	Ę
sylvaticus L. tentis Willd.	, wood slender			n h	Ď
JUNIPERUS	JUNIPER or Cedar	do.		.44	₽
bermudiana I.	Bermudian	W. Indies	مانر 🛦	ħ	t
Detwindight 11.	CHANGED .	44 · VII/17 62	nuu		

				•
communis L.	common	Europe Arts &	. In	ŧ
		Med.	_	•
oxycedrus L.	brown berried	do.	h	ŧ
phœnicea L.	Phonicean	do.	ĥ	ŧ,
prostrata Mich ?				- 1
· repens Donn.	ereeping	N. Amer.	h	t
sabina L.	Savin	Europe Med.	h	ŧ
	red	N. Amer. Arts	Ē	ŧ
virginiana L. JUSTICIA	JUSTICIA	24. 121062. 12160	-	·
adhatoda L.	Malabar nut	E. Indies	-1	_
betonica L.	blue flowered	to.	g.h h.h	
coccines Ait.	seariet	S. Amer.	h.h	
comata Vahl.	whorled	W. Indies		
	painted	E. Indies	þ.b	P
picta L.	Peruvisa	Peru	b.h	
peruviana Cav.			h.h	P
scorpioides L.	revolute	W. ladies	h.h	8
sexangularis L.	six angled	do.	h.h	
IXIA	IXIA		_	
bulbocodium L.	European	S. Europe	g.h	P
maculata Thunb.	spotted	C. G. H.	g.h	P
polystachya L.	many spiked	do.	g.h	P
IXORA	IXORA			
coccinea L.	scarlet	E. Indies	h.h	
KÆMPFERIA	GALANGALE			•
galanga L. ·	officinal	E. Indies Med.	p.p	P
rotunda L.	round rooted	do. Med.	h.h	· Þ
KALMIA	KALMIA or Laurel			-
angustifolia L.	narrow leaved	N. Amer.	h	
glauce Ait.	glaucous	do.	ī.	•
hirsuta Bartr.	hairy	Carolina	g.h	•
latifolia L.	broad leaved	N. Amer. Med.	3	
KRIGIA	KRIGIA			•
virginica Willd.	•	4	_	
Hyoseris virginica L.	{ Virginian	N.Amer.	h	
LACTUCA	LETTUCE			
crista Both.	curled	· Diet	h	
elongata Muhl.	narrow leaved	N. Amer.	ï.	ā
estiva L	common	Diet &		
BRUVE IL	Om mon	Med		
LAGASCA	LAGASCA	·	•	
	soft	S. Amer.	h.h	_
mollis <i>Cav</i> . LAGERSTRŒMIA	LAGERSTRUEMIA	5. Aller.	D. 12	•
	Indian	E. Indies	L L	_
indica L.	DEAD NETTLE or		h.h	2
LAMIUM				
amplexicante L.	com mon	N. Amer.	h	
garganicum L. LANTANA	Woolly	Europe	h	P
	LANTANA	TTT T 11		
aouleata_L.	prickly	W. Indies	h.h	*
camara L.	various coloured	do.	h.h	
involucrata L.	round leaved	. do.	h.h	
trifolia L.			L L	8
	three leaved	de.	h.h	
LATHYRUS	LATHYRUS			
LATHYRUS elymenum L.	LATHYRUS various flowered	Levant	h	
LATHYRUS elymenum L. latifolius L.	LATHYRUS			a P
LATHYRUS elymenum L.	LATHYRUS various flowered everlasting pea	Levant Europe	h	_
LATHYRUS elymenum L. latifolius L.	LATHYRUS various flowered	Levant	h	_
LATHYRUS elymenum L. latifolius L. monanthos L. Ervum monanthos L.	LATHYRUS various flowered everlasting pea one flowered	Levant Europe	h	P
LATHYRUS elymenum L. latifolius L. monanthos L.	LATHYRUS various flowered everlasting pea one flowered	Levant Europe	h	P
LATHYRUS elymenum L. latifolius L. monanthos L. Ervum monanthos L. Vicia monanthus Pers. missolia L.	LATHYRUS various flowered everlasting pea one flowered etimson	Levant Europe Russia Europe	h h h	P a
LATHYRUS elymenum L. latifolius L. monanthos L. Ervum monanthos L. Vicia monanthus Pere. nissolia L. odoratus L.	LATHYRUS various flowered everlasting pea one flowered etimson sweet pea	Levant Europe Russia Europe Sicily	h h h	P a :
LATHYRUS elymenum L. latifolius L. monanthos L. Ervum monanthos L. Vicia monanthus Pere. nissolia L. odoratus L. sativus L.	IATHYRUS various flowered everlasting pea one flowered etrimson sweet pea chickling vetch	Levant Europe Russia Europe Sicily Europe Agr.	h h h	P s s
LATHYRUS elymenum L. latifolius L. monanthos L. Ervutn monanthos L. Vicia monanthus Pers. nissolia L. odoratus L. sativus L. sphæricus Roth.	LATHYRUS various flowered everlasting pea one flowered etimson sweet pea	Levant Europe Russia Europe Sicily	h h h	P a :
LATHYRUS elymenum L. latifolius L. monanthos L. Ervum monanthos L. Vicia monanthus Pere. nissolia L. odoratus L. sativus L.	IATHYRUS various flowered everlasting pea one flowered etrimson sweet pea chickling vetch	Levant Europe Russia Europe Sicily Europe Agr.	h h h	P s s

LAVANDULA	LAVENDER			
spica L.	com mon	Europe	Med. h	
LAVATERA	LAVATERA	•		-
arborea L.	Tree Mallow	Europe	h	
' maritim a Cav.	sea side	S. Europe	g.h	
olbia L.	downy leaved	do.	g.h ·	•
thuringiaca L.	large flowered	Europe	'n	P
trimestris L	com mon	ďo-	h	ā
unguiculata H. P.	•			
tomentosa Dumeni	clawed		g.h	8
LAURUS	BAY TREE or Laurel			
anstivalis L.	willow leaved	N. Amer.	h	ŧ
camphora L.	Camphor	Japan	Med. g.h	ť
earoliniensis Mich.	Carolinian or red	Carolina	g.h	ŧ
einnamomum L.	Cinnamon	E. Indies	Med. Lh	Ē
geniculata Mich. 2				_
axillaris Lmk.	jointed	N. Amer.	h	t
nobilis L.	sweet	S. Europe	Med. g.h	ť
morros I.	A vocado masm	Q Amen	Diet on h	ť
psendo benzoin Mich.	Benjamin tree-Wild Al-	NT A	M. J. I.	-
benzoin L.	spice	N. Amer.	Med. h	ŧ
sassafras L.	Sassafras	do.	Med. h	ŧ
LAWSONIA	LAWSONIA	•		
inermis L.	smooth	E . Indies	Arts& h.h	5
			Med.	
LEBECKIA	LEBECKIA			
cyticoides Thurb.)		•	
Spartium cytisoides Ait.	Cytisus leaved ∴	C. G. H.	g.h	8
Ebenus capensis L.	,			
LECHEA	LECHEA			
major L.	large	N. Amer.	h	Ð
minor L.	smail	do.	h	5
LEONTICE	LEONTICE			-
thalictroides L.	meadow rue leaved			
Caulophyllum thalic- }	Poppoose root	N. Amer.	Med. h	P
troides <i>Mich.</i> J				
LEERSIA	LEERSIA			
oryzoides Willd ?	rough	N. Amer.	h	_
Phalaris oryzoides L.	•	TATE TENECT.		F
TEON LODON	DANDELION			
taraxacum L.	common	N. Amer.		•
			Med.	
LEONURUS	MOTHER WORT	4		
cardiaca L.	c ommon	N. Amer.		P
crispus L.	ourled	Siberia	þ	P
marrubiastrum L.	small flowered	Europe	h	
	LEPECHINIA			
spicata Willd.	75 - 4	37		•
Horminum caulescens	spiked	Mexico	h	8,
Ait.)	PEPPER WORT			
		R	Mr. J V.	
latifolium L.	Dittander	Europe	Med. h	P
sativum L.	garden cress	do.	Med.& h	а
auffentionen T	ahun hhu	S. Europe	Diet	_
suffraticosum L.			€ .µ	
virginicum L.	Virginian	N. Amer.	A,	2
	SOUTH SEA MYRTLE		•	
scoparium Sm. Melaleuca scoparia				•
Wend.	40mmon	N. Holl.	a' h	_
	common		g.h.	73
Philadelphus scoperius	,	(•	
J166.J				

thea Willd. Melaleuca thea Wend.	Botany-Bay tea	N. Holl.	g.h	
LESPEDEZA	LESPEDEZA			
polystachya Mich.	many spiked	N. Amer.	h	2
procumbens Mich.	trailing	do.	ĥ	-
LEUCOJUM	SNOW FLAKE		_	_
æstivum L.	summer	Europe	h	P
vernum L.		do.	h	P
LIATRIS	spring LIATRIS	•		•
elegans Willd.	2 man milead	N. Amer.	h	_
Serratula speciosa Ait.	rose spiked		n	P
odoratissima Willd.	sweet soented	do.	h	P
paniculata <i>Willd</i> .	panicled	do.	h	Ď
pilosa Willd.	hair y	do.	h	P
spicata Willd.	long spiked	do.	h	P
macrostachya <i>Mich</i> . J	,	44		ť
LIGUSTICUM	LOVAGE			
levisticum L.	common	Europe Med.	h	P
LIGUSTRUM	PRIVET or Prim			٠
vulgare L.	common	N. Amer. Med	. h	. 8
LILIUM	LILY	T		
bu lhiferum L	bulb bearing	Europe	þ	P
canadense L.	Canadian	N. Amer.	'n	P
eandidum L.	white or garden	Levant Med	h	P
catesbei Walt.	Catalan	37 A		_
spectabile Sal.	Catesby's	N. Amer.	P	P
carelinianum Lmk. J	Dillodolmkion	do.	1	_
philadelphicum L.	Philadelphian	do.	þ	P
superbum L. LIMODORUM	superb LIMODORUM	go.	P	P
incarvillei Swz. 2	MINODORUM			
tankervillei Ait.	Incarvill's	China	h.h	₽
LIMONIA	LIMONIA			-
trifoliata L.	three leaved	E. Indies Diet	h h	
LINUM	FLAX	E. HILLIOS DICC	13-12	•
maritimum L.	sea	Europe	h	P
monogynum Foret.	South Sea	S. Sea Isl.	g.h	P
perenne L.	perennial	Europe	h	
virginianum L.	Virginian	N. Amer.	ĥ	B
viscosum L.	elammy	Lurope	ĥ	P
unitatissimum L.	common	do. Arts &		å
		Med.	_	▔.
LIQUIDAMBAR	SWEET GUM			
styracifiua L.	maple leaved	N. Amer. Arts&	h	£
•	_	Med.		
LIRIODENDRON	TULIP TREE			
tulipifera L.	white wood—white poplar	N. Amer. Arts	h	t
LITHOSPERMUM	GROMWELL			
arvense L.	corn	Europe	h	2
officinale L.	officinal	do. Med.	ь	p
virginianum L.)			-
Oncemodium hispidum	} hispid	N. Amer.	h	P
Mich.	, ,,,,,,,,,			
LOBELIA	LOBELIA		_	4
amœna Mich.	deep blue	N. Amer.	h	P
cardinalis L.	scarlet—Cardinal flower		þ.	P
claytoniana <i>Mich.</i>	Clayton's	do.	h	P
claytoniana <i>Mich.</i> erassiuscula <i>Mich.</i> glandulosa <i>Walt.</i>	glandulous	do.	h	P
inflata L.	inflated Kalm's	do. Med.	h .	P
kalmii L. longiflora L.	long flowered	do.	.h. ''	P
syphilitica L.	large blue	W. Indies	h.h	P
LOLIUM	DARNEL	N. Amer. Med.	h	P
maximum Willd.	large	Europe Agr.	h	_
MARIAMENT PP TOWN.	10	Europe Agr.	44	8
	10			

-					
perenne L.	common—Ray grass	Europe	Agr.	h .	P
temulentum L.	andusi	do.	Age	<u> </u>	-
LONICERA	HONEY SUCKLE	44	ve@c.	**	_
		17		h	_
caprifolium L.	Italian	Eur epe		11	•
diervilla L.	yellow.	N. Amer.	Med.	ь	
Diervilla luten Deef.	, ,			-	-
dioica L.	\	,			
parviflora Pers.	-3	3.			_
Caprifolium bracteo-	glaucous	do.		þ	•
sum Mich.					
n cofolument of T	woodbine-common	Earope	Med.	h	
perfolymenum L.		was obe			•
v. quercifolia	oak leaved do.	37 Å			_
nempervirens L.	trumpet	N. Amer.		h	8
symphoricarpos L)					
Symphoricarpos vul-	St. Peter's wort	go.	Med.	b	8
garis Mich.					
LOTUS	BIRD'S FOOT TREFO)IL			
jacobeus L.	dark flowered	S. Sea Isl.		g.h	
LUDWIGIA	LUDWIGIA	. 0.004 230			-
	LUDWIGIA				
alternifolia L.	alternate leaved	N. Amer.		h	P
macrocarpa Mich.					-
LUNARIA	MOON WORT			_	
annua L.	a nnual	Europe		h	
rediviva L.	perenn ial	do.		h	P
LUPINUS	LÜPINE				-
fruticosus Dems,	shrubby	S, Amer.		e.b	
hirsutus L.	great blue	Lurope		£.p	ā
Inters L.	yellow	do.		,	ā
		N. Amer.			
perennis L.	perennial			j	P
pilosus L.	rose	Europe		P	
villosus Willd.	hairy	N. Amer.		ь	D
pilosus <i>Walt.</i> 5	•	*4.17000		44	P
LYCHNIS	LYCHNIS				
chalcedonica L.	scarlet	Europe		ħ	P
flos cuculi L.	Ragged Robin	do.		h	j
visegria L.	clammy	do.		h	P
LYCIUM	BOX THORN	40.			P
barbarum L.	willow leaved	Asia		h	
	WINOW ICAYCU	2200			•
carolinianum <i>Mich.</i>	samphire	N. Amer.		h	
salsum Bartr.				_	•
LYCOPODIUM	CLUB MOSS				
complanatum L.	arbor vitæ leaved	N. Amer.		h	P
obscurum L.	fan	do.		h	Þ
rupestre L.	rock	do.		h	P
LYCOPSIS	WILD BUGLOSS			_	-
egyptiaca L.					
Asperugo egyptiaes Willd.	> warted	12		1	_
	ANLIGH	Egypt		þ	R
Anchusa verruenca					
Lmk.					
LYCOPUS _	WATER HOREHOU				
europæus L.	European	Europe		h	P
virginicus L.	American	N. Amer.		h	p
LYSIMACHIA	LYSIMACHIA	••••••••			P.
ciliata L.	ciliated	N. Amer.		h	•
quadrifolia L. ?		74.1FINCL.		**	P
Limita Mal	four leaved	do.		ь	P
hirsuta Mich. 5					-
racemosa Mich.				_	
stricta Ait.	bulb hearing	d o.		h	P
bulbifera Curt.					_
thyrsiflora L.	clustered	do.		h	· P
LYTHRUM	LOUSE STRIFE	*			-
parsonsia I.	small flowered	W. Indie	1	h.h	Ð
verticillata L.	whorled	N. Amer		h	- 5
				_	T,

	MORTUS ELGINENSIS	•	•	63
MAGNOLIA acuminata L	MAGNOLIA Cucumber tree	N. Amer.	h	ŧ
auriculata Lmk. franci Walt.	ear leaved	Carolina	_	•
pyramidata Bartr.) glazen L.	swamp samafras-Beauer	N. Amer.	_ h	į
v. latifolia	<i>tree</i> broad leaved do.			
v. lengifolia grandiflora L.	long leaved do. large flowered	Carolina	g.b	ŧ
macrophylla Mich. obovata Thumb.	large leaved	N. Amer.	¥	ŧ
purpures Curt. discolor Vent.	, barbje	China	g.b	
pumila Andr. tripetala I.	dwarf umbrella tres	do. N. Amer.	g.h	
umbrella <i>Lmk</i> . \$ MALAXIS	MALAXIS	M. Ailect.		ŧ
liliifelia Swz. Ophrys liliifelia L.	lily leaved	N. Amer.	h	p
MALVA americana L.	MALLOW American	N. Amer.	h	
caroliniana L. crispa L.	ereeping ourled leaved	do. Syria	h h	
fragrans Jacq.	sweet	C. G. H.	g.h	
mochata L. parviflora L.	musk small flow ered	Europe Africa	h	P
polystachya <i>Cov.</i> rotundifolia L.	many spiked round leaved	Peru N. Amer. Diet	₹.b	8
scoparia Cov.	yellow upright	Peru	g. h	8
spicata L. virgata <i>Cav</i> .	spiked slender	W. Indies C. G. H.	g.h g.h	
virgata Cev. MANGIFERA indica L.	MANGO TREE Indian	E. Indies Diet		_
MANULEA	MANULEA		h.h	t
oppositifolia <i>Vent.</i> MARANTA	opposite leaved ARROW ROOT	C. G. H.	g.h	8
arundinacen L.	Indian	S. Amer. Med.& Diet	P.P	P
MARICA	MARICA	_		
paludosa <i>Willd.</i> MARRUBIUM	marsh HOREHOUND	S. Amer.	h.h	P
alyseum L.	plaited leaved	Europe	h	P
candidissimum L. vulgare L.	white common	Levant N. Amer. Med.	h h	P P
MARTYNIA proboseides Ait.	MARTYNIA			•
annua L. alternifolia Lmk.	Cuckold's horns	N. Amer.	h	
MATRICARIA	MATRICARIA	D 16-3		
charaomilla L. MAURANDIA semperflorens Jacq.	wild chamomile MAURANDIA	Europe Med.	h	
scandens Pers. Ustera scandens Cav.	elimbing	Mexico	g.h	P
MEDEOLA	MEDEOLA			
virginica L. MEDICAGO	Cucumber root MEDICK	N. Amer. Diet	h	•
aculeata Willd.	prickly	Table	þ.	
arborea L. denticulata <i>Willd</i> .	tree toothed	Italy Europe	g.h h	
elegans Jacq. } rugosa Lmk. }	crenated	Sicily	h	
glutinosa Willd. Iupulina	clammy	Asia	h	P
rupultna .	black-None-such	N. Amer. Agr.	h	а

marina L.	sea	Burope		Ь	Þ
sativa L.	Lucern	do.	Agr.	ĥ	P
scutellata Lmk.	snail	do.	.0	ĥ	-
tribuloides <i>Lmle</i> .	hedge bog	do.		h	
MELALEUCA	MELÄLEÜCA				
genistifolia Sm.	genista leaved	N. Holl.		84	ŧ
hyperioifolia Sm. Z	mumile leaved	do.		٠.	
myrtifolia <i>Hort.</i> 5	myrtle leaved	go.		g.h	
MELANTHIUM	MELANTHIUM				
virginicum L.	Virginian	N. Amer.		h	P
MELAMPYRUM	COW-WHEAT				_
lineare Lmk.	American	N. Amer.		h	_
americanum Mich.		, 21.12m20(.			-
MELIA	BEAD-TREE				
azedarach L.	common	Syria		Ъ	t
			Med.		
sempervirens Swz.	evergreen	W. Indies		g.h	t
MELICA	MELIC GRASS				
altissima L.	tall ·	Europe	Agr.	þ	P
cœrulea L.	blue	do.	Agr.	Þ	P
_ nutens L.	nodding	do.	Agr.	Ъ	P
MELISSA	BALM .	_		_	
officinalis L.	common	Europe	Med.	h	P
v. hireuta	hairy do.				
MELOTHRIA	MELŌTHRIA			_	
pendula L.	pendulous	Carolina	Diet	g.b	p
Menispermum	MOON SEED			_	_
canadense L.	Cunadian	N. Amer.		h	
MENTHA_	MINT				
borealis <i>Mich</i> .	northern	N. Amer.	Med.	h	P
piperita L.	pepper	Europe	Med.	h	P
pulegium L.	Pennyroyal	do.	Med.	h	P
rotundifolia L.	round leaved	do.		h	P
sylvestris L.	strong scented	do.	Med.	h	P
tenuis <i>Mich</i> .	•lender	N. Amer.	Med.	h	ē
viridis L.	spear	Europe	Med.	h	P
MENYANTHES	BUCK BEAN.				_
trifoliata L.	marsh trefoil	N. Amer.	Med.	h	P
MESEMBRYANTHE	MUM FIG MARYGO				-
acinaciforme L.	scymitar leaved	C. G. H.		բ.հ	
albidum L.	white	do.		g.h	8
aureum L.	golden	do.	Ē	ŗ.h	
barbatum L.	shrubby bearded	do.		z.h	
bicolorum L. 2	scarlet	do.		g.h	•
eoccineum Haw. 5			•	_	•
cordifolium L.	heart leaved	do.		ç.h	
erystallinum L.	Ice plant	Greece	Med.	h	a `
deltoides L.	small delta	C. G. H.	1	g.h	8
glaucum L.	ghucous	de.		g.h	. 8
pinnatifidum L.	jagged leaved	do.		h	
apectabile <i>Haw</i> .	shewy	₫o.		g.h	8
tenuifolium L.	slender leaved	do.		z.h	8
MESPILUS	MEDLAR			_	
germanica L.	common		Med.&	h	1
			Diet		
MESSERSCHMIDIA	MESSERSCHMIDIA				
fruticosa L.	shrubby	Can. Isl.		2-p	8
METROSIDEROS	METROSIDEROS				
lanceolata Sm. 3 citrina Curt.	spear leaved	N. Holl.	•	.h	
	•		_		-
saligna Sm.	willow leaved	do.	Þ	.h	8
MIKANIA Willd.	3 MIKANIA				
EUPATORIUM Auct.	>	117 T 11	_		_
houstonis Willd.	Houston's	W. Indies	h	.h	P

HORTUS BLGINENSIS.

seemdone Willd.	all making	N A	Mad	1	_
MILIUM	climbing MILLET GRASS	N. Amer.		-	P
effuenm L.	common	Europe	Agr.	h	P
MIMOSA	MIMOSA				•
concinna Willd }	handsome	E. Indies		h.h	
seponaria Rex.5		S. Amer.		h.h	_
pudica L. sensitiva L.	humble plant	o. Amer.			-
MIMULUS	sensitive plant MONKEY FLOWER	•		-	•
alatus Ait.	winged stemmed	N. Amer.		h	P
ringens L.	gaping flowered	da		h	P
MIMUSOPS	MIMUSOP8	/SE T. 10			
elengi L. MIRABILIS	oval leaved MARVEL OF PERU	E. Isdies		h.h	
jalapa L.	common—four o Clock	Mexico		k	•
longiflora L	long flowered	do.		ŝ	-
longiflors L. MITCHELLA	MITCHELLA			_	_
repens L.	creeping	N. Amer.	Med.	h	
MOLLUGO	MOLLUGO	30.			•
vertioillata L. MOLUCELLA	whorled leaved MOLUCUA BALM	N. Amer.		P	
hevis L.	smooth	Syria	Med.	Ъ	
MOMORDICA	MOMORDICA or Balea	m Apple	A COLO	-	-
balsamina L.	common	E. Indies	Med.	b	
luffa L.	Egyptian	do.	Mod	k	à
MONARDA	MONARDA or Mounta				_
didyma L. fistulosa L.	Oswego tea	N. Amer. do.	Mod. Med.	h	<u> </u>
MORÆA	Robin run-away MORÆA	qo.	MECU.	-	. P
akimumaia T				•.	
Ixia chinensis Ais.	Chinese	China		h	P
gladists L. MORUS	sword leaved	C. G. H.		g.b	P
	MULBERRY	01	T31 - 4		
alba L. nigra L.	white common	China	Diet &	h	ŧ
mikra rv	COMMON	Europe	Med.	-	•
rubra L.	American	N. Amer.		h	Ĭ
MUHLENBERGIA	MUHLENBERGIA				_
diffusa Schr.				_	
Dilepyrum minutific-	small flowered	N. Amer.		Þ	'P
rum <i>Mich.</i>) MUSA	MUSA				
sapientum L	Banana tree	W. Indies	Diet	h h	-
MYAGRUM	GOLD OF PLEASURE	17. 220.00	Dice	85-ME	P
perfoliatura L.	perfoliate	Europe		h	
MYU8OTIS	SCORPION GRASS				
lappula L.	marsh	N. Amer.		Þ	
scorpicides L. virginiana L.	prickly seeded Virginian	do. do.		P P	
MYRICA	CANDLE BERRY MYE		au heen		
caroliniensis Willd.	large seeded	N. Amer.	Arts	'n	
eerifera L.	wax bearing	do.	Arts	h	•
MYRTUS	MYRTLE				
communis L.	eom mon	S. Europe	Med.	g.h	4
v. boetica v. belgica	broad leaved narrow leaved				
v. mucrenata	small leaved				
v. remana	roman				
tomentona Ait.	woolly	China		g.b	
NAPÆA	NAPÆA	•••		-	_
izvis L.	smooth	N. Amer.		þ	P
sesbra L. NARCISSUS	rough NARCISSUS	do.		Þ	P
bicolor L.	two coloured	Europe	•	h	_
	11			4	P
	• •				

MORTUS E	icivensis.
----------	------------

biflerus Curt. jonquilla L. odorus L.	two flowered Jonquil sweet smelling	Eurepe do. do.	h	2
poeticus L.	poet's	de.	h	P
pecudo narcissus L.	Daffodil	do.	h	F
tazetta L.	Polyanthus	do.	h	Þ
	veottia.			_
Ophrys setivalis Mich.	er immer	N. Awer,	þ	P
oernua Willd. Ophrys cernua L.	drooping-Ladies' traces	do.	h	•
pubesoens Willd. Satyrium repens Mick.	variegated	de. Med	. h	P
NEPETA Contaria L.	ATMINT or Catnep	N. Amer. Med.	. h	
melissefolia H. P.	common balm leaved	Europe	. n	, 5
	DLEANDER or Rose-bay		•	F
· coronarium Jacq.	broad leaved	E. Indies	g.h	
v. flore pleno	double flowered do.		•	
odorum Ait.	sweet seented	do.	g.b	•
v. fl. pleno	double flowered do.		-	
r oleander L.	com mon	S. Europe	g.h	¢
v. flore pleno	double flowered			
v. fore roseo	rose coloured			
NEPHRODIUM Mich. 3	HIELD FERN			
acrostichoides Mich.	terminal	M. Amer.	h	-
asplenioides Mich.	spleen wort leaved	do.	ĥ.	P
eristatum Mich.	crested	do.	Ä	P
filix forming Mich.	female	do.	Ъ	P
marginale <i>Mich</i> .	merginal	do.	h	P
noveboracense	New-York	do.	þ	
punctilobulum Mich.	small flowered	₫o∙	þ	PP
rufidulum Mich.	brown flowered	do.	þ	
. tenue Mich. thelypteroides Mich.	slender marsh	do. do.	h h	P
:NICOTIANA	TOBACCO	au.		P
crispa H. P.	ourled leaved	S. Amer.	h	
fruticosa L.	shru bby	China	g.b	-
glutinosa L.	clammy	S. Amer.	Ъ.	
paniculata L.	panicled	· do.	h	
rustica L.	common	N. Amer. Med.	k b	
tobaccum L.	Virginian	do. Med.		
tomentosa Pers.	Havannah	Arts S. Amer. Med. Art	k h.h	
undulata Vent. 3 odorata Donn. 3	waved leaved	N. Holl	ъ	
	FENNEL FLOWER			
damascena L.	common	Europe	h	
sativa L.	small flowered	do.	ĥ	-
	WATER LILY	•	_	
advena Ait.	striped flowered	N. Amer. Med		' P
lutes L.	yellow	do.	þ	p
	sweet scented TUPELO TREE	do.	h	P
hiflora Mich. aquatica L. integrifolia Ait.	water—Sour gum	N. Amer. Art	• h	t
villosa Mich. multiflora Wang.	rough—Pepperidge	do. Art	s h	t

HORTUS BLCDIBLOSS.

				-
OCHROMA - lagopus Swz.	OCHROMA			
Bombax pyramidale Cav.	silky	W. Indies	P.P	t
OCYMUM	BASIL			
basilicum L.	sweet .	E. Indies	Diet& h Med.	4
minimum L.	rush	do.	h	_
monachorum L	Monk's	de.	2	
tenuiflorum L.	slender	do.	ï.	•
thyrsiflorum L.	clustered	do.	2	-
CENOTHERA	TREE PRIMROSE	40.	-	
biennis L.	60mmon	N. Amer.	Med. h	ъ
fruticosa L.	percenial	do.	L L	
grandiflors Ait.	large flowered	do.	r.	B
muricata L.	prickly	do.	<u> </u>	Ľ
odorsta Jacq.	sweet secuted	S. Amer.	g.b	b
parviflors L.	small flowered	N. Amer.	5. "	1
purpures Curt. 2			-	•
humilis Donn.	purple	do.	h	
manage Rit 3		-	_	
rubra Cav.	rose flowered	Peru	g.h	•
sinusta Mur.	scollop leaved	N. Amer.	h	
tetraptera Cav.	square capsuled	S. Amer.	ī.	
OLEA	OLIVE	o. mmer.		•
americana L.	American	Carolina	g.h	ŧ
			Med.k g.h	- 1
europea L.	European	o. marche	Diet.	E
m kumifalia	box leaved do.	,	1/100	
v. buxifolia	sweet scented	Chine	Arris ab	
fragrams Thumb. ONOCLEA	ONOCLEA		Arts gh	•
	sensitive ferm	N. Amer.	b	_
sensibilis L. ONONIS	REST HARROW	M. Amer.	-	₽
		P		_
cherleri L.	dwarf	Europe do.	h h	P
fruticosa L. ONOPORDUM	cotton Thistle	G 0.		8
		T		
acaulon L. arshicum L.	dwarf Arabian	Europe do.	, ,	•
		do.	h	Þ
illyricum L.	Illyrian ORCHIS	.	Þ	Ъ
ORČHIS		N. Amer.	•	
blepharigiottis Willd.	white	do.	ý	P
ciliarie L.	orange coloured	do.	þ	P
spectabilis L.	showy MARJORAM	uo.	þ	P
ORIGANUM	·	P4	- 1	
ngyptiaeum L	Egyptian	Egypt	8.h	
dictaments L. heraclecticum L.	Dittany of Crete winter	Crete	Med. g.h	
		Greece	M-10- h	P
marjorana L.	sweet	Portugal	Med& h	
maninumaides Willd	felse		Diet.	
marjoranoides Willd.		F	Was S.h	
vulgare L. ORNITHOGALUM	STAR OF BETHLEHE	Europe	Med. h	
aureum Curt.		C. G H.	-1	
	golden		g.h	P
pyramidale L. umbellatum L.	pyramidal umbel flowered	Europe do.	, h	P
ORNITHOPUS	BIRD'S FOOT	QU.	h	P
	purslane leaved	. Passas	1	
acorpioides L. OROBANCHE	BROOM RAPE	Europe	p	P
unifiora L.	one flowered	N. Amer.	1.	_
	Virginian—Cancer Roos		Mad h	P
virginiana L. ORONTIUM	ORONTIUM	do.	Med. h	P
aquaticum L.	water	N. Amer.	Med. h	_
ORTEGIA	ORTEGLA	74. VBIGE.	MIGG. II	P
hispania L.	Spanish	Spein	· h	_
moheme 13.	~Letter:	Spain	· N	P

ORYZA	RICE	E, Indies Arts&	ı.	
astiva L.	cultivated	Med.	-	•
OSMUNDA	OSMUNDA			
einnamomea Mich.	woolly	N. Amer.	h	P
interrupts Mich.	interrupted	do.	h	Þ
regalis L.	flowering form	de.	h	P
OSTEOSPERMUM	BONE SEED			
eceruleum Ait.	blue flowered	C. G. H.	r.h	•
pinnstifidam l'Her.		- · · · ·	Ψ.	_
monififerum L. GBTRYA	poplar leaved	do.	g.h	•
virginiana Willd.	HOP HORNBRAM			
Carpinus virginians	Virginian	N. Amer. Arts	h	ŧ
Lmk.	· g		_	-
OXALIS	WOOD SORREL			
acetosella L.	eom mon	N. Amer. Med.	ď	P
esprins L.	goat's foot	C. G. H.	g.h h	P
corniculata L.	procumbent	N. Amer.		P
incurnata L.	flesh coloured	C. G., H. do.	g.h	P
purpures L. stricte L.	purple upright	N. Amer. Med.	g.h h	P
versicolor L.	striped flowered	C. G. H.	g.h	P
violatea L.	violet coloured	N. Amer.	5	P
PÆONIA	PÆONY			-
anomsia L. 2	jagged leaved	Siberia	h	P
leciniste Pal.	• 55		-	_
eorallina Retz.	entire leaved	do. Med.	þ	P
officinalis L. PANAX	common GINSENG	S. Europe Med.	h	P
quinquefolium L.	officinal	N. Amer. Med.	h	-
trifohum L.	three leaved	do.	Ĭ.	F
PANCRATIUM	PANCRATIUM		_	-
fragrans Sal.	fragrant		h.h	P
maritimum L.	Sea Daffodil	S. Europe	g.h	P
v. carolinianum	Carolinian de.	Carolina	g.b	P
mexicanum L.	Mexican	Mexico	g.h	P
PANI)ANUS	SCREW PINE	B. Indies	h.k	
odoratissimus L. PANIČUM	sweet scented PANIC GRASS	D. IDUIGS	D. #	•
capillare L.	hair	N. Amer. Agr.	h i	
clandestinum L.	bidden flowered	do. Agr.	ĥ	P
erus-galli L.	eock's foot	do. Agr.	h	•
dichotomum L.	divided branched	do. Agr.	ь	
germanicum L.	German	Europe Agr.	þ	
glaucum L.	glaucous	N. Amer. Agr.	h	
hirtellum L. italicum L.	rough Italian	W. Indies Agr. Europe Diet	h h	2
latifolium L.	broad leaved	N. Amer. Agr.	h	P.
miliaceum L.	millet	E Indies Med.	Ä	
muriestum Mich.	rough seeded	N. Amer. Agr.	h	
ramulosum L.	branching	. do. Agr.	Þ	
sanguinale L.	bloody	do. Agr.	þ	
vertieillatum L.	whorl flowered	Europe Agr.	þ	
virgatum L.	river	N. Amer. Agr.	h	P
viride L. PAPAVER	green POPPY	do. Agr.	þ	
dahium L.	smali	Europe	h	
rhœas L.	corn	do. Med.	ī	ž
somniferum L.	officinal or garden	Levant Med.	ĥ	
v. flore pleno a lbo	double white flowered			1
v flore pleno rubro PARKINSONIA	double red do.			•
	PARKINSONIA	TTT T	1. 1.	_
acalesta L.	prickly	W. Indies	h.h	: •

	HORTUS ELGINENSI	8			41
PARNASSIA	GRASS OF PARNASS	US			
caroliniana Mich.	Carolinian	N. Amer.		h	P
PASPALUM	PASPALUM	D		_ 1	_
stoloniferum Jacq. PASSERINA	stoloniferous AFRICAN SPARROW	Peru WORT		g.h	P
filiformis L.	heath leaved	C. G. H.	•	g.h	8
PASSIFLORA	PASSION FLOWER			•	
alata Ait.	winged stalked	W. Indies		h.h	8
cœrulea L. hirsuta L.	blue flowered bairy	S. Amer. W. Indies	1	g.h h.h	
incernata L.	flesh coloured	N. Amer.			8
laurifolia L.	laurel leaved	W. Indies	Diet		8
lutes L.	yellow flowered	N. Amer.		g.h h.h	8
rubra L. PASTINACA	red fruited PARSNEP	W. Indies		h.h	8
sativa L.	garden	Europe	M ed. &	h	ъ
	•		Diet	_	
PAVONIA	PAVONIA	•			
præmorsa Willd. Hibiseus præmorsus L.	wedge leaved	C. G. H.		g.h	- 8
PEDICULARIS	LOUSE WORT				
	O 11	N. Amer.	Med.	h	P
gladiata Mich.	yellow flowered	do.	Med.	h	P
canadensis L. gladiata Mich. PELARGONIUM! Her. GERANIUM Auct. acerifolium l'Her.	STORK'S BILL GERA	MUIM			
GERANIUM Auct.)	maple leaved or lemon			_	
scerifolium l'Her. 3 citriodorum Cav. 3	scented	C. G. H.		g.h	8
acetorum Ait.	sorrel	do.		g.h	
alchemilloides Ait.	Lady's mantle leaved	. do.		g.h	P
angulosum <i>Ait.</i> accrifolium <i>Cav.</i>	angular leaved	do.		g.h	
beaufortianum Donn.	Beaufort's	do.		g.h	. 4
betulinum Ait.	birch leaved	do.		g.h	
v. minor capitatum <i>Ait</i> .	smaller do. rose scented	do.		g.h	
columbinum Jacq. 2				• .	•
alceoides L. 5	dove's foot	do.		g.b	P
cordatum Ait.	heart leaved	do.		g.b	
crispum l'Her.	carled	do.		g.h	8
cucullatum Ait.	bollow leaved	do.		g.h	8
echinatum Curt. } hamatum Jacq. }	prickly stalked	do.		g.h	
flavum Ait.	carrot leaved	do.		g.h	: P
daucifolium Cav. 5		do.		_	8
gibbosum Ast.	gouty stalked			g.h	3
glaucum <i>l'Her.</i> lanceolatum <i>Cav.</i>	spear leaved	do.		g.h	
glutinosum <i>l'Her</i> . 3 viscosum <i>Cav</i> .	clammy	do.		g.h	
grandiflorum Andr.	large flowered ·	do.		g.h	8
graveolens l'Her.	Odour of Rose	do.		g.h.	
terebinthinaceum Cav.		_	. '		-
hybridum Ait. 3	hybrid	do.		g.h	
v. roseum	rose coloured do.	N. Holl.		~ L	
inodorum <i>H. P.</i> i n quinans <i>Ait</i> .	small flowered scarlet	C. G. H.		g.h g.h	b
v. minor	lesser do.	J EAT	•	D'	-
myrrhifolium <i>Ait</i> . ?	myrrh leaved	do.		g.h	
betonicum Jacq.)				-	•
odoratissimum Ait.	sweet scented oval leaved	do. do.		g.h	
ovale <i>l'Her</i> . papilionaceum <i>l'Her</i> .	butterfly .	do.		g.h g.h	8
Lalansananm : ven	12		,	·	-

••					
pekstum <i>Ait.</i> quereifolium l'Her.	shield leaved oak leaved	C. G. H. do.		g.h	*
radula <i>l'Her.</i> ? revolutum <i>Jacq.</i> }	rasp leaved	đọ.		g.h	8
v. minus	lesser do.				
v. restum	rose coloured do.	_		_	
scabrum l'Her.	rough	do.		g.h	
tabulare l'Her.	rough stalked	do.		g.h	Ъ
tomentosum Jacq.	downy	do.		خوع	8
tricuspidatum <i>l'Her.</i>	three pointed	do.		8·j	S
vitifolium Ait.	vine leaved	do.		g.h	8
zonale Ait.	horse shee	do.		g.h	5
v. album	white do.				
v. roseum	red do.				
v. marginatum PENSTRMON	variegated leaved do. PENSTEMON				
muhoseens Hif	•			_	
Chalona naustamon I	{ purple	N. Amer.		h	P
Chelone penstemon I PENTAPETES	PENTAPETES				7
phœnicea L.	scarlet	E. Indies		h.h	Ъ
PENTHORUM	PENTHORUM	201 Indiog		***	•
sedoides L.	common	N. Amer.		h	p
PERIPLOCA	PERIPLOCA	2111224021		-	F
	common	Syria	Med	h	•
græca L. PETIVERIA	GUINEA-HEN WEED	-,			•
alfiacea L.	common	W. Indies		h.h	
PHALARIS	CANARY GRASS				-
emandinases T.	•	17	A	1.	
Arundo colorata Ait.	} reed	Europe	Agr.	h	P
v. striata	ribbon grass				
canariensis L.	com mon	Can. Inl.	Agr.	h	
PHASEOLUS	KIDNEY BEAN .		•		
capensis Thunb.	cape	C. G. H.		h.h	p
caracalla L.	snail flow cred	E. Indies		h.h	8
helvolus L.	deltoid leaved	N. Amer.		þ	
lathyroides L.	chickling vetch	W.Indies	Diet	h	8
multiflorus Willd.	scarlet ruppers	S. Amer.	Diet	h	a
coceineus Lank.				•	
v. albus	Dutch white runners	TO T. M	D'		
nanus L.	six weeks	E. Indies	Diet	þ	a
semierectus L.	upright	S. Amer.	TD:-4	ŗ	a
vulgaris L.	common SVBINGA on Mach One	E. Indies	Diet	h	a
PHILADELPHUS	SYRINGA or Mock Ord		A 4	1	
coronarius L. v. nanus	common dwarf	Europe	Arts	h	
inodorus L.	large flowered	N. Amer.	Arts	h	_
PHILLYREA	PHILLYREA	14. Ajuce.	Ares	#	8
angustifolia L.	narrow leaved .	S. Europe		g.h	8
latifolia L.	broad leaved	qo.		g.h	8
media L.	privet leaved	do.		g.h	8
PHLEUM	CAT'S TAIL GRASS			P	•
nodosum L.	knotted stalked	Europe		h	P
pratense L.	meadow—Timothy	do.		h	p
PHLOMIS	PHLOMIS				P
fruticosa L.	Jerusalem Sage	S. Europe	Med	g.h	8
herba venti L.	rough leaved	do. ¯		â jr	P
leonurus L.	lion ^y s tail	C. G . H.		g.h	8
martinicensis Swz. }	globular leaved	W. Indies		h	
caribæa Jacq.	-			44	*
purpurea Sm.	purple	S. Eaurope		g.h	8
PHLOX	LYCHNIDEA	37 4		_	
maculata L.	spotted stalked	N. Amer.		, Þ	P
panioulata L.	panicled	do.		h	P

THOM:	TIO	TIE	125	METS.

•		•		
pilos L. '	hairy	N. Amer.	· 👗	P
ectacea L.	bristly	do.	Þ	₽
suaveolens <i>Ait.</i> subulata L.	white flowered	do. do.	h h	2
PHOENIX	awi shaped DATE PALM	QU.	a.	₽
dactylifera L.	common ·	Syria :	Diet & h.h Med.	t
PHRYMA	PHRYMA		MIGU.	
leptostachya L.	small flowered	N.Amer.	Med. h	Ð
PHYLICA	PHYLICA		_	•
criceides L.	heath leaved	C. G. H.	g.ja	8
plumosa [PHYSALIS	feathered WINTER CHERRY	do.	g.h	
alkekengi L.	common	Europe	Med. h	P
angulata L.	angular	B. Indies	<u>h</u>	
incana <i>H. P.</i>	hoary		g,h	P
pensylvanica L.	Pennsylvanian	N. Amer.	Med. h	P
somnifera L. PHYTOLACCA	cluster flowered POKE WEED	Mexico	g.h	
decandra L.	common	N. Amer.	Diet & h	_
necessions to	Common		Med.	P
PICRIS	OX TONGUE			
globulifera H. P.	globular	-	P	
hieracioides L.	hawk weed	Europe	h	P
PIMPINELLA	BURNET SAXIFRAGE		M-3 1	
anisum L. FINUS	Anise PINE or Fir tree	Egypt	Med. h	
alba Ait.	11112 01 137 5766			
laxa Ehrt.	white or single Spruse	N. Amer.	Arts h	· t
Abies alba H. P.	Cibar Bir Data C			
balsamea L. Abies balsamea H. P.	Silver Vir—Balm of Gilead	do.	Med. h	£
canacionais I.		do.	Arts h	_
Abies canadensis H. P.	•	do.		t
inops <i>Mit.</i> larix L.	Jersey or scrub Pine	Europe	Arts b	t
Larix europea H. P.	common Larch		Med.	•
nigra Ait. mariana Ehrt.	black or double Spruce	N. Amer.	Arts h	t
Abies nigra H. P.	-	•		•
palustris Ast.	long leaved or Georgia	rlo.	Arts h	ŧ
pendula Ait.	black Larch	do.	Arts b	ŧ
pinea L.	Italian or stone Pine	S. Europe		į
resinosa Ait. ?	pitch Pine	N. Amer.	Arts h	t
rigida Mich.f.	• <u> </u>			_
serotina <i>Mich.</i> strobus L.	pond Pine Weymouth or white	do. do.	Arts h Arts h	t
PIPER	PEPPER	uu.	Aite H	ŧ
nigrum L.	black	B. Indies	Med.& h.h Diet	5
PISCIDIA	PISCIDIA		2400	
erythrina L. PISUM	Coral tree leaved PEA	S. Amer.	h.h	
maritimum L.	sea	N. Amer.	Diet h	Þ
sativum L.	common	Europe	Diet h	P
PLANTAGO	PLANTAIN			_
amplexicaulis Cav.	stem clasping	Euroge	h	a
erassa Willd.} erispa Lmk.}	thick leaved	do.	h	P
lanceolata L.	Ribwort	N. Amer.	Med. h	p
major L.	great	do.	Med. h	Þ
maritima L.	sea	do.	h	P
maxima <i>Jacq.</i> T cucullata <i>Lmk</i> . S	broad or cowl leaved	Siberia	h	P

_				
virginica L.	Virginian	N. Amer.	ь	P
PLATANUS	PLANE TREE or Lar	ge Button Wood	! .	_
occidentalis L. PLUMBAGO	American LEAD WORT	N. Amer. Ar	ts h	t
rosea L.	red flowered	W. Indies	h.h	
RLUMERIA	PLUMERIA			
alba L.	w hite	W. Indies	h.h	8
rubra L. POA	red MEADOW GRASS	do.	h.h	8
angustifolia L.	narrow leaved	Europe Ag	r. h	P
annua L.	dwarf	N. Amer. Ag		
compressa L.	blue grass	do. Ag	r. h	P
flava L.	yellow	do. Ag	r. h	P
lineata Pers. 3	striped seeded .	do. Ag	r. h	P
pestinacea Mich.	comb flowered	do. A	er. h	
pratensis L.	common .	do. Ag		P
trivialis L.	field	_ do. Ag	r. h	P
PODALYRIA	PODALYRIA or Wild I	Indigo		
australis <i>Willd.</i> Sophora australis L.	blue flowered	N. Amer. Ar	ts h	P
tinctoria Willd.	<u> </u>			_
Sophora tinctoria L.	} dyer's	do. Ar	ts h	P
PODOPHYLLUM	DUCK'S FOOT or May	Apple		
peltatum L.	peltated	N. Amer. Me	d. h	P
POLYANTHES	TUBEROSE	TO Tasker	1-	٠_
tuberosa L. POLYGALA	common MILK WORT	E. Indies	g.h	P
incernata L.	fiesh coloured	N. Amer.	h	
senega L.	Seneca snake root	do. Me		p
verticillata L.	whorled leaved	do.	h	
POLYGONUM	PERSICARIA		_	
arifolium L.	spear leaved	N. Amer.	, <u>b</u>	2
aviculare L.	Knot grass Bistort or Snake weed	do. Med Europe Med		Þ
bistorta L. convolvulus L.	black bind weed	Europe Med N. Amer. Med		P
fagopyrum L.	Buck-wheat	Asia Die		-
hydropiper L.	water pepper	N. Amer. Me	d. h	
Innathifolium Ait		do.	h	
pensylvanicum Curt.	5 paie nowered	ų.		•
minus <i>-a</i> ss.)	small	do. Me	d. h	
angustifolium Roth.	eastern or tall	E. Indies	· h	8
pensylvanicum L.	Pennsy Ivanian	N. Amer. Med		-
persicaria L.	spotted	do. Med	l. h	8
ramosissimum <i>Mich</i> .	branched Knot grass	do.	h	2
sagittatum L.	arrow leaved	do.	þ	8
seandens L. tenue <i>Mich</i> .	elimbing slender Knot grass	do.	h	P
	Virginian	d o. do.	h h	
virginicum L. POLYPODIUM	POLÝPODY	uu.	_	P
connectile Mich.	small flowered	N. Amer.	h	D
vulgare L.	common	do. Med	l. h	þ
PONTEDERIA	PONTEDERIA			_
cordata L. POPULUS	heart leaved	N. Amer.	þ	P
alba L.	POPLAR TREE European white	Europe	h	t
angulata Ait.			-	-
angulosa Mich.	angular—Cotton tree	N. Amer. Arts	h	t
baisamilera L.	Tacamahac	do. Med	. h	t
dilatata Ait.	Tankan an Fan Lan 3	74-3-		
fastigiata .Desf. } italica Hort.	Italian or Lombardy	Italy	h	t
grandidentata Mich.	Canada	N. Amer. Arts	h	t
Warman and a service			••	-

	HORTUS ELGINENS	is.			45
heterophylla L.	various leaved	N. Amer.	Arts	h	t
heterophylla L. nigra L.	black	do.	Arts	h	t
tremuloides <i>Mich</i>		do.	Arts	h	t
PORTULACCA oleraces L.	PURSLANE common	N. Amer.	Diet	h	
POTENTILLA	CINQUEFOIL	M. Miner.	Diet	19	
argentea L.	silvery	Europe		h	P
canadensis L.	Canadian	N. Amer.	•	þ	P
fruticosa L. hirta L.	ahrubby	do. Europe		þ	
norvegica L.	hairy Norway	Norway		h h	P P
opaca Jacq.	saw leaved	Europe		ĥ	P
reptans L.	creeping	N. Amer.		h	P
simplex Mich.	common	, do.	Med.	h	Þ
POTERIUM sanguisorba	BURNET	Europe	Mad &	h	
sanguisor on	Common	Barope	Dlet	••	Þ
POTHOS fœtida Ait.	POTHOS	٠.		4	
Dracontium fœticu		N. Amer.	M ed.	ħ	Þ
PRENANTHES	PRENANTHES				
alba L.	white flowered	N. Amer.	Med.	h	Þ
altissima L. PRIMULA	tall PRIMROSE	do.		h	P
auricula L.	Auricula	Europe		h	Þ
v. lutea	yellow flowered do.				
elatior L.	Oxlip	do.		þ	P
farinosa L.	bird's eye	do.	M.4.	þ	Þ
veris L. vulgaris L.	Cowslip or Paigle	do.	Med.	h	P
acaulis Sm.	common	do.	Diet	h	p
grandiflora <i>Lmk</i> . PRINOS					•
		NT A 2	A 4		_
glabra L. verticiliatus L.	evergreen—Ink berry deciduous	N. Amer. do.	Arts	h h	8
PROSERPINACA	PROSERPINACÁ	uu.		Д	•
	marsh	N. Amer.		h	Ъ
palustris L. PROTEA _	PROTEA			_	
argentea L.	Silver tree	C. G. H.		g.h	t
sericea L. PRUNELLA	silky SELF HEAL	d a		g.h	8
pensylvanica Wille	d. i	2			
ovata H. P.		N. Amer.	Med.	h	P
PRUNUS	CHERRY TREE		-	_	
armeniaca L	Apricot tree	Levant	Diet	h	ŧ
avium L. earoliniana <i>Ait</i> .	small bird evergreen	Europe Carolina	Med. Diet	h e.h	t
cerasus L.	common	Europe	Diet &	Ъ	ť
		•	Med.		
v. flore pleno	double flowered do:	** *	D:		
cerasifera Ehrt.	Myrobalan s	N. Amer.	Med.	п	t
chicasa Mich.	Chickssaw Plumb	do.	Diet	h	t
domestica L.	common Plumb	Europe	Diet	h	t
lauro cerasus L.	common Laurel	Levant	Med.	g.h h	t
nigra L.	black	N. Amer.			t
padus .L. pensylvanica Ait.	common bird upright	Europe N. Amer.	Med. Diet	h h	t
pumila L.	dwarf	do.	Diet	h	t
pygmæs Willd.	American Sloe	do.	Diet	h	8
semperflorens Eh	rf. } choak	do.	Med.	h	t
serotina Roth.	wild	do.	Med.	h	ŧ
serotina Ehrt. sphærocarpa Mici		do.	Diet	h	t
	19			-	-

spinosa L.	black there or European	Europe	Med.	•	.
virginiana L. PSIDIUM	Virginian GUAVA	N. Amer.	Diet	þ	t
pomiferum L. PSORALEA	apple fruited PSORALEA	W. Indies	Diet	h.h	*
aculeata L.	prickly	Ç.G.H.		g.h	ş
bituminosa L. hirta <i>Ait</i> .	bituminous hairy	Italy C. G. H.		ğ.b	1
palestina L.	Palestine	Levant		g.h	7
pinneta L.	winged leaved	C. G. H.		g.h	•
verrueosa Willd.	narrow leaved	do.		g h	
PIELEA	SHRUBBY TREFOIL			_	
trifolista L.	BRAKE	N. Amer.		b.	
PTERIS aquilina L.	sommon	N. Amer.		h	P
atropurpures L.	purple	do.		Ä	Þ
PULMONARIA	LUNG WORT			Ξ.	₹
officinalis L.	common	Europe	Med.	h	P
virginiea L.		N. Amer.	Med.	h	P
PUNICA	POMEGRANATE		37.30		٠
granatum L.	common	S. Europe	Med.k Diet	g.b	ļ.
v. fore pleno PYCNANTHEMUM	double flowered do. MOUNTAIN MINT				
incanum Mich.					
Chnopodium incanum I. virginicum Pers.	, } hoary	N. Amer.	Med.	h .	Ŗ
Thymus virginicus L. Brachystemum virgi-	narrow leaved	dę.	Med.	Ļ	P
nicum <i>Mich.</i> J					•
PYRETHRUM	FEVER FEW				
parthenium Willd.					
Matricaria parthenium L.	common	Europe	Med.	Þ	₽
ptarmicsfollum Willd					•
Anthemis ptarmicæfo-	sneeze wort leaved	Tartary	•	h	
lia Hort.				-	*
serotinum Willd.	late flowering	N. Amer.		h	Ð
PYROLA	WINTER GREEN				
maculata L.	varie gated leaved	N. Amer.	Med.	þ	P
rotundifolia L.	round leaved	de.	Med.		P
umbellata L. PYRUS	umbelled PEAR OR APPLE	do.		h	P
arbutifolia Willd.	I EAR OR AFFLE				•
· Mespilus arbutifolia L.		37 4		_	
Aronia arbutifolia	black fruited	N. Amer.		. .	P
Pers.			_		Ť
baccata L.	Siberian Crab	Siberia	Diet	þ	ŧ
botryapium Willd.	33	A	•		•
Aronia botryapium Pere.	- blue fruited	N. Amer.	•	h	t
communis L.	common Pear	Europe	Med.la Diet	h	ţ
coronaria L.	sweet seented Crab	N. Amer.		h	ŧ
cy donia L.	common Quince	Europe			£
.,		_u.opc	Diet	_	•
malus L.	common Apple	do.	Med.&	: h	ţ
pollveria L.	powdered_	do.		h	ŧ
prunifolia Willd.	Lady Apple	Siberia	Diet	ħ	ŧ
spectabilis Ais.	Chinese OII A SSI 44	China	•	h	t
QUASSIA amara L.	QUASSIA bitter	Surinc-	Maz	L L	
quidia 1.5.	weret.	Surinam	Med.	υ·b	ţ

	Martus Elgummes	•			. #
QUEDCUS.	OAK				
alba L.	common white	N. Amer.	Mod.k Arts	þ	ţ
coccinea Mich. discolor Ait.	seariet	₫o.	Arts	h	· t
tinctoria v. sinuosa Mich.	swamp white	do.	Arts	Ļ	t
ilicifolia Willd. 3 hanisteri Mich. 5	scrub or barren	do.		ħ.	ŧ
macrocarpa Mich. montana Willd.	large fruited	d o.	Arts	Þ	
prinus v. monticola Mich.	rock chesnut	do.	Arts	h	t
nigra L. palustris <i>Mick</i> .	black pin	do. de.	Arts	h	ŧ
	willow leaved	do.	Arts	Þ	£
phellos L.	WILLOW ICEACO	GC.	Arts	Þ	t
prinus L. prinus v. pakestrie	chesnut white	ġo.	Arts	h	ŧ
Mich.)	red	do.	Artsk Med.	Þ	Ļ
stellata Willd.	post white	do.	Arts	h	ŧ
tinctoria Bartr. tinctoria v. angulosa Mich.	Quereitron or black	do.	Arts & Med.	h	t
velutina <i>Lmk</i> .	¥		A .		
virens <i>Mich</i> . QUERIA	live QUERIA	do.	Arts	h	t
eanadensis L. Anychia dichotoma Mich.	forked	N. Amer.		h	4
BANUNCULUS	CROW FOOT				
abortivus L.	kidney leaved	N. Amer.			_
acris L.	upright	Europe	Med	ï	7
v. flore pleno	double flowered do.			_	
bulbosus L.	bulbous	N. Amer.	Med.	ь	
flammula L.	small Speer west	do.		ā	P
hispidus Mich.	rough	de.		ĥ	P
pensylvanicus L.	Pennsylvanian	đo.		ĥ	P
repens L.	creeping	do.		ĥ	
seeleratus L. RAPHANUS	oclery leaved RADISH	de.	Med.	h	•
raphanistrum	white	Europe		h	
sativus L.	garden	China	Diet & Med.		i
RESEDA	RESEDA		٠,		
luteola L.	Dyer's Weed	Europe	Arts	h	
oderata L.	Mignonette	Egypt		h	
undata L. RHAMNUS	wave leaved BUCK THORN	Europe		· h	b
alaternus L.	Alaternus	S. Europe	,	g.h	_
v. foliis variegatis RHEUM	variegated do. RHUBARB	o. Derope		₽·m	•
palmatum L.	officinal	China	Med.	h	P
undulatum L.	wave leaved	Biberia	Med.	ñ	P
RHEXIA glabella <i>Mich</i> .	RHEXIA smooth leaved or <i>Deer</i> -	Carolina		-	Ī
	grass ciliated			g.h	•
mariana L.	common	N. Amer.		h	P
virginica L. RHODODENDRON	ROSE BAY	uu.		h	P
maximum la.	Rock Rose Mountain laurel	N. Amer.	Med.	b	•

HORTUS ELCINENSIS.

ponticum L. RHUS	purple SUMACH	Europe		Þ	*
copalfinum L.	copal	N. Amer.	Arts	þ.	2
cotinus L.	Venice	Europe	Arts	h	
glabrum L.	common	N. Amer.	Arts & Med.	Ъ	*
radicans L.	climbing—poison vine	do.	Med.	h	8
toxicodendron L.	poison oak	do.		þ	
typhinum L.	woolly	do.	Arts	þ	8
vernix L.	poison ash or Variush	do.		h	
RIBES	tree CURRANT				
grossularia L.	common Gooseberry	Burope	Diet	h	
nigrum L.	European black		Med.&		•
	and open buon		Diet	_	•
pensylvanicum Lmk. >	A	N A	Diet	L	
floriðum Willd. 5	American black	N. Amer.		Þ	
ru bram L .	red	Europe	Med.&	þ	
			Diet		
v. alb um	white	_	÷		
uva orispa L.	smooth Gooseberry	_ do	Diet	h	8
RICINUS	PALMA CHRISTI or	Castor On p	lant		
africanus Willd.	African	Africa		h.h	
communis Desf. S	common	È. Indies	Med.	h	æ
		do.	MICU.	ĥ	-
RIVINA	green RIVINA	40.		•	•
lævis L.	smooth	W. Indies		h.h	
	ROBINIA or Locust tree				•
caragana L.	Caragana	Siberia		N	ŧ
hispida Ait.	Rose Acacia	N. Amer.		h	ŧ
pseud-acacia L.	common or False Acacio	z do.	Arts	h	ţ
pygmæa L.	dwarf	Siberia		h	ŧ
viscosa Vent. 7	clammy	N. Amer.		ħ	ŧ
glutinosa Curt. \$			•	_	_
alba L.	ROSE white	France	Med.	h	gi
bifera Poir.		Europe	MIGU.		
semperflorens H.P.	monthly	₫ò.		h	
burgundiaca H. P.	pompone or burgundy	do.		h	
carolina L. ?		N. Amer.	Med.	h	-
corymbosa Ehrt. 5	Carolinian	A. Aluer.		п	
eentifolia L.	hundred leaved	Europe	Med.	h_	\$
chinensis Jacq.	pale China	Chiu a	•	g.h	8
einnamomea L.	0'	¥3		ų.	
collincola Ehrt.	Cinnamon	Europe		þ	
majalis <i>Retz.</i>) damascena <i>Ait.</i>	damask	Europe	Med.	h ·	Ŕ
eglanteria L. ?		. •	WICE.		9
lutea Ait.	single yellow	do.		ħ	8
gallica L.	red officinal	do.	Med.	h	4
m manadaalan	variegated				
kamschatica Vent.	Kamschatka	Kamschatka		h	_
				_	•
lævigata <i>Mich</i> .	Cherokee	Carolina .		h	
lucida Ehrt.	shining leaved	N. Amer.	A4	h	8
moschata Ait.	musk	Africa	Arts	h h	
multiflora <i>Thunb.</i> muscosa <i>Æt.</i>	many flowering	Japan		n h	8
parviflora <i>Ehrt.</i>	moss	Europe			8
pensylvanica Mich.	Pennsylvanian	N. Amer.	Med.	h	8
parvifolia Ehrt.		0.71	•		
remensis H.P.	Champagne	S. Europe		þ	₿.
pimpinellifolia L.	burnet leaved	do.		h	8

	HORTUS BLGINENSIS	K.		43
provincialis <i>Ait.</i> rubiginosa L.	Provence sweet briar	S. Earepe N. Amer.	h	
semperflorens Curt. 3 diversifolis Fent.	red China	China	g.b	
actigera <i>Mich</i> .	bristly	N. Amer.	h	
spinosissima L. v. fore pleno ROSMARINUS	Scotch double flowered do.	Europe	h	
officinalis L.	ROSEMARY common	S. Europe	Med. g.h	
ROTHIA cheiranthifolia Willd	ROTHIA		•	
Andryala sinuata L. —— laciniata Lenk.	stock leaved	Europe	h	
RUBUS	BRAMBLE	_		
idæus L.	garden Raspberry	Europe .	Med. & b Diet	
occidentalis L.	American Raspberry	N. Amer.	Diet & h Med.	•
odoratus L. saxatilis L. >	flowering Raspherry	do.	F	
v. americana 🖇	small American	do.	.	
strigosus <i>Mich.</i> trivialis <i>Mich.</i>	mountsin American Dewberry	do. do.	Diet & h	
Criving Syzych.	American Dewberry		Med.	•
villosus Ait. vulpinus Deef.	American Blackberry	do.	Diet & h Med.	
RUDBECKIA	RUDBECKIA		mrce.	
amplexifolia <i>Jacq.</i> } perfoliata <i>Cav.</i> . }	stem clasping	8. Amer.	, , b	, a
Inciniata L.	out leaved	N, Amer.	þ	. P
purpurea L. RUMEX	purple flowered DOCK	do.	h	P
acetoss L.	garden Sorrel	Europe	Dict& h Med.	P
acetoscile L.	sheep Sorrel	N. Amer.	Diet& h Med.	P
acutus L.	sharp pointed	_ do.	6	P
alpinus L. erispatulus <i>Mich.</i> Z	Monk's Rhuberb	Europe	Med. h	P
persicarioides Poir. 5	common American	N. Amer.	þ	P
sanguineus L. xanthoriza <i>Pers.</i> ?	bloody	do.	h	P
brittanica L. 5	yellow rooted	· do.	P	7
RUSCUS aculeatus L.	BUTCHER'S BROOM prickly	Europe	Med. h	
androgynus L.	elimbing '	Can. Isl.	g.h	
RUTA graveolens L.	RUE	Europe	Med. h	ì
SABAL	DWARF PALM			-
minor <i>Pers.</i> Corypha minor <i>Jacq.</i>				•
Chamserops acaulis	fan	Carolina	Arts g.h	
Mich. J SACCHARUM	SUGAR CANE	•		
officinarum L.	common	B. Indies	Diet h.h	P
\$AGINA procumbens L.	PEARL WORT	Europe	h .	ь
SAGITTARIA	ARROW HEAD	NT A		_
lan ci folia L. I a tifolia <i>Willd</i> .	spear leaved broad leaved	N. Amer. do.	h h	P
obtusa <i>Muhl.</i> 🤰	simple stalked	do.	- h	p
simplex Pers. \$ SALICURNIA	GLASS WORT	•		•
virginica L.	common Samphire	N. Amer.	Diet h	
	14			

••	TAME OF TRANSPORT	••			
BALIX	WILLOW				
alba La	white	Europe	Med.k	h	ŧ
			Arts	_	-
babylonica L.	weeping `	Levant		h	ŧ
conifera Willd, 2	- -	N A	8		4
longirostris Mich. 5	cone bearing	N. Amer.	Arts	h	ŧ
Incida Muhl.	shining leaved	do.		ь	ťŧ
muhlenbergiana Willd.)		t		
incana <i>Mich</i> .	hoery	do.		h .	t
trinis Muhl	, .				
nigra Muhl.	black	ı da.	Arts	h	ŧ
caroliniana Mich.	DISTOR	1 000			•
viminalis L.	eommon Osier	Europe	Arts	h	t
viticellina L.	yellow ·	do.	Arts	P.	ŧ
Salsola	SALT WORT				
caroliniana Mich.	red flowered	N. Amer.		h	
kali L.	priekl y	do.	Arts	h	
soda L.	long leaved SAGE	do.	Arts	h	
SALVIA	SAGE				
acuminata Went.	narrow leaved	Carolina		g.h	P
ceratophylla L.	stag's horn leaved	Persia		g.b	8
cocsines L.	scariet flowered	Florida		g.b	
erosa H.P.	torn'leaved			J	2
formosa l'Her. ?	shining leaved	Peru	•	- L	_
modosa Vent. 5	surming leaved	1 CIU		g.h	•
hispanica L.	Spanish	Spain	Med.	h	
horminum L.	red topped:	Europe		h	2
lyrata L.	lyre leaved	N. Amer.		h	D
officinalis L.	officinal or common	Europe	Diet &	h	
		-	Med.		
patula Desf. 2	erreading.	Barbary		- h	_
atlantica Pers.	spreading	- AL DELY		g.h	₽
pinnata L.	wing leaved	Levant		g.h	ь
pratensia L	meadow	Europe		Ъ	P
sclarea L	common Clary	do.	Med.	h	. B
spielmannia Donn.	saw leaved	do.		h	
verticillata L.	whorl flowered	do.		h	P
viridis L.	green topped	do.		h	Ъ
SAMBUCUS	ELDER	•			
canadensis L.	Canadian	N. Amer	. Mod.	h	
nigra L.	. com mon	Europe	Med.	h	
pubescens Mich.	mountain	N. Amer		h	
BÁMOLUS	Water Pimpernei				
valerandi L.	oom mon	N. Amer		b	P
Sanguinaria	BLOOD ROOT		•		-
canadensis L.	American—Pucceon	N. Amer	. Med.&	: h	P
			Arts		_
SANUISORBA	BURNET SAXIFRAG				
canadensis L.	Canadian ·	N. Amer	•	h ·	
officinalis L.	common	Europe	Med.	h	P
SANICULA	Sanicle				_
marilandica L.	American .	N. Amer	. Med.	Ъ	p
SAPINDUS	SOAP BERRY				_
saponaria L.	common	Carolina		g.h	8
SAPONARIA	SOAP WORT	_		_	
officinalis L.	common	Europe	Med.	þ	P
v. fløre pleno	double flowered do.				_
porrigens L.	hairy	_ do.		h	
vaccaria L.	perfoliate	Levant		h	
SARACENIA	SIDE SADDLE FLOW				
flava L.	yellow	N. Amer		h ·	P
psyttacina Mich.	red	Carolina		g.h	è
purpurea L.	purple	N. Amer	•	Ĭ.h	P
variotaris Mich.	· small	Carolina		g.h	P
				_	•

					41
SATUREJA	SAVORY				
- hortensis L.	summer	Europe :	Med.k	h	
	•	•	Diet	_	_
montana L.	winter	do.	Diet	h	•
SAURURUS :	Lizard's tail				_
cernuus L.	nodding	N. Amer.		h	D
SAXIFRAGA	SAXIFRAGE				-
, crassitolia L.	thick leaved	Siberia		h	P
pensylvanica L.	common American	N. Amer.		h	Þ
sarmentosa Ait. 2	maning on streethouse	China		_1	_
stolonifera Jacq. 5	ereching or strawberry			g.h	P
virginica Mich.	Virginian SCABIOUS	N. Amer.		h	Þ
SCABIOSA		_			_
atropurpurea L.	sweet	Europe	Med.	h	Ъ
stellata L.	cat's eye	do.		h	
SCANDIX	CICELY				
cerefolium L.		_			
Chærophyllum_sati- }	Chervil	Europe	Diet	h	
vum Pers.		_		_	
odorata. L	sweet scented or Myrrh	₫o∙	Med.	h	
pectens L.	Venus s comb	do.		Þ	P
S CHISANDRA	SCHISANDRA			_	
coccinea Mich.	scarlet	Carolina		g.h	
SCHORNUS	BOG RUSH			_	
albus L.	white	N. Amer.		,	P
fuscus L.	brown	qo.		Þ	P
giomeratus L.	glomerated	do.		Þ	P
SCILLA	adhirr			_	
maritima L.	officinal	S. Europe	Med.	g.h	P
nutama Sm.	1.B				
Hyacinthus non scrip	Hare bell	Europe	Arts	þ	P
tus L. J	CLUB RUSH				
SCIRPUS Bene 3	CLUB KUSH				
americanus Pere.	three sided	N. Amer.	Arts	h	P
triqueter Mich. 5	hair shaped	do.		L	_
capillaris <i>Mich</i> .	headed	do.	•	h h	
capitatus L. Incustris L.	hesuou bulrush	do.	Arts	h	P
macrostachyus <i>Mich</i> .	large spiked	do.	Arts	h	P
svivatious L.	Mood	do.	AIU	h	P
SCLERANTHUS	KNAWEL	-		М	P
annus L.	annual	M. Amer		h	_
SCOLYMUS	GOLDEN THISTLE	A1. 22,000()	•	4	
hispanicus L.	perennial	Europe		4	_
SCORPIURUS	CATERPILLARS	-u.opo		_	P
vermiculata L.	common	Europe	•	h	_
SCORZONERA	VIPER'S GRASS			-	•
hispanica L.	common	Egrope	Diet	h	P
SCROPHULARIA	FIG WORT			_	P
marilandica L.	American	N. Amer.	Med.	h	p
SCUTELLARIA	SCULL CAP			_	Y.
hyssopifolia L.	hyssop leaved	N. Amer.		h	P
integrifolia L	•	. مد		1	-
ovalifolia Pers. 5	oval leaved	do.		h	P
lateriflora L.	lateral flowered	do.	Med.	h	P
SECALE	RYE		_		*
cereale L.	common	S. Europe	Diet	h	8
SEDUM	STONE CROP	_			_
anacampseros L.	evergreen Orpine	Europe		h	P
populifolium Ait.	poplar leaved	do.		h	- 1
reflexum	reflexed leaved	do.		h	p
rupestre L.	rock	do.		h	P
sexangulare L.	six angled	đo.		h	p
					-

•		4141			
telephium L. ternatum <i>Mich</i>	common Orpine three leaved	Europe N. Amer.	Med.	h h	P
SEMPERVIVUM arboreum L	HOUSELEEK	Levant	36.3	g.h	
SENECIO	GROUNDSEL	Europe	Med	b •	P
doria L. elegans L.	broad leaved purple Jacobea	Europe C. G. H.		h ·	P
halimifolius L. sessilis <i>Thunb</i> .	halimus leaved	do		g.h	8
hieracifolius L.	hawk weed leaved	N. Amer.		h	
vulgaria L. SERISSA	BOX THORN	Europe	Med.	h	4
fætida <i>Willd.</i> Lycium fætidum Ljaponicum <i>Lmk.</i>	Japanese	Japan		g.b	•
v. flore pleno SESAMUM	double flowered do. SESAMUM				
orientale L.	oriental—Bhenne	E. Indies	Diet & Med.	Þ	
SHERARDIA arvensis L.	FIELD MADDER	P		h	_
SICYOS	SINGLE SEEDED CU			_	-
angulata L. SIDA	angular leaved SIDA	N. Amer.		h	•
abutilon L. alnifolia L.	round leaved alder leaved	Europe E. Indies		h	Ъ
angustifolia I. 3	narrow leaved	do.		h	-
ulmifoția <i>Hetz.</i> asiatica L.	small flowered	do.		h	2
cristata L. Anoda triloha Cav.	blue flowered	Mexico		h	
indica L.	Indian	E. Indies		þ	
populifolia Cav. 3 beloere l'Hèr. 5	poplar leaved	de.		h	
rhombifolia L. spinosa L.	rhomboid leaved prickly	do. do.		h.h h	
triloba <i>Cav</i> .	three lobed IRON WOOD	do.		h	A
SIDEROXYLUM lanuginosum Mick					
Bumelia lanuginosa	Silver Thorn	Carolina		h	t
SILENE armeria L.	CATCHFLY Lobel's	17 mmm e		h	_
antirrhina L.	snapdragon	Europe N. Amer.		ĥ	-
conica L.	corn	Europe		þ	R
dichotoma <i>Ehrt.</i> fruticosa L.	branched shrubby	Hungary Sicily		h a k	b
mutabilis L.	changeable	Europe		g.h h	P
nocturna L.	night smelling	Europe		h	•
Ornata Ait.	dark flowering	Ç. G. H.	1	g.h	þ
pensylvanica <i>Mich.</i> picta <i>H. P.</i>	Pennsylvanian striped flowered	N. Amer.		h h	b
quinquevulnera L.	spotted	Europe		ĥ	ē
SILPHIUM Inciniatum L.	SILPHIUM	N. Amer.		h	_
SINAPIS	jagged leaved MUSTARD	A. Amer.		ш	P
alba L.	white	•	Med.	h	•
nigra L.	black	do.	Diet & Med.	p	
SIPHONANTHUS	TUBE FLOWER	10 Tadi			_
indica L.	Indian	E. Indies	1	p-p	8

	·				
	HONE WORT				
canadense L.					
Cherophyllum cans-	Canadian	N. Amer.		h	P
dense Pers.				_	-
trifolietum L.	three leaved	do.	Med.	h	_
		us.	<i>-</i>	-	F
	SISYMBRIUM	4			_
amphibium L.	Water Radish	N. Amer.	Med	P	•
nastartium L.	Water Cress	do.	Diet &	h	Ď
			Med.		•
sophia L.	Plix weed	do.	Mal.	h	
	SISYRINCHIUM	40.		_	-
	SISTRINCHICAL				
anceps Lmk.	grass terved	N. Amer.		h	•
gramineum Curt. 5	•			-	•
mucronatum Mich.	blue eyed grass	do.		A	•
SIUM	Water Parsnep				-
falogria L.	sickle leaved	Europe		L	_
				7	Z
lineare Mich.	linear leaved	N. Amer.		Þ	Ð
rigidius L.	stiff stalked	do.		,	P
sisarum L.	Skirrets	China	Diet	P	•
SMILAX	SMILAX				-
cordifolia Humb.	heart leaved	Mesito		A.h	
		N. Amer.		4	-
herbacea L.	perpeceons				P
laurifolia L.	laurel leaved	da.			
quadrangularis <i>Mathi.</i>	square staked	do.		à.	
rotundifolia L.	round leaved	de.		À	
nedancularia Mahl.				_	
pedangularis Muhl. 3 pulverulenta Mich. 5	powdered	do.		h	· P
pulverulence watch. 5	-				-
pulverulenta Mich. 3 sarsaparilla L. 3 glauca Mich. 5	medicinal	do.	Med	1	
glauca <i>Mich</i> . 5				-	_
syphifitica <i>Humb</i> .	true Sersaparille	S. Amer.	Med	1.1	
SMYRNIUM	ALEXANDERS				_
cordatum Mich.	heart leaved	N. Amer.	Med	h	_
SOLANUM	NIGHTSHADE	TA . TENNOE.			r
		4			•
dulcamera L.	Bitter Sweet	N. Amer.	Med.	þ	
insanum L.	large prickly Egg plant Love apple—Tematees	E. Indiès		b	
lycoperticum L	Love apple—Tematees	S. Amer.	Diet	h	
mammosum L.	smaller prickly Egg plant	do.	Diet	ĥ	-
	sommon Feet place	do.	Diet	ī	
melongena L	common Egg plant	uu	17106	-	•
nigrum L. 3	commen	N. Amer.	Mad	h	
v. virginicum 🕽				_	_
pseudo capsicum L.	Jerusalem Cherry	Madeira		g.h	
tuberosum L.	common Potatoe	Peru	Diet	7	P
SOLIDAGO	GOLDEN ROD				=
		NT A		L `	_`
altissima L.	tall	N. 4mer.			P
bicolor L.	two coloured	φ.		į.	P
canadensis L.	Canadian	d 0.		Ъ	P
flexicaulis L.	bent staiked	do.		h	•
lævigata Ait.	smooth leaved	do.		À	=
lanceolata Ait.	51115 VIII. 1011, UZ	-			-
		4		1.	_
Chrysocoma gramini-	spear leaved	do.		h	7
folia L. J		_			
lateriflora <i>Ait</i> .	lateral flowered	do.		h	ъ
nemoralis Ait.	wood	dab.		b	5
noveboracensis L.	New-York	do.		ī.	P
		do.			3
odora <i>Jiii.</i>	sweet scented			<u> </u>	P
procera Ait.	large	qo-		Þ	P
reflexa Ait.	reflex leaved	đọ.		h .	- Þ
sempervirens L.	narrow leaved	do.		Ъ	Ď
SONCHUS	SOW THISTLE			_	=
oleraseus L.	common	N. Amer.	Mai	h	_
				24	
pallidus Willd.	pale	do.		h	Þ
Lactuca canademia L. S					r
palustris L.	marsh	do.		h	Þ
= ,	•				_

~	· · · · · · · · · · · · · · · · · · ·	•			
S OPHORA	SOPHORA				
japonica L.	Japan	· Japan		g.h	8
', microphylla All. Z	small leaved	S. Sea Isl.	. 1	g.h	
tetraptera L. 5	silvery	E. Indies		b.h	
SORGHUM Pers. 2	BROOM CORN or India				•
HOLCUS Auct. 5				_	
, bicolor Pere.	two coloured	Persia -		h '	
saccharatum Pers.	common	E. Indies	Diet	h	
spicatum Pers.	oval spiked oultivated	do. do.	Arts Diet	h	-
vulgare <i>Pere.</i> SORBUS	SERVICE TREE	Qu.	Dice	24	-
aucuparia L.	Mountain Ash	Europe	Med.	h ·	· t
canadensis Donn.	Canadian	N. Amer.		h	ŧ
SPARGANIUM	BURR REED			_	
simplex Sm.	American	N. Amer.		h	D
SPARMANNIA	SPARMANNIA	0 0 11	•	L	_
africana L. SPARTIUM	maple leaved BROOME	C. G. H.		g.h	8
junceum L.					
Genista juncea Deef.	Spanish	Europe	Arts	h	8
linifolium <i>Deef</i> . 5	Are larged	g_a:_		- h	
Genista linifolia L. 5	flax leaved	Spain	1	g.h	8
monospernum L.	single seeded	do.		g.p	. 8
multiflorum l'Her.		Dantagan			
album Desf. Genista alba Lmk.	white Portugal	Portugal		h	
scoparium L.	com mon	Europe	Med.	h	
SPERGULA	SPURREY	-a.opc	11200.		•
arvensis L.	corn	N. Amer.		h	2
SPIGELIA .	SPIGELIA or Worm gro	188			-
marilandica L.	Carolina Pink Root	N. Amer.	Med.	h	P
SPILANTHUS	SPILANTHUS			_	-
t oleraceus L.	eatable	E. Indies	Diet	g.b	Ъ
SPINACIA oleracea L.	SPINACH common	E. Indies	Die 6	h	_
orciacea D.	Common	IJ. IIIIIG	Med.		
SPIRÆA	SPIRÆA				
crenata L.	crenated	N. Amer.		h	D
hypericifolia L.	St. John's wort leaved	do.		h	•
opsilifolia L.	Snowball leaved	do.		h	
salicifolia L.	willow leaved	do.		h	8
tomentosa L.	woolly Bowman's root	do.		h	
Gillenia trifoliata	Indian Physic—Ipeca-	do.	Med.	h	
Manch.	cuanha	40.	272043		P
SPONDIAS	HOG PLUM				
dulcis Foret. 2	Otaheite Goosberry	S. Sea Isl.	Diet	h h	
cytherea Lmk. S		9. 500 250	Dict	11-11	•
STACHYS	HEDGE NETTLE	17			
annua L.	annual .	Europe		h	2
aspera <i>Mich.</i> tenuifolia <i>Muhl.</i> 5	rough leaved	N. Amer.	_	h	P
lanata L.	woolly .	Siberia	-	h	p
STÆHELINA	STÆHELINA				
chamæpuce L.	narrow leaved	8. Europe		g.h	
STAPELIA	STAPELIA	0.0.11	-		
aperta Willd.	open flowered	C. G. H.		h.h	■.
hirsuta L.	hairy variegated	do. da.		h.h h.h	8
variegata L. STAPHYLEA	BLADDER NUT	uo.		W- 144	-
trifòlia L.	three leaved	N.Amer.		h	
STATICE_	THRIFT				-
armeria L.	common	Europe		h	P

	HORTUS ELGINENSE	J .	\$ 5
Emonium L.	Sea Lavender-March Rosemary	N. Amer. Med. 'h	. p
sinusta L. STEWARTIA	wing stemmed STEWARTIA	Levant g.	h p.
malacodendron L. 3	Virginian	N.Amer. h	
virginica Cav. \$ STILLINGIA sebifera Willd. >	STILLINGIA		
Croton schiferum L. 5	Tallow tree	China Arts g.	p »
STIPA avenucea L.	FEATHER GRASS	N.Amer. h	P
STRELITZIA regina Air.	STRELITZIA oval leaved	C. G. H. h.	
Higheonia alba L.)	STYRAX	C. G. H. L.	n p
grandifolium Ait.	bey leaved	N. Amer. Med. h	. t
kavigetum Ait.	smooth leaved	da. h	t
americanum Lank. SYMPHITUM	COMPREY	·	
officinale L. SYRINGA	officinal LILAC	Europe Med. h	P
chinensis Willd. 3 dubia Pere.	Chinese	China h	
persica L. v. lacinista	Persian Inciniated do.	Persia h	
vulgaris L.	common	do.	. •
v. alba TAGETES	white do. TAGETES		
erecta L. lucida Cav.	African Marygold shining	Mexico Diet h	
patula L.	French Marygold TAMARIND TREE	do. Arts h	
TAMARINDUS indicus L.	common	B. Indies Diet & h.	h t
TAMARIX	TAMARISK	Med.	
germanica L. TANACETUM	German TANSEY	Europe Med. h	
vuigare L.	common	Europe Med. h)
TEPHROSIA toxicaria Pere.	TEPHROSIA	127 7 11	_
Galega toxicaria Swz.	Fish-poison GERMANDER	W. Indies b.	p •
campanulatum L.	small flowered .	Levant .h	ь
canadense L. fruticans L.	nettle leaved shrubby	N. Amer. Med. h	
v. latifolium	broad leaved do.	S. Europe g.	n s
massilense L.	sweet scented	do. g.	h :
scoredonia L.	wood sage	Europe Med. h	P
THALIA dealbata Donn.	THALIA white	Carolina g.	h •
THALICTRUM	MEADOW RUE		n p
glaucum <i>H. P.</i> lævigatum <i>Mich.</i> ?	. glan cour	<u>}</u>	l b
dioicum L S	smooth leaved	N. Amer.	
polygamum Mash.	tall	do. h	
purpurascens L. rugosum Ait.	purple rough leaved	do. h do. h	
THEA	TEA TREE		
bohea L.	bohea .	China Med.& g.l Diet	h s
viridis L.	green	do. Med.& g. Diet	h s

-	monto imponibilities	••			
THLASPI	BASTARD CRESS				
arvense L.	Penny Cress	N. Amer.	Med.	h	
bursa pastoris La	Shepherd's Parse	do.		h	
campestre L.	Mithridate Mustard	do.		h	
THUYA	ARBOR VITE				
occidentalis L.	American-White Cedar	N. Amer.	Arts	h	ŧ
orientalis L.	Chinese	Chine	Med.	g.h	
THYMUS	THYME			-	
acinos L.	basil	Europe	Med.	Þ	P
grandiflorus Curs. ?	large flowered	N. Amer.		h	P
carolinianus Mich. 5				_	_
lanuginosus Willd.	lemon seested	Europe		þ	
serpyllum L	wild—Mother of Thymo		Med.	þ	
vulgaris L.	common	da.	Med &	Þ	8
	And 4 100 100 100 100 100 100 100 100 100 1		Diet		
TIARELLA	TIARELLA	37 A			
cordifolia L.	heart leaved	N. Amer.		h	P
TIGRIDIA	TIGER PLOWER				
pavonia H. P.) ·			_	
Morses tigridia Thunb.	} Mexican	Mexico		g.h	P
Ferreria tigridia L.)				
TILIA	LIME OR LINDEN TI			_	_
americana L.	American—Base Wood	N. Amer.	Arts	,	ŧ
europea L.	European	Larque	Arts	h	t
TILLANDSIA	TILLANDSIA			_	
usneoides L.	Carolina muse	Carolina	Arts	g.h	P
TOLPIS	TOLPIS				
barbata Gert.)				
Crepie berbeta L.	bearded	Europe		h	
Drepania barbata #P.					
TRACHYNOTIA Mich DACTYLIS Auct.	PRATE TRAINES				
DACTYLIS Auct.	2100 GIL GILLING			_	
cynosuroides Mich	dog's tail	N. Amer.		h	P
polystnehys Miss.	many spiked	do.		þ	P
TRADESCANTIA	SPIDER WORT				
discolor_Sm.	purple leaved	S. Amer.		p.p	P
roses Mach.	rose coloured	Carolina		g.b	P
virginica L.	Virginian GOAT'S BEARD	N. Amer.		Þ	P
TRAGOPOGON		_		_	_
porrifolium L.	purplo <i>Seltafy</i>	Europe		p	•
			Dict		
TRICHODIUM	HAIR GRASS				
laxiflorum Mich.		97 4			
Cornucopies hyemelis	fine	N. Amer.		h	P
Wak.					
TRICHOSANTHES	TRICHOSANTHES	~ .			
onguina L.	Snake Gourd	China		h	
TRICHOSTEMMA	TRICHOSTEMMA	1			
dichotoma L.	branched	N. Amer.		P	8
TRIENTALIS	CHICKWEED WINTER	GREEN			
europea L. 3	American	N. Amer.		h	P
v. americana				_	•
TRIFOLIUM	CLOVER or Trefeil				
arvense L.	hare's foot	N. Amer.	Agr.	,	
cœrnleum L.	blue flowered	Europe		Þ	
dentstum Wald.	toothed	Hungary		'n	Ъ
indicum L.	Indian	E. Indies		þ	8
involueratum Willd.	stripe flowered	N. Amer.	. -	,h	P
officinale L.	Melilot	Europe	Med.	þ	4
pratense L.	meadow	N. Amer.	Agr.	þ	P
procumbens L.	hop	₫o∙	٠.	Ý	8
repens L.	dutch or white	do.	Agr.	Þ	P
TRIGLOCHIN	ARROW GRASS	33 A			_
maritimum L.	862	N. Amer.		h	P

BORTUS ELGERENMA. FENUGREEK

TRIGONELLA fenum gracum L. TRILLIUM	FENUGRAEK , common TRILLIUM	Europe	Med		, a
cernaum la	drooping flowered	N. Amer		ì	: p
erythrocarpum Mich. rhomboideum Mich.	red fruited	do.	Med.	þ	P
erectum L.	upright flowered	de.	Med.	ħ	P
sessile L. TRIOSTEUM .	sessile flowered FEVER WORT	ge.		Ì	' P
perfoliatum L. ?		N. Amer.	Mad		_
majus Mick. 5 TRIPSACUM	perfoliate TRIPSACUM	A. Amer		¥	P
dactyloides L.	three spiked .	N. Amer.	•	h	D
monestachyon Willd.	single spiked	do.		Þ	P
TRITICUM estivum L	WHEAT or Wheat Grass	,	Dist	h	
compositum L.	Egyptian	Egypt	Diet	h	Z
hybernum L. junceum Sm.	winter rush leaved	Europe	Diet	h	•
loliaceum Sin.	LESS ICEASE	Europe	Age	. =	•
unilaterale Ait.	SCR	. do.	Agr.	N.	•
Pon ioliacea <i>Huds.</i> J	ereeping-Couck Grase	do.	Diet &		D
•		-	Med		•
speita L. TROPÆOLUM	Spelt INDIAN CRESS		Diet	B	•
majus L.	greater	Pers	Diet k	b	
_	11	٠.	Med.		_
minus L. TROXIMON	smaller TROXIMON	do.	Diet	þ.	
virginicum Pere.					
Tragopogen virgini- cum L.					•
Hyoseris prenanthoi-	Virginian Virginian	N. Amer.		h	a
des Willd.	•		•		7
amplexicate					
TULIPA	TULIP			_	
gemeriana L.	garden sweet or <i>Van Tol</i>	Levant		k	P
suaveolens Reth. TURRITIS	TOWER MUSTARD	Europe		-	P
hirsuta L.	hairy	Europe	Diet	h	Ъ
TUSSILAGO farfara L.	COLT'S FOOT	Europe	Med.	b	
integrifolia Mich.	,	zar ope	2000		P
Perdicium semifloscu-	antina lasmad	O	34-3	_ 1	
lare Walt. Chaptalia tomentosa	entire leaved	Carolina	Med.	g.n	Ė
Yent.					
TYPHA angustifolia L.	CAT'S TAIL or Reed M narrow leaved	ace N. Amer.	Arts	h	
latifolia L.	broad leaved	do.	Arts	1	P
VACCINIUM	WHORTLE BERRY	4	.		•
album L. corymbosum L.)	white	N. Amer.	Diet	b	•
amœnum Ait.	Bilberry	do.	Diet & Med.	P	, 6
disomorphum Mich.	ahtusa lasmad		Diet.		_
frondosum L. glaucum <i>Lmk</i> .	obtuse leaved glaucous	do. do.	Diet	þ	8
hispidulum L.	,			_	7
Oxy coccus hispidulus Pers.	small fruited American	do.	Diet&	h	5
Arbutus thymifolia Ait.	Cranberry		Med.		
filiformia Lmk.	10				

•					
macroserpon Air.	large fruited American	do.	Modik	% '	_
Oxyecoeus macreter-	. Cranberry	us.	Diet		•
pus Pert. y		_		_	
myrainites Lak.	myrtie leaved	do.	Diet	b -	•
ozysoeces L.		_	TO:		_
Oxy coccus palustria	European Cranberry	Europe	Diet	n .	
Perv.)	·	Nr. A	D:	L	_
pensylvanicum Luk.	eager	N. Amer.	Diet Diet	h h	. 2
rednosum Ait.	clammy .	do. do.	Diet	h	-
stamineum L. tenellum <i>Ais</i> .	green wooded	de.	Diet	-	:
VALERIANA	gale leaved VALERIAN	ug.		-	-
olitoria L.	Lamb's Lettuce	Europe	Diet	h.	٠.
phu L.	garden		· Med.	ĥ	P
radiata Willd. ?	•				
Pedia rudiata Mich.	radiated	N. Amer.		h	
VANGUIERA .	Vanguiera				
edulis Vahl	esculent	E. Indies	Diet	h.h	t
VERATRUM .	SWAMP HELLEBORE			_	
viride Ait.	green flowered MULLEIN	N. Amer.	Med.	h	P
				_	_
, blattaria L.	moth	N. Amer.	Med.	*	Ъ
v. alba	white do.				
lychnitis L.	wedge leaved	Europe	37.3	þ	Þ
thespus L. VERBENA	great VERVAIW	N. Amer.	Med.	h	•
angustifolia Allek:	narrow leaved	N. Amer.	•	h	_
hastata L.	halbert leaved	do.	Med.	Ъ	Ð
officialis L.	sommon .	Europe	Med.	h h	K
triphylla l'Her. 7		-	7-2-0-01		•
Aleysia eltriodora Ort.	lemon scented	Peru .		g.h	8
urticifolia L.	nettle leaved	N. Amer.	Mod.		Ð
VERBESINA	VERBESINA			_	
aluta L.	wing stalked	S. Amer.		h-b-	P
VENONICA	wing stalked SPEEDWELL				•
agrestis L.	field	Europe		h	
anagallis E.	Pimpernel or water	N. Amer	,	h	P
arvensis L.	corn	_ do.		Þ	
hybrida L	Weish	Europe		h	P
maritima L.	968	do.	37.3	h	P
officinalis L.	officinal ·	N. Amer.	Med.	P	P
peregrina L. \$ marilandica Mur. \$	knot grass leaved	do.		Ъ	
ecutellata L.	scull cap or marsh	do.	•	•	_
serpilifolis L.	Paul's Betony	do.		h.	P
spuris L.	hybrid	Europe		ä	P
Virginica L.	Virginian -	N. Amer	,	ī.	·P.
virginica L. VERNONIA	Virginian VERNONIA				•
noveboracensis Mich.	common _	N. Amer	,	Ъ	P
VIBURNUM .	VIBURNUM				-
accrifolium L.	maple leaved	N. Amer	•	P	•
dentatum L.	toothed	, do.		h	
lantanoides Mich.	Hobble bush	do.		ħ	- 6
lentago L.	pear leaved	do.		Þ	
nudum L.	oval leaved	do.	•	P	
opulus L.	Guelder Rose	do.		P	
v. reseum prunifolium L.	Snow Ball plum leaved -	do.	•	h	_
tinus L.	Laurestine	S. Europe			-
VICIA	VETCH	A. Tarrebo	•	g.h	-
cracca L.	tufted	N. Amer		h	n
ervitia Willd.				_	*
Ervum ervilla L.	officine).	Europe	Med.	h	
faba L.	garden Bean	Egypt	Diet	h	•
		3			

MONTH PROFITABLE

v. miner	smaller do.				
monantha H.P.	semanat. Arr.			•	:
Ervam monanthes L. Lathyrus monanthes Willd.	one flowered	Russia		ħ	
nisseliana L.	red Aswered	Europe		h	
sativa L.	common	do		ĥ	ä
VINCA	PERIWINKLE	_		_	
major L. milior L.	greater	Europe	Med.	þ	
roses L.	small Madagascar	do. E. Indice	Med.	P.P	
v alba	white do.				٠,٠
Alory	VIOLET				
canadensis L. cuculists <i>Ait</i> .	Canadian	N. Amer.		À	Ð
odorata L.	hollow leaved sweet scented	do. Europe	Med.	h	P
v. flore plene	double flowered de.				, P
obliqua <i>"Ait.</i>	oblique flowered	M. Amer.		h	•
Polmata L.	palmated	qo.		Þ	Þ
pedata L. primulifolia L.	multifid primrose leaved	.da. .da.		P	P
Dubracens Ait. 3	•		•		P
pensylvanica Mich. 5	yellow Sowered .	qo.		þ	P
sagittata Ais.	arrow leaved	_ do.		h	
tricolor L. VITEX	Heart's ease—Panery	Europe	Med.	h	P
aguns castus L.	CHASTE THEE	S. Europe	Mad .	- h	٠, _
VITIS	VINE OR GRAPS	m. merobė		-	•
æstivalis <i>Mick.</i> ? labrusca <i>Walt.</i> \$	Simper.	N. Amer.	Die	h	_
	animet .	74. Trimer.	- ice		
vulpina L. S	winter or Chieken	de.	Diet	h	
labrusca L	fox	đo.	Diet	h	* 2
riparia Mich.	river or eand	da.	Diet	ř	
rotundifolia <i>Mich.</i> vinifera L.	Museadine or bullet	do.	Diet L	h h.	•
			Med		•
ULEX	WHIN or Purse	_	_	_	
curopeus L	60mmon	Europe	Arts	Þ	
ULMUS slata <i>Mich</i> .	ELM TREE	M. Amer.	Anta	h	ŧ
americana L.	eommon	do.	Arts	Ä.	ì
campestris L.	English	Europe		ħ.	ŧ
C. 30.1	•	* • •	Arte		
fulva <i>Mich.</i> UNIOLA	slippery UNIOLA	M. Amer.	Med.	h	ŧ
paniculata L. 2					
maritima <i>Mich</i> . 5	sea Rush grass	M. Amer.		h	P
URTICA	NETTLE	1	36 1		
dicica L. divericate L.	eommon branched	Europe N. Amer.	Med.	h h	P
pilulifera L.	Roman	Europe	Med.	Ë	P
pumila L.	dwarf	N. Amer.		<u>h</u>	2
UVULARIA	UVULARIA			_	
perfoliata L.	perfoliate	N. Amer. do.	Med. Med.	h h	₽
sessilifolia L. WEDELIA	sessile leaved WEDELIA	w.	MARU.	Д	P
manfaliate Wille	_	Mexico			_
Alcina perfoliata Cat.	perfoliste	werken		h	
AANIMUM	AANIAROM	T			
orientale L. strumarium L.	eastern lesser Burdock	Japan N. Amer.		h	2
".	matabase	-114010066			-

HORTUS ELGINENSEL

XERANTHEMUM annuum L. XEROPHYLLUM setifolium Mich.	XERANTHEMUM annual BASKET GRASS	Zurepe .	þ.	æ r.
Helonias aphodeloides	narrow leaved	R. Amer. Arts	h	P
KIMENESIA encelioides Cav. XYRIS	XIMENESIA hoary leaved YELLOW EYED GRASS	Mexico	R-y	Þ
anceps Pere. }	flat stemmed	N. Amer.	h	P
YUCCA alcifolia L. filamentosa L. gloriasa L. ZANTHORHIZA aplifolia PHer.	ADAM'S NEEDLE Aloe leaved thready or Adam's shread broad leaved YELLOW ROOT paraley leaved	Carolina N: Amer. Carolina N. Amer. Med.k	g.h g.h	•
## ANTHOXYLUM fraxineum Willd. americanum Wang.	TOOTH-ACHE TREE	N. Amer. Med.	h	ŧ
ZEA msys L. ZINNIA	MAIZE or Indian Corn common ZINNIA	S. Amer. Diet	h	
multiflora L. ! pauciflora L. ZIZANIA	red flowered yellow flowered CANADA RICE or Water	Carolina Peru r <i>Oats</i>	h h	1
aquatica L. ZORNIA Mich. HEDYSARUM Auct.		N. Amer.	h	4
diphyslum Pers. strobiliserum Pers.	two leaved cone bearing	E. Indies do.	h.b h.b	\$ \$

ENGLISH INDEX.

	Page		l'age		Page
ACACIA	1	Bastard cress	56	Berage	ĬO
Adam's needle	60	Bastard jasmine	14	Bondue	26
Adam's thread	60	Bestard Jesuit's b	ark 30	Botany-Bay tree	33
African marygold	56	Bastard indigo	4	Bowman's root	54
African sparrow wor	t 41	Bastard sensitive	plant S	Box thorn 5	34, 5 2
Agrimony	2	Battledore	28	Box tree	11
Alder	3	Bay-berry	37	Brake	46
Alexanders	58	Bay tree	32	Bramble	49
Almond	5	Beach	23	Bread fruit tree	7
Aloe	3	Bead tree	36	Briony	10
Akhæa frutex	27	Bean	58	Brome grass	10
Amaranth	4	Beard grass	5	Broome	54
American oil nut	26	Bear's breech	ĭ	Broom corn	54
Angelica tree	17	Beaver tree	95	Broom grass	5
Anise	43	Beet	9	Broom rape	39
Aniseed tree	29	Belladonna lily	Ă	Buckbean	36
Apple	46	Bell flower	19	Buckthorn	47
Apricot	45	Bellpepper	19	Buckwheat	44
Arber vite	56	Belvedere	14	Bugloss	5
Arnotto	10	Benjamin tree	32	Bulrush	51
Arrow grass	56	Bent grass	2		7, 59
Arrow head	49	Betony	9	Burnet	45
Arrow wort	35	Bhenne	52		3, 50
Artichoke	19	Bilberry	57	Burr marygold	10
Amrabacca	7	Bindweed	16	Barr reed	34
Ash	24	Birch	9	Butterfly weed	7
Ash wort	15	Bird pepper	19	Butternut	30
Asphodel	-8	Bird's foot	89	Button wood	13
Atamasco lily	ă	Bird's foot trefoil	Š	Butcher's broom	49
Avens	25	Birthwort	7	Cabbage	10
Avocado pear	32	Bistort	44	Cactus	ii
Auricula	45	Bitter apple	18	Calamus	2
Halm	36	Bitter sweet	13, 53	Camphor	32
	, 43	Blackberry	49	Campion	18
Balsam	29	Black ebony	7	Canada rice	60
Halsam apple	37	Black swake root	9	Canary grass	42
Bahana tree	37	Black thorn	46	Cancer root	39
Barbadoes flower fen		Bladder ketmia	27	Candle berry myrth	
Barbadoes gooseberr		Bladder net	54	Canady tust	99
Barbadoes lily	4	Bladder senna	16	Cape-Coast lily	7
Barberry	3	Blessed thistle	13	Cape jasmine	24
Barley	28	Blood root	50	Caraway	12
Base mustard	15	Blue bottle	13	Cardinal flower	83
Base parsley	13	Blue eyed grass	53	Cardoon	19
Basil	39	Bog rush	51	Carpation	90
Basket grass	60	Bone seed	40	Carolina alspice	11
Basswood	56	Boneset	23	Carolina jasmine	10
37600 W VUU	90		200	Our outre lastrette	44

ENGLISH INDEX.

		Page 56		Page			
	Carolina moss	36	Cotton grass	Page	Pennel		7
	Carolina or sweet		Cotton thistle	59	Fennel flower		38
	tatoe	16	Cotton tree	44	Fenugreck		57
	Carolina pink root Carpenter's leaf	55 24	Couch grass	57	rero .		38
	Carrot	90	Couhage Cowslip	21	Fescue grass		25
	Cashew nut	5	Cow wheat	45	Fever-few		46
	Castor oil plant	48	Cranberry	36 57, 58	Fever-wort		57
	Catalpa tree	10	Crane's bill gerani	nm 01	Field madder Field thyme		5 2 15
	Catch fly	52	Crow foot	24, 47	Fig marygold		36
	Caterpillars	51	Crown asphodel	22	Fir tree		23
	Catmint	38	Crown imperial	24	Figwort .		51
	Catnep	38	Cuckhold's horns	85	Filbert		17
	Cat's ear	29	Cucumber	18	Fir tree		40
	Cat's tail	57 42	Cucumber root	35	Fish poison		55
	Cat's tail grass Cedar	30	Cucumber tree Cudweed	35	Flax		33
	Celandine	14	Currents	25	Flea bane	16,	28
	Celery	-6	Custard apple	48 6	Flix weed Flos adonis		53
	Centaury	18	Cypress tree	18	Flower de luce		2 30
	Cereus	11	Cypress vine	80	Flowering fern		30
	Chaddock	15	Datfodil	38	Foxglove		30
	Chaff flower	2	Daisy	9	Fox-tail grass		7
	Chamemile	6	Dandelion	32	Fraxinella		20
	Chaste tree	59	Darnel	33	French honevsuck	le	26
	Cherry tree	45	Date palm	43	French marvgold		55
	Chesnut	13	Date plumb	90	Fringe tree Fritillary		14
	Chicking vetch	31 14	Day lily	27	Fritillary		24
	Chick pea Chick weed	4, 5	Deadly nightshade		Fumitory		24
	Chick weed winter		Dead nettle	31	Furze		59
	green	56	Dear grass Devil's bit	47	Galangale		31
	China rose	27	Dewberry	8 49	Garden eress Garlick		32
	Chinese spinach	9	Dill	6	Gentian		3 24
	Chinquapin	18	Dittander	32	Georgia bark		15
•	Unives	3	Dittany of Crete	39	Geranium 22,	94.	41
	Cicely	51	Dock	49	Germander	,	55
	Cinnamon	32	Dodder	19	Ginger		4
	Cinquefoil	45	Dog's bane	6	Ginseng		40
	Citron	15	Dog's tail grass	19	Glass wort		49
	Clary Clover	50 56	Dog's tooth violet	22	Globe amaranth		25
	Club moss	34 34	Dogwood	17	Goat's beard		56
	Club rush	51	Dragon's head Duck's foot	21 44	Golden rod		53
	Cochineal	ii	Dwarf palm	49	Golden sunflower		27
•	Cooks conth et .	4. 19	Dyer's weed	47	Golden thistle		51 37
	Cock's foot grass.			24	Gold of pleasure Gold thread		31 27
	Coffee	44 / 五十二	ant and	53	Gold tree		8
	Cole seed was	× 10	Elder	50	Goldy locks		14
	OOIC WOLL		raconn batte	29	Gooseberry		48
	Coloquintida	-18	Elephant's foot	21 .	Goose foot		14
	Colt's foot · Columbine	57	Elm tree	59	Goose corn		90
	Comfrey	67	Enchanter's nigh		Goard		18
	Contrajerva	55 ° \ 21	Enchanter's night shade Endive English mercury	15	Grape .		59
	Copaiba balsam	16	English mercury	114	Grass of Parnassus	3	41
	Coral and pearl	2	Erysgo	14 22	Green tea		55
	Coral tree	22	Eschallots	3	Gromwell Ground in		33
	Coriander	17	Everlasting pea	31	Ground ivy Ground-nut		25 7
•	Cornelian cherry	17	False acach	48	Groundsel		52
	Corn flag	6, 25	False cacoa	ĭ	Guava		46
	Costmary	9	False grape	3	Guelder rose		5 9
	Cotton	26	Feather grass	55	Guernsey lily		4

P			Page		Page
Guines-ben weed	**	Jerumlem sego	14	Loose strife	34
Guines pepper Gum arabic tree	18	Effects next	30	Lovege	33
Com granic tree	.1	Indian cherry tree	22	Love apple	59
	56	Indian corn Indian cress	57	Love lies bleeding Louse wort	41
ard grass	7	Indian fig	11	Lucerne	36
Lare bell 98.	51	Indian hemp	6	Lungwort	46
Mare's car	11	Indian millet	54	Lupine	34
Mawk's beard	18	Indian physic	54	Lychnidea	42
Mewthorn	17	Indian reed	12	Madeira nut	30
Mawk weed Mazel put	28	Indian shot	12	Madwort	4
Seath .	17 92	Indian turuep Indigo	29	Magothy bay bean Maiden hair	12 2
eart pea	īs	Indigo wild	44	Maize	60
Mannin anna	59	Ink berry	45	Malabar nightshade	
Medge bog	36	Job's tears	16	Malabar nut	31
Stacks named	96	Jonquil	58	Maisbar plumb	22
medge musterd	98	I pecaouanha	54	Mallow	35
Modge nettle	54	Iron wood	52	Mangel wurzel	9
Mellebore Memiook fern	27 10	Judas tree July flower	15 14	Mango tree Maple tree	35 1
Hemlock spruce	45	Jumper	30	Marjoram	59
Hemp	12	Jupiter's beard	6	Marmelade apple	2
Henbane	28	Kale	17	Marsh marygold	11
Menbit	31	Kentucky coffee tre		Marsh mallow	27
Herb bennet	25	Kidney bean	42	Marsh recemary	54
Herb Christopher	8	Kidney vetch	6	Marsh trefoil	36
Herb Robert	3 f	King's spear	~ 1	Marvel of Peru	37
Herd's grees	8	Knot grass S Knawel	19, 44 51	Marygold Mar apple	55
Meron's bill germiam Hickory	30	Labdanum	15	May apple May weed	44
Hobbie bush	58	Laburoum	90	Meadow saffron	16
Hog plamb	54	Ladies' bed straw	24	Meadow grass	14
Hog weed	4	Ladies' mantle	3	M edick	35
Hog wood	10	Ladies' slipper	19	M edlar	36
Holly	29	Ladies traces	38	Melic grass	36
Mollybook	4	Lamb's lettuce	58 14	Melilot	56
Hone wort	58 54	Lamb's quarters Larch	43	Melon thistle Mexican lily	11
Honeysuckle Honey wort	13	Lark spur	20	Mezereon	20
Hop	28	Lavender	32	Mignonette	47
Hop horn-beam	40	Laurel S	31, 32	Millet	54
Horehound	35	Laurestine	58	Millet grass	37
Horehound water	34	Leatherwood	21	Milk vetch	8
Horn-beam	12	Lead wort	44	Milk weed	7
	14	Leek Leopard's bane	3 21	Milk wort	44. 36
Horse balm Horse obesnut	16 2	Lemon	15	Mithridate mustare	
Horseradish	16	Lemon grass	5	Mock orange	42
Hound's tongue	19	Lettuce	31	Moldavian balm	21
House leek	52	Life everlasting	25	Molucca balm	37
Humble plant	37	Liquorice	25	Monk's rhubarb	49
Humming-bird tree	14	Lilac	55	Monkey flower	37
Hyacinth	28	Lily	33	Moon seed	36
Hyssop	29	Lily of the valley	16	Moon wort	36
Jacobea tily	4 20	Lily thorn Lime	13 15	Moose wood Mother of thyme	21 56
Jamestown weed Japan rose 11,		Lime tree	56	Mother wort	32
Japan rose 11, Jasmine	29	Linden tree	56	Mountain ash	54
Ice plant	36	Liver wort	5	Mountain ebony	9
Jerusalem artichoke	26	Lizard's tail	51	Mountain laurel	47
Jerusalem cherry	53	Locust tree	8, 48		37, 47
Jerusalem oak	14	Loblolly bay	26	Mountain tea	24


10	ladia.		Page	;	Page
Mouse ear chickweed	age	Pine	Page	Saffron 1	Page 2, 18
Mulberry	37	Pine-apple	10	Safflower	12
Mullein	58	Pink	20	Sage	5●
Musk melon	18	Pink root	54	Sago	19
Mustard	58	Pitchpine	43	Salt wort	50
Myrtle	37	Plane tree	44		i, io
Navel wort	17	Plantain	48	Sand-box tree	28
Nectarine	5	Pleurisy root	7	Sandwort	7
Nettle	59	Plumb	45	Sanicle	\$0 2
Nettle tree	18	Poison ash	48 48	Sapota Sarsaparilla	
New-Jersey tea tree	18 26	Poison oak Poison tree	48	Sessafras	7, 53 52
Nicker tree	53	Poison vine	48	Savory	51
Nightshade None such	53	Pokeweed	43	Saxifrage	51
Oak	47	Polyanthus	38	Scabious	51
Oat grass	8	Pomerose	22	Scarcity root	•
Oata	8	Pomegranate	46	Scorpion grass	37
Oil seed or bhenne	52	Pompion	18	Scorpion senna	17
Okra	27	Poplar	44	Screw pine	40
Oleander	87	Poppoose root	32	Scurvy grass	16
Olive	39	Рорру	40	Scullcap	51
Onion	8	Potatoe	16, 5B	Sea daffodil	40
Orache	8	Pot marygold Pride of India,	11	Sea lavender	54 16
Orange	15		ecc	Sea-side grass	19
Orchard grass	20	Bead tree. Prim	55	Sedge Self heal	45
Orchis	30 50	Primrose	45	Seneca grass	28
	52 37	Prince's feather	4	Seneca snake root	44
Oswego tea Otaheite gooseberry	54	Privet	33	Senna	13
Ox eye	11	Puccoon	<i>5</i> 0	Sensitive plant	37
Ox lip	45	Pampkin ,	18	Service tree	54
Ox tongue	43	Purslane	45	Shaddock, see Chad	
Palma christi	48	Quaking grass	10	Shield fern	38
Panic grass	40	Quercitron	47	Shepherd's purse	56
Pansey	59	Quince	46	Shrubby trefoil	46
Papaw tree	12	Radish Ramad rabin	47 34	Side-saddle flower Silk weed	50 7
Paper mulberry	16 6	Ragged robin Raspberry	49	Silver bell	26
Parsley Parsnep	41	Rattle tree	13	Silver fir	43
Partridge berry	24	Ray grass	34	Silver tree	46
Passion flower	41	Reed grass	7	Single seeded cucun	n -
Paul's betony	58	Reed mace	57	ber	52
Pea	43	Red bud	13	Skirrets	53
Peach	5	Rest harrow	39	Skunk cabbage	45
Peacock flower	2	Rhubarb	47	Sloe	45
Peanut	7	Rib wort	43 42	Snail's Spake root	36 7
Pear	46 49	Ribbon grass Rice	40	Snake weed	44
Pearl wort	56	Ringworm tree	12	Spap dragon	16
Penny cress Penny wort	28	Robin-runaway	37	Speeze wort	2
Pennyroyal	36	Rock rose	15	Snowball	58
Pepper	43	Rocket	27	Snow-drop	24
Pepper wort	32	Rose	. 48	Snow -drop tree	26
Pepperidge	38	Rose acacia	48	Snow flake	33
Periwinkle	59	Rose bay	47	Soap berry	50
Persicaria	44	Rosemary	49	Soap wort	50
Persimon	20	Rosemary marsh		Soft grass	28
Pheasant's eye	2	Rough grass	56	Solomon's seal	18 49
I'hysic nut	29 21	Rosa solis	21 2	Sorrel Sour gum	38
Pigeon berry	21 19	Rose campion Rush grass	30, 59	Sour sop	2
Pigeon pea Pimpernel	5	Rue	49	Southernwood	7
Pimpernel water	50	Rye	51	South Sea myrtle	32
~	. •	· 😼 =			

P	age	P	ege		Page
South Sea tea	30	Tamarisk	35	Wall flower	74
Sowbread	19	Tangier pea	81	Wallnut	50
Sow thistle	53	Tannier	11	Water cress	53
Spear wort	47	Tansey	55	Water hemlock	14
Speedwell	58	Tare	22	Water horehound	
	56	Tarragon	7	Woter lily	38
Spikenard	7	Tessel	21	Watermelon	18
Spinach	54	Tea tree	55	Water oats	60
Spindle tree	22	Thistle 12, 13,		Water paranep	53
Spleen wort	8	Thorn apple	90	Water pepper	44
Sponge tree	ĭ	Thorough wax	10	Water pimpernel	50
Sprat	28	Thoroughwort	23	Water plantain	3
Spruce	43	Three thorned acacia	25	Weter radish	53
Spurge	28	Thrift	54	Wheat	57
Spurrey	54	Thyme	56	Wheat grass	57
Squash	18	Tickseed sunflower	17	Whin	52
Squill	51	Timothy grass	48	White cedar	18, 55
Staff tree	13	Tood flax	6	White poplar	33
Star apple	14	Tobacco	88	White wood	. \$3
Star grass	3	Tomatoes	13	Whitlow grass	21
Star of Bethlehem	39	Tonka bean	21	Whortleberry	57
Star wort	8	Tooth-ache tree	60	Widow wail	.16
Stavesuere	3 0	Torch thistle	ĩi	Wild alepice	.32
Stinking horehound	~	Tower mustard	57	Wild bugloss	54
Stock	14	Tree mallow	92	Wild charpomile	35
Stone crop	51		89	Wild chervil	14
Stork's bill germium	41	Tree primrese Trumpet flower	10	Wild ginger	
	23	Tubeflower	:52	Wild hemp	. 7 . 2
Strawberry	10	Tuberose	44	Wild indigo	
Strawberry blite	14	Тайр	57	Wild ivy	.44
Succory Succotrine aloc	- 5	Tulip tree	33	Wild liquorice	5 1
	49	Tupelo tree	68		
Sumech	48	Turmeric	19	Wild potatoe Willow	18 50
	14	Turnep	10	Willow berb	
Summer cypress	51	Turn sole	27	Wind flower	21
Summer savory Sundew	21		56		5
	26	Tyger flower Valerian	58 ·	Winter berry	45
Sunflower .	25	Van tol	57	Winter cherry	45
Saperb lily Swallow wert	7	Varnish tree	48	Winter green	46
	58	Venus' comb	51	Wire grass Witch hazel	14
Swamp hellebore	35 35	Venus fly trap	20	Woad	26
Swamp sassafras Sweet basil	39	Venus' looking-glass	12	Wolf's bane	30
Sweet fern	16	Vernal grass	6	Woodbine	2 33
	2	Vervain	58	Wood sorrel	= = =
Sweet flag	33	Vetch	58	Wool grass	40 92
Sweet gum	31	Vine	59		
Sweet pea	16	Violet	59 59	Worm grass	54
Sweet potatoe		Viper's bugloss	21	Worm seed Wormwood	14
Sweet scented shrub Sweet sultan	13	Viper's grass	51	Yam	7
Sweet suitan Sweet-william	20	Virgin's bower	15	Yarrow	20
	42	Umbrella tree	35	Yellow eyed grass	2 60
Syringa Tacamahac	44	Upright honey-suckle	33 9	Yellow root	60
Tallow tree	55	Walking leaf	8	TEHOM LOOK	w
Tamarind	55	Wali cress	9		
T STREET INC	9.9	1 / mai	9		

Since the foregoing Catalogue has been printed, I have received from that distinguished Botanist, M. Thouin, Professor of Agriculture and Botany at Paris, a third collection of seeds, amounting to 300 species, of such plants as are not contained in this collection. The unceasing exertions of that gentleman, for the promotion of science in this country, as well as his own, deserve a greater tribute of praise than I am able to bestow.

The improvements which may hereafter take place in this institution, and the additions which may be made to the collection of plants, will in future be regularly published, as an annual report to the Legislature, and the Regents of the University.

D. H.



•

